Volume 34/1996
Part A: Chemistry



WILEY-INTERSCIENCE
ISSN 0887-624X

JOURNAL OF

Polymer Science

PART A: POLYMER CHEMISTRY

Editors

David A. Tirrell
Department of Polymer Science
and Engineering
University of Massachusetts
701 Lederle Research Tower
Amherst, MA 01003

Mitsuo Sawamoto
Department of Polymer Chemistry
Kyoto University
Kyoto 606-01, Japan

Eli M. Pearce
Herman F. Mark
Polymer Research Institute
Polytechnic University
6 Metrotech Center
Brooklyn, NY 11201

Founding Editor

Herman F. Mark

Editorial Advisory Board

H.R. Allcock
N.M. Bikales
J.V. Crivello
W.T. Ford
J.M.J. Fréchet
H.K. Hall, Jr.
A.S. Hay
P.M. Hergenrother
S. Inoue
J.P. Kennedy
S. Kobayashi
R.W. Lenz
M.H. Litt
E. Marechal
L.J. Mathias
K. Matyjaszewski
J.E. McGrath
G. Montaudo
Y. Morishima
B.M. Novak
K. O'Driscoll
S. Penczek
V. Percec
N.A. Platé
H. Ringsdorf
J.C. Salamone
S.I. Stupp
Ph. Teyssié
S.R. Turner
O. Vogl
K.B. Wagener
O.W. Webster
G. Wegner
C.G. Willson

Assistant to David A. Tirrell: Linda Strzegowski
Assistant to Mitsuo Sawamoto: Miro Takayama
Assistant to Eli M. Pearce: Gloria M. Fazio

The Journal of Polymer Science (USPS #282-240) is published in 2 parts: *Polymer Chemistry* (ISSN 0887-624X) and *Polymer Physics* (ISSN 0887-6266), monthly and semi-monthly in January, April, July, September, and November; Polymer Symposia, irregularly (one volume per year) by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Copyright © 1996 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel.: (508) 750-8400, Fax: (508) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright holder's consent that 2 copies may be made for personal or internal use, or for personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by law. This consent does not extend to other kinds of copying such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volume 34, 1996): $4,998.00 in US, $5,338.00 in Canada and Mexico, $5,525.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645; E-mail: SUBINFO@wiley.com

Postmaster: Send address changes to *Journal of Polymer Science*, Susan Malawski, Director, Subscription Fulfillment and Distribution, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158. For subscription inquiries, please call customer service at (212) 850-6645 or write to the above address.

Advertising/Sales: Inquiries concerning advertising should be forwarded to Susan Levey, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO 19 IUD, England.

Manuscript Submissions: Four copies of each manuscript should be submitted directly to the editors. See instructions on inside back cover.

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8776.

Other Correspondence: Address all other correspondence to *Journal of Polymer Science*, Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

The contents of this journal are indexed in the following: *Applied Mechanics Reviews, Chemical Abstracts, Current Contents/Physical, Chemical and Earth Sciences, Science Citation Index (ISI), Engineering Index, RAPRA Abstracts, Chemical Titles, Research Alert (ISI), and SCISEARCH Databasee (ISI).*

Editorial Production, John Wiley: Merilee Croft Olson

♾ **This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).**

JOURNAL OF
Polymer Science

Combined Author Index to Volume 34

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 34, 1996. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Aagaard, O. See Van Asselt, R., 1553C
Aalberts, D. P.
Monte Carlo Study of Polyelectrolyte Gels, 1127P
Abe, T. See Sanda, F., 1969C; Ueda, M., 109C
Abe, Y. See Yoshida, T., 2229C
Acar, N.
—; Tulun, T.: Studies on the Interaction of Poly(4-vinylpyridiniumchloride) with Poly(sodiumphosphate) in an Aqueous Solution by Conductometry, 1251C
Acosta, J. L. See Morales, E., 2715P
Advani, S. G. See Bénard, A., 471P
Agrawal, G.
—; Wool, R. P.; Dozier, W. D.; Felcher, G. P.; Zhou, J.; Pispas, S.; Mays, J. W.; Russell, T. P.: Interdiffusion of Polymers Across Interfaces, 2919P
Aguilera, C. See Canessa, G. S., 1465C
Ahmad, H. See Okubo, M., 3147C
Ahn, K.-D.
—; Koo, J.-S.; Chung, C.-M.: Photoacid Generating Polymers Based on Sulfonyloxymaleimides and Application as Single-Component Resists, 183C
Ahn, Y. H. See Kim, J., 3277C
Akashi, M.
—; Nakano, S.; Kishida, A.: Synthesis of Poly(*N*-vinylisobutyramide) from Poly(*N*-vinylacetamide) and Its Thermosensitive Property, 301C
Akashi, M. See Chen, M.-Q., 2213C
Akazawa, T. See Horikawa, Y., 1183C
Akimoto, A. See Doi, T., 367C, 2499C
Albers, P.-J. W. See de Graaf, L. A., 1839P
Albertsson, A.-C.
—; Eklund, M.: Short Methylene Segment Crosslinks in Degradable Aliphatic Polyanhydride: Network Formation, Characterization, and Degradation, 1395C
Alemán, C.
—; Muñoz-Guerra, S.: On the Mechanical Properties of Poly(ethylene terephthalate). Force-Field Parametrization and Conformational Analysis for the Prediction of the Crystal Moduli, 963P
—; Puiggalí, J.: Chain Conformation in Polyretropeptides. II. Quantum Mechanical and Empirical Force Field Calculations on 2,5,9,11-Tetraoxo-3,6,8,12-tetraza-tridecane, a Model Compound for the Terpolymer of Glycine and Its Retropeptides, 1327P
Alexandrova, I.
—; Iordanov, G.: Preparation and Properties of Weak Acid Ion-Exchange Membranes Based on Poly(vinylchloride)/Poly(methylmethacrylate-co-divinylbenzene) System, 2285C
Alimi, K.
—; Safoula, G.; Bernede, J. C.; Rabiller, C.: Degradation of Poly(*N*-vinylcarbazole) by Annealing Under Iodine Pressure, 845P
Allen, D. J. See Ishida, H., 1019P
Allen, M. G. See Lee, J. B., 1591P
Al-Masri, M. See Kricheldorf, H. R., 2037C
Ameduri, B.
—; Boutevin, B.; Guida–Pietrasanta, F.; Manseri, A.; Ratsimihety, A.; Caporiccio, G.: Synthesis of Hybrid Fluorinated Silicones. I. Influence of the Spacer between the Silicon Atom and the Fluorinated Chain in the Preparation and the Thermal Properties of Hybrid Homopolymers, 3077C
Andjelić, S. See Mijović, J., 379P
Ando, M. See Higuchi, A., 2153P
Angevine, C. See Snavely, D. L., 1669C
Angiolini, L.
—; Caretti, D.; Carlini, C.; Salatelli, E.: Sulfur-Containing Optically Active Polymers. V. Synthesis and Chiroptical Properties of Optically Active Poly(γ-ketosulfide)s Prepared by Polyaddition of 1,3-Dimercaptobenzene to 4,4-Dimethyl-2,5-Cyclohexadien-1-one or to *trans, trans*-2,5-

Heptadien-3-one in the Presence of Chiral Amines, 2999C
Ania, F. See Flores, A., 2019P
Annenkov, V. V.
—; Kruglova, V. A.; Mazyar, N. L.: Complexes of Poly-5-Vinyltetrazoles with Weak Polybases, 597C
Anžlovar, A.
—; Anžur, I.; Malavašič, T.: The Synthesis and Morphology of Grafted Semiinterpenetrating Polymer Networks on the Basis of Functional Prepolymers, 2349C
Anžur, I. See Anžlovar, A., 2349C
Aoshima, S. See Kaita, S., 3431C
Apekis, L. See Pissis, P., 1529P
Araki, T. See Hosoya, K., 2767C
Armes, S. P. See Patrickios, C. S., 1529C
Arnold, F. E. See Mehta, V. R., 1881P
Arnold, M. See Poser, S., 1733C
Asthana, S.
—; Varanasi, S.; Lemert, R. M.: 2-Vinyloxy Ethyl Phthalimide Polymerization Initiated by 1-(Isobutoxy) Ethyl Acetate in the Presence of Ethyl Aluminum Dichloride and Either Ethyl Acetate or Ethyl Benzoate, 1993C
Asua, J. M. See Barandiaran, M. J., 309C; Sáenz, J. M., 1977C
Attard, G. S. See Frisch, H. L., 1823C
Aubert, J. H. See Beaucage, G., 3063P
Aucejo, S. See Gavara, R., 1907P
Avakian, P. See Sauer, B. B., 517P
Avci, D.
—; Mathias, L. J.; Thigpen, K.: Photopolymerization Studies of Alkyl and Aryl Ester Derivatives of Ethyl α-Hydroxymethylacrylate, 3191C
Avella, N.
—; Maglio, G.; Palumbo, R.: "One-Pot" Synthesis of Poly(amide–imide)s Derived from Trimellitic Acid Monoesters and Multiring Aromatic Diamines, 1219C
Awan, M. A.
—; Dimonie, V. L.; El-Aasser, M. S.: Anionic Dispersion Polymerization of Styrene. II. Mechanism of Particle Formation, 2651C
—; Dimonie, V. L.; El-Aasser, M. S.: Anionic Dispersion Polymerization of Styrene. I. Investigation of Parameters for Preparation of Uniform Micron-Size Polystyrene Particles with Narrow Molecular Weight Distribution, 2633C
Azuma, H.
—; Katagiri, Y.; Yamabe, S.: Steric Effects upon Transition States of Radical Addition Polymerizations, 1407C

Bacon, D. W. See Mteza, S. B., 1693C
Badawi, H. M. See Tsonis, C. P., 853P
Badyal, J. P. S. See Hopkins, J., 1385C
Bae, J.-S. See Kim, D.-W., 2127P
Baer, E. See Bensason, S., 1301P
Bai, F. See Li, G., 1079P
Bai, R.-K. See Pan, C.-Y., 2149C
Balbo, A. L.
—; Dall'Orto, V. C.; Sobral, S.; Grasselli, M.; Rezzano, I.: A Novel Polymeric Catalyst from Hemin for Oxidation Reactions, 305C
Balcioğlu, N.
—; Tunoğlu, N. K.: $MoCl_5/EtAlCl_2$-Catalysed Nonmetathesis Polymerization of Norbornadiene, 2311C
Balsara, N. P.
Review of Polymers and Neutron Scattering, 1827C
Balsara, N. P.
Review of Rheo-Physics of Multiphase Polymer Systems, 1827C
Balta-Calleja, F. J. See Flores, A., 2019P
Bamnolker, H.
—; Margel, S.: Dispersion Polymerization of Styrene in Polar Solvents: Effect of Reaction Parameters on Microsphere Surface Composition and Surface Properties, Size and Size Distribution, and Molecular Weight, 1857C
Banerjee, S.
—; Saxena, C.: Poly-Schiff Bases. III. Synthesis and Characterization of Polyesterazomethines, 3565C
Ban, M.
—; Kyoto, M.; Uedono, A.; Kawano, T.; Tanigawa, S.: Free Volumes in Polystyrene Probed by Positron Annihilation, 1189P
Ban, M. See Uedono, A., 2145P
Bao, R. See Wang, Z. J., 325P
Barakat, I.
—; DuBois, Ph.; Grandfils, Ch.; Jérome, R.: Macromolecular Engineering of Polylactones and Polylactides. XXI. Controlled Synthesis of Low Molecular Weight Polylactide Macromonomers, 497C
Barandiaran, M. J.
—; Asua, J. M.: On the Modeling of Radical Desorption in Emulsion Polymerization, 309C
Baranovsky, V. Y.
—; Shenkov, S.: Competitive Complex Forming Reactions between Monosubstituted and Nonsubstituted Poly(ethylene glycol)s with Poly(methacrylic) Acid, 163C
—; Shenkov, S.; Doseva, V.; Borisov, G.: Complexation between Poly(methacrylic) and Poly(acrylic) Acids and Star-Shaped Poly(ethylene glycol) Based on Pyrogallol, 2253C
Barbiero, G.
—; Hay, A. S.: A Novel Radical Polymerization of 2,2′,3,3′,5,5′-Hexaphenyl-1,1′-biphenyl-4,4′-dioxy with Monomers Containing Activated Methylene Groups, 507C
Barboiu, V.
—; Holerca, M. N.; Streba, E.; Luca, C.: Reactions on Polymers with Amine Groups. III. Description of the Addition Reaction of Pyridine and Imidazole Compounds with α,β-Unsaturated Monocarboxylic Acids, 261C

Barlow, R. J.
—; Zimmerman, S.; Khougaz, K.; Eisenberg, A.: Phase Separation of Micellar Solutions at Extreme Dilution: A Study of Polystyrene-*b*-poly(sodium Acrylate) Micelles in Aqueous NaCl Solutions, 1197P
Barrales-Rienda, J. M. See Callejo Cudero, M. J., 1059C
Barson, C. A.
—; Bevington, J. C.; Hunt, B. J.: Application of a New Approach to the Determination of Transfer Constants for Systems Showing Retardation, 227C
Bartos, J.
—; Klimová, M.: A Relationship between Macroradical Decay Kinetics and α-Segmental Dynamics in Glassy Amorphous Polymers, 1741C
Bashir, Z.
—; Khan, N.: A Monotropic Liquid Crystal Polyester With a Biphasic Nematic-Smectic Phase, 2077P
Bassells, R. E. See Biondic, M., 1941C
Baudoux, G. See De Mahieu, A.-F., 763C
Baumgarten, E.
—; Fiebes, A.; Stumpe, A.: Copolymers of Poly-{acrylamide-co-[3-(acryloylamino)propyltrimethyl-ammoniumchloride]} as Carriers for Platinum Species and Their Use as Catalysts in Heterogeneous Gas Phase Reactions, 1889C
Bayle, J. P. See Brik, M. E., 2533P
Baysal, B. M. See Yilmaz, F., 1789P
Beach, J. V. See Whinnery, L. L., 1623C
Beaucage, G.
—; Aubert, J. H.; Lagasse, R. R.; Schaefer, D. W.; Rieker, T. P.; Erlich, P.; Stein, R. S.; Kulkarni, S.; Whaley, P. D.: Nano-Structured, Semicrystalline Polymer Foams, 3063P
Beaucage, G. See Frisch, H. L., 673C; Hyeon-Lee, J., 3073P; Pu, Z., 2657P
Bednarczyk, C. See Murthy, N. S., 821P
Beevers, M. S.
—; Goodwin, A. A.: Synthesis and Kerr Effect of p-Phenylene Vinylene Oligomers, 1133P
Belfiore, L. A.
—; Das, P.; Bossé, F.: Synergistic Mechanical Response in Blends of Diene Polymers and Their Complexes with Palladium Chloride, 2675P
Belfiore, L. A. See Bossé, F., 909P
Beliard, I. See Colombani, D., 893C
Bell, J. P. See Don, T.-M., 2103C
Bello, A. See Laredo, E., 641P, 2863P
Bellucci, F.
—; Maio, V.; Monetta, T.; Nicodemo, L.; Mijovic, J.: Impedance Spectroscopy of Reactive Polymers. 4. An Improved Experimental Procedure for Measurement of Effective Resistivity, 1277P
Bellucci, F. See Mijović, J., 379P
Bénard, A.
—; Advani, S. G.; Schultz, J. M.: Solidification of Semicrystalline Polymers Using a Variable Interface Temperature Model, 471P
Benita, S. See Domb, A. J., 1229C
Benmouna, M.
—; Fischer, E. W.; Bensafi, A.; Khaldi, S.: On the Static Scattering of Linear and Cyclic Copolymers in Solution, 1629P
—; Maschke, U.; Ewen, B.: Properties of Polymer Blends and Triblock Copolymers Obtained by Neutron Scattering, 2161P
Bensafi, A. See Benmouna, M., 1629P
Bensason, S.
—; Minick, J.; Moet, A.; Chum, S.; Hiltner, A.; Baer, E.: Classification of Homogeneous Ethylene-Octene Copolymers Based on Comonomer Content, 1301P
Berghmans, H. See Soenen, H., 241P
Bernal, C. R.
—; Montemartini, P. E.; Frontini, P. M.: The Use of Load Separation Criterion and Normalization Method in Ductile Fracture Characterization of Thermoplastic Polymers, 1869P
Bernede, J. C. See Alimi, K., 845P
Berry, G. C. See Mattoussi, H., 925P
Bevington, J. C. See Barson, C. A., 227C
Bianco, H.
—; Narkis, M.; Cohen, Y.: A Small-Angle X-Ray Scattering Study of Bromine-Containing Latex Particles, 2775P
Bicerano, J.
—; Sammler, R. L.; Carriere, C. J.; Seitz, J. T.: Correlation between Glass Transition Temperature and Chain Structure for Randomly Crosslinked High Polymers, 2247P
Bidstrup, S. A. See Lee, J. B., 1591P
Biela, T.
—; Duda, A.: Solvent Effect in the Polymerization of e-Caprolactone Initiated with Diethylaluminum Ethoxide, 1807C
Bikiaris, D. N.
—; Karayannidis, G. P.: Chain Extension of Polyesters PET and PBT with Two New Diimidodiepoxides. II, 1337C
Billingham, N. C. See Patrickios, C. S., 1529C
Binga, T. D. See Visser, S. A., 1679P
Biondic, M.
—; Giacopello, S.; Bassells, R. E.; Encinas, M. V.; Lissi, E. A.: Polymerization Photoinitiated by Carbonyl Compounds. XI. Styrene Polymerization Photoinitiated by Cyclododecanones, 1941C
Bivens, T. See Gilmer, T. C., 1025C
Blumstein, A. See Zhou, P., 3399C

Bodor, G.
—; Gall, S.; Häberle, K. D.; Lode, U.; Wilke, W.: Determination of Crystallite Particle Size Distribution of Polymers from WAXS, 485P
Boey, F. Y. C. See Chia, H. L., 2087C
Bondar, V. I.
—; Kamiya, Y.; Yampol'skii, Y. P.: On Pressure Dependence of the Parameters of the Dual-Mode Sorption Model, 369P
Borek, J.
—; Osoba, W.: Free Volume in Plasticized Polyvinyl Chloride, 1903P
Borisov, G. See Baranovsky, V. Y., 2253C
Borrajo, J. See Eliçabe, G., 527P; Riccardi, C. C., 349P
Borsenberger, P. M.
—; Gruenbaum, W. T.: Electron Transport in a Molecularly Doped Polymer, 575P
—; Magin, E. H.; O'Regan, M. B.; Sinicropi, J. A.: The Role of Dipole Moments on Hole Transport in Triphenylamine-Doped Polymers, 317P
Bortolotti, M. See Viola, G. T., 13C
Bosch, P.
—; Del Monte, F.; Mateo, J. L.; Levy, D.: Photopolymerization of Hydroxyethylmethacrylate in the Formation of Organic-Inorganic Hybrid Sol-Gel Matrices, 3289C
Bossé, F.
—; Das, P.; Belfiore, L. A.: Annealing Effects on the Solid State Properties of Transition-Metal Coordination Complexes and Networks Based on Diene Polymers with Palladium Chloride, 909P
Bossé, F. See Belfiore, L. A., 2675P
Bottino, F. A.
—; Di Pasquale, G.; Leonardi, N.; Pollicino, A.: Synthesis and Properties of New Poly(ether sulfone)amides, 1305C
Bourova, T. See Troev, K., 621C
Boutevin, B. See Ameduri, B., 3077C
Bower, D. I. See Brolly, J. B., 761P, 769P
Brar, A. S.
—; Charan, S.: Comonomer Sequence Determination of Vinyl Acetate-Glycidyl Methacrylate Copolymers by NMR Spectroscopy, 333C
Bremner, T.
—; Hill, D. J. T.; O'Donnell, J. H.; Perera, M. C. S.; Pomery, P. J.: Mechanism of Radiation Degradation of Polyisobutylene, 971C
—; Rudin, A.: The Effect of Degassing on the Measurement of Transverse Relaxation Times in Molten Polymers, 1893P
Brik, M. E.
—; Titman, J. J.; Bayle, J. P.; Judeinstein, P.: Mapping of Motional Heterogeneity in Organic-Inorganic Nanocomposite Gels, 2533P
Brillhart, M. See Cheng, Y.-Y., 2953P
Brolly, J. B.
—; Bower, D. I.; Ward, I. M.: Diffusion and Sorption of CO_2 in Poly(ethylene terephthalate) and Poly(ethylene naphthalate), 769P
—; Bower, D. I.; Ward, I. M.: Finite Difference Modeling of the Gas Transport Process in Glassy Polymers, 761P
Bromberg, L.
—; Levin, G.: Transesterification of Poly(*N,N*-diethylacrylamide-co-glycol methacrylate) with Diethyldithiophosphate: Facts and Implications, 2595C
Brown, C. N. See White, J. E., 2967C
Brown, G. R. See Caldas, V., 2085P
Brown, N. See Lu, X., 1809P
Büchi, F. N. See Gupta, B., 1873C
Buchwalter, S. L.
—; Kosbar, L. L.: Cleavable Epoxy Resins: Design for Disassembly of a Thermoset, 249C
Budishevska, O. G. See Voronov, S. A., 2507C
Burget, D. See Mayer, T., 3141C
Burke, A. L.
—; Duever, T. A.; Penlidis, A.: An Experimental Verification of Statistical Discrimination between the Terminal and Penultimate Copolymerization Models, 2665C
Bushman, A. C.
—; McHugh, A. J.: A Continuum Model for the Dynamics of Flow-Induced Crystallization, 2393P

Cabedo, D. See Gavara, R., 1907P
Cable, K. M. See Deng, Q., 1917P
Cádiz, V. See Giménez, V., 925C
Cai, G.
—; Litt, M. H.: Synthesis and Characterization of Poly(*N*-acyl or *N*-aroyl ethylenimines) Containing Various Pendant Functional Groups. I. Copolymers with Pendant Olefin Groups, 2679C
—; Litt, M. H.: Synthesis and Characterization of Poly(*N*-acyl or *N*-aroyl ethylenimines) Containing Various Pendant Functional Groups. II. Copolymers with Pendant Hydroxyl Groups, 2689C
—; Litt, M. H.: Synthesis and Characterization of Poly(*N*-acyl or *N*-aroyl ethylenimines) Containing Various Pendant Functional Groups. III. Copolymers with Pendant Epoxy and Imidazole Groups, 2701C
—; Litt, M. H.: Synthesis and Characterization of Poly(*N*-acyl or *N*-aroyl ethylenimines) Containing Various Pendant Functional Groups. IV. Poly(*N*-aroylethylenimines) with Allyloxy and 3-Hydroxy Propyloxy Groups, 2711C
—; Litt, M. H.: Synthesis and Characterization of Poly(*N*-acyl or *N*-aroyl ethylenimines) Containing Various Pendant Functional Groups. V. Random Copolymers of 4-Allyloxy and 4-Methoxy Phenyl Oxazolines and Their Adducts with Mercaptoacetic Acid, 2719C
Cai, H.
—; Dave, V.; Gross, R. A.; McCarthy, S. P.: Effects of Physical Aging, Crystallinity,

and Orientation on the Enzymatic Degradation of Poly(Lactic acid), 2701P
—; He, X.-H.; Zheng, D.-Y.; Qiu, J.; Li, Z.-C.; Li, F.-M.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. II. Fluorescence and Initiation Behavior of *N*-(4-*N'*,*N'*-dimethylaminophenyl)-maleimide and Its Polymer, 1245C
Cai, R.-F. See Chen, Y., 3297C, 631P
Caldas, V.
—; Brown, G. R.; Nohr, R. S.; Macdonald, J. G.: ^{13}C CP/MAS NMR Studies of Morphological Changes in Polypropylene: 2. The Double Melting Endotherm of Spunbonded Fabrics, 2085P
Callejo Cudero, M. J.
—; López-González, M. M. C.; Barrales-Rienda, J. M.: Synthesis of Polyesters as Binders for Deinkable Inks. I. Structural Analysis of the Polyesterification between *o*-Phthalic Anhydride and Neopentyl Glycol in Bulk at 200°C by High Resolution 13!C Nuclear Magnetic Resonance (13!C-NMR), 1059C
Cameron, D. A. See Kim, S., 481C
Campos, M.
—; Cavalcante, E. M.; Kalinowski, J.: Poole–Frenkel Effect in Amorphous Poly(*p*-Phenylene Sulfide), 623P
Candau, F. See Ohlemacher, A., 2747P
Candau, S. J. See Ohlemacher, A., 2747P
Canessa, G. S.
—; Aguilera, C.; Serrano, J. L.; Oriol, L.: Side-Chain Liquid Crystalline Polyesters Derived from Diethylmalonate and/or 1,3-Propanediol, 1465C
Cangiano, D. L.
—; Odian, G.; Schmidt, D. L.: Zwitterionic Polymerization of 1-[4-[(4-Hydroxy-1-naphthyl)thio]butyl]-quinuclidinium Hydroxide Inner Salt, 801C
Canpolat, M.
—; Pekcan, Ö.: Healing and Photon Diffusion During Sintering of High-*T* Latex Particles, 691P
Capek, I.
—; Juraničová, V.: On Kinetics of Microemulsion Copolymerization of Butyl Acrylate and Acrylonitrile, 575C
Capel, M. See Cheng, Y.-Y., 2953P
Caporiccio, G. See Ameduri, B., 3077C
Carella, J. See Eliçabe, G., 527P, 1147P
Caretti, D. See Angiolini, L., 2999C
Carini, G. See Fanggao, C., 425P
Carlini, C. See Angiolini, L., 2999C
Carriere, C. J. See Bicerano, J., 2247P
Carvalho, B. L. See Radzilowski, L. H., 3081P
Casillas, C. G. See Morisato, A., 1925P, 2209P; Pinnau, I., 2613P
Castellano, C. See Di Marzio, E. A., 535P
Catalá, R. See Gavara, R., 1907P
Cavalcante, E. M. See Campos, M., 623P
Cebe, P. See Cheng, Y.-Y., 2953P
Centore, R.
—; Panunzi, B.; Roviello, A.; Sirigu, A.; Villano, P.: Polymers Containing Substituted 2-Phenyl-benzoxazole Side-Chain Groups: Synthesis and Phase Behavior, 3203C
Cerini, L. N. See Sikka, M., 1443P
Cerrada, P.
—; Oriol, L.; Piñol, M.; Serrano, J. L.: Alternative Synthetic Strategies for Schiff Base Derived Liquid Crystal Polymers: A Comparative Study, 2603C
Chakravorty, S. See Sen, S. R., 25C
Chambard, G. See Manders, B. G., 2473C
Chandrasiri, J. A.
—; Wilkie, C. A.: Chemically Initiated Graft Copolymerization of Acrylic Acid onto Acrylonitrile–Butadiene–Styrene (ABS) Terpolymer and Its Constituent Polymers, 1113C
Chang, C.-F. See Hsiao, S.-H., 1433C
Chang, C. G. See Ihm, D. W., 2841C
Chang, C.-S. See Hsiue, G.-H., 555P
Chang, F.-C. See Li, M.-S., 3303C
Chang, H.-Y. See Hsiao, S.-H., 1421C
Chang, M.-C. See Yoon, J.-S., 2543P
Chang, T. C.
—; Chen, H. B.; Chen, Y. C.; Ho, S. Y.: Characterization of Azo-Containing Polydimethylsiloxanes and Their Copolymers with Methyl Methacrylate, 2613C
—; Chen, H. B.; Chiu, Y. S.; Ho, S. Y.: Photopolymerization of Methyl Methacrylate with Azo-Containing Polydimethylsiloxane as Photoinitiator: Effect of Siloxane Chain Length, 3313C
—; Wu, K. H.; Chen, H. B.; Ho, S. Y.; Chiu, Y. S.: Thermal Degradation of Aged Polytetrahydrofuran and Its Copolymers with 3-Azidomethyl-3′-methyloxetane and 3-Nitratomethyl-3′-methyloxetane by Thermogravimetry, 3337C
Chang, T.-C. See Chen, C.-P., 2857C; Chen, H. B., 679C; Hung, T.-C., 2455C, 2465C; Sun, S.-J., 771C
Chang, Y.
—; Yang, J.-C.: Mechanical Properties of the Polypropylene Copolymer Measured by the Impression Method, 2193P
Chang, Y.-H. See Lee, J.-H., 1621C
Chan, K. P.
—; Yang, H.; Hay, A. S.: Thermal Chemistry of Poly(aryl ether phthalazine)s and the Synthesis of Poly(aryl ether quinazoline)s, 1923C
Chan, K. P. See Wang, Y.-F., 375C, 2135C
Charan, S. See Brar, A. S., 333C

Charlier, Y. See Hedrick, J. L., 2867C
Chaumont, P. See Colombani, D., 893C
Chaupart, N. See Serpe, G., 2351P
Chen, C.-P.
—; Chang, T.-C.: Studies on Thermotropic Liquid Crystalline Polymers. XVI. Synthesis and Properties of Fully Aromatic Poly(amide-ester)s with Naphthalene Structures, 2857C
Chen, C.-Y. See Sung, P.-H., 2189C
Cheng, C.-L. See Jou, J.-H., 2239P
Cheng, R. See Yan, X., 2319C
Cheng, R. R.
—; Wunder, S. L.: NMR and FTIR Investigation of the Solution Imidization Kinetics of Model Compounds of PMDA/ODA Polyamic Ethyl Ester, 435P
Cheng, Y.-Y.
—; Brillhart, M.; Cebe, P.; Capel, M.: X-Ray Scattering and Thermal Analysis Study of the Effects of Molecular Weight on Phase Structure in Blends of Poly(butylene terephthalate) with Polycarbonate, 2953P
Chen, H. See Yu, G., 2237C
Chen, H. B.
—; Chang, T. C.; Chiu, Y. S.; Ho, S. Y.: Photopolymerization of Styrene, *p*-Chlorostyrene, Methyl Methacrylate, and Butyl Methacrylate with Polymethylphenylsilane as Photoinitiator, 679C
Chen, H. B. See Chang, T. C., 2613C, 3313C, 3337C
Chen, J.
—; Pascault, J.-P.; Taha, M.: Synthesis of Polyurethane Acrylate Oligomers Based on Polybutadiene Polyol, 2889C
Chen, L.
—; Xu, H.; Yu, X.; Zhu, Y.; Yang, C.: Liquid Crystalline Polyurethanes with Novel Organometallic Complexes, 721C
Chen, L. See Jin, X., 2045C
Chen, M.
—; Yang, T.-C.; Zhou, X.: Zone-Resolved Mass Spectroscopic Study on RF Plasma Polymerization of Styrene, 113P
Chen, M.-Q.
—; Kishida, A.; Akashi, M.: Graft Copolymers Having Hydrophobic Backbone and Hydrophilic Branches. XI. Preparation and Thermosensitive Properties of Polystyrene Microspheres Having Poly(*N*-isopropylacrylamide) Branches on Their Surfaces, 2213C
Chen, P.-S. See Liaw, D.-J., 885C
Chen, R.
—; Silverstein, M. S.: Plasma Copolymerization: Hexafluoropropylene and a Nonpolymerizable Gas, 207C
Chen, S. See Chen, Y., 3297C
Chen, S.-J. See Li, F.-M., 1881C
Chen, T. See Wang, Y., 449C
Chen, T.-M.
—; Wang, Y.-F.; Kitamura, M.; Nakaya, T.; Sakurai, I.: Synthesis and Properties of Poly(acrylamide)s Containing both Long Chain Alkyl Groups and Phosphatidylcholine Analogues in the Side Chains, 1155C
Chen, Y.
—; Huang, Z.-E.; Cai, R.-F.: The Synthesis and Characterization of C_{60} Chemically Modified Poly(*N*-vinylcarbazole), 631P
—; Huang, Z.-E.; Cai, R.-F.; Kong, S.-Q.; Chen, S.; Shao, Q.; Yan, X.; Zhao, F.; Fu, D.: Synthesis and Characterization of Soluble C_{60}-Chemically Modified Poly(*p*-bromostyrene), 3297C
Chen, Y. C. See Chang, T. C., 2613C
Chern, Y.-T.
Preparation and Characterization of Poly(imide-amide)s by Interfacial Condensation, 133C
Chern, Y.-T.
Preparation and Properties of New Polyimides Derived from 1,6-Diaminodiamantane, 125C
Chern, Y.-T.
—; Chung, W.-H.: Preparation and Properties of Polyamides and Polyimides Derived from 1,3-Diaminoadamantane, 117C
—; Wang, W.-L.: Synthesis and Characterization of Tough Polycyclic Polyamides Containing 4,9-Diamantyl Moieties in the Main Chain, 1501C
Chern, Y.-T. See Wang, J.-J., 3345C
Chetri, P.
—; Islam, N.; Dass, N. N.: Development of a Novel Catalyst for Solution of Poly(vinyl alcohol) in Nonaqueous Medium, 1613C
Chia, H. L.
—; Jacob, J.; Boey, F. Y. C.: The Microwave Radiation Effect on the Polymerization of Styrene, 2087C
Chien, J. C. W. See Song, W., 2945C
Chinachoti, P. See Li, S., 2579P
Chin, I.-J. See Yoon, J.-S., 2543P
Chin, S.
—; Gaskins, T.; Durning, C. J.: Steady-State Permeation of Carbon Dioxide Through a Miscible, Glassy Polymer Blend, 2689P
Chiriac, A. P.
—; Simionescu, C. I.: Polymerization in a Magnetic Field. X. Solvent Effect in Poly(methyl methacrylate) Synthesis, 567C
Chisholm, B. J. See Storey, R. F., 2003C
Chiu, Y. S. See Chang, T. C., 3313C, 3337C; Chen, H. B., 679C
Choi, S.-K. See Lee, H.-J., 2333C; Lee, J.-H., 1621C
Choi, Y. See Yoshida, T., 3053C
Cho, J. C. See Jo, W. H., 2169P
Cho, J. W.
—; Lee, G. W.: Thermoreversible Gelation of Blend of Poly(vinylidene fluoride) and Poly(vinylidene fluoride-trifluoroethylene) in γ-Butyrolactone Solution, 1605P
Christodoulides, C. See Pissis, P., 1529P
Chrusciel, J.
—; Matyjaszewski, K.: Ring-

Opening of 1,2,3,4-Tetramethyl-1,2,3,4-tetraphenylcyclotetrasilane in the Presence of Transition Metal Catalysts, 2243C

Chu, B. See Dembo, A. T., 2893P

Chu, E. See Lu, S., 3163C

Chum, S. See Bensason, S., 1301P

Chung, C.-M. See Ahn, K.-D., 183C

Chung, M.-A. See Wang, J.-J., 3345C

Chung, S. H. See Wieczorek, W., 2911P

Chung, S.-J.

—; Huh, S.-M.; Jin, J.-I.: Synthesis and Characterization of Wholly Aromatic Polyesters Derived from 1-Phenyl-2,6-naphthalene-dicarboxylic Acid and Aromatic Diols, 1105C

Chung, W.-H. See Chern, Y.-T., 117C

Chun, H.

—; Gent, A. N.: Effect of Length and Number of Interlinking Molecules on the Strength of Adhesion, 2223P

Cigana, P.

—; Favis, B. D.; Jerome, R.: Diblock Copolymers as Emulsifying Agents in Polymer Blends: Influence of Molecular Weight, Architecture, and Chemical Composition, 1691P

Clark, D. J. M.

—; Truss, R. W.: Verification of the Microdomain Model of Crystallinity in Polyvinyl Chloride by Electron Microscopy, 103P

Clay, D. See Gilmer, T. C., 1025C

Cohen, Y.

The Microfibrillar Network in Gels of Poly(γ-Benzyl-L-Glutamate) in Benzyl Alcohol, 57P

Cohen, Y. See Bianco, H., 2775P

Colombani, D.

—; Beliard, I.; Chaumont, P.: Chain Transfer by Addition–Fragmentation Mechanism. VII. Radical Polymerization of Vinyl Monomers in the Presence of Ethyl 2-[1-(Trimethylsilylperoxy)ethyl]-propenoate and Related Compounds, 893C

Colquhoun, H. M.

—; Herbertson, P. L.; Wade, K.: Polyetherketones Based on *para*-Carborane, 2521C

Consolati, G.

—; Genco, I.; Pegoraro, M.; Zanderighi, L.: Positron Annihilation Lifetime (PAL) in Poly[1-(trimethyl-silyl)propine] (PTMSP): Free Volume Determination and Time Dependence of Permeability, 357P

Cooper, S. L. See Phillips, R. A., 737P

Cope, B. C. See Harron, H. R., 173P

Coppens, G. See DeRoover, B., 1039C

Cordon, C. See Eliçabe, G., 1147P

Corniglion, I. See Nabeth, B., 401P

Cortés, P. See Hutchinson, J. M., 229P

Craig, A. A.

—; Imrie, C. T.: Side-Chain Liquid Crystal Copolymers Containing Nonmesogenic Units: Dependence of the Thermal Behavior upon Composition, 421C

Crescenzi, V. See Paradossi, G., 3417C

Creton, C.

—; Leibler, L.: How Does Tack Depend on Time of Contact and Contact Pressure? 545P

Crews, G. M. See Ji, S., 2543C

Crist, B.

—; Hereña, P. G.: Molecular Orbital Studies of Polyethylene Deformation, 449P

Cristea, M. See Dragan, S., 3485C

Crivello, J. V.

—; Lai, Y.-L.; Malik, R.: Ketene Acetal Monomers: Cationic Photopolymerization, 3103C

—; Löhden, G.: The Preparation of Novel 1-Propenyl Ethers and Their Cationic Photopolymerization, 2051C

—; Löhden, G.: The Synthesis and Cationic Polymerization Behavior of Ambifunctional Monomers, 1015C

—; Malik, R.; Lai, Y.-L.: Ketene Acetal Monomers: Synthesis and Characterization, 3091C

Cuculo, J. A. See Frey, M. W., 2049P, 2375P; Wu, G., 2035P

Cui, W. See Kerres, J., 2421C

Culicchi, C. See Levita, G., 2731P

Cun, L. F. See Peng, Y. X., 903C, 1815C, 2513C, 3527C

Curro, J. G. See Londono, J. D., 3055P

Dadmun, M. D.

—; Muthukumar, M.; Hempelmann, R.; Schwahn, D.; Springer, T.: Proton Motion of Poly(γ-benzyl L-glutamate) in Benzyl Alcohol During Gelation as Measured by Quasielastic Neutron Scattering, 649P

Dai, H. S. See Peng, Y. X., 903C, 1815C

Dalla Lana, I. G. See Rangwala, H. A., 3379C

Dall'Orto, V. C. See Balbo, A. L., 305C

Dalnoki-Veress, K.

—; Forrest, J. A.; Stevens, J. R.; Dutcher, J. R.: Phase Separation Morphology of Thin Films of Polystyrene/Polyisoprene Blends, 3017P

Dalnoki-Veress, K. See Forrest, J. A., 3009P

Daly, W. H. See Sohn, D., 3025P

Dang, T. D. See Mehta, V. R., 1881P

Daniels, E. S. See Nelliappan, V., 3173C, 3183C

Das, P. See Belfiore, L. A., 2675P; Bossé, F., 909P

Dass, N. N. See Chetri, P., 1613C

Dave, V. See Cai, H., 2701P

Davé, V. See Glasser, W. G., 201P

Davidenko, N.

—; Peniche, C.; Sastre, R.; Román, J. S.: Photoinitiated Homopolymerization and Copolymerization of Furfuryl Methacrylate and N-Vinylpyrrolidone, 1753C

—; Zaldívar, D.; Peniche, C.; Sastre, R.; San Roman, J.: Activity of the Furfuryl Ring in the Free Radical Polymerization of Acrylic Monomers, 2759C

David, G. See Simionescu, C. I., 3071C

De Abajo, J. See García J. M., 659C

Deben, C. See Gaoquan, L., 1583P
Deb, P. C. See Mathew, A., 1605C
Decker, C.
—; Xuan, H. L.; Viet, T. N. T.: Photocrosslinking of Functionalized Rubber. III. Polymerization of Multifunctional Monomers in Epoxidized Liquid Natural Rubber, 1771C
de Graaf, L. A.
—; Albers, P.-J. W.; Möller, M.: Influence of the Bulk and Surface Morphology on Adhesion of Polystyrene-*inter*-poly-*cross*-2-ethylhexyl-methacrylate Films and Particles, 1839P
De La Campa, J. G. See García J. M., 659C
Delhalle, J. See De Mahieu, A.-F., 763C
Del Monte, F. See Bosch, P., 3289C
De Mahieu, A.-F.
—; Devaux, J.: Functionalized Poly(methylphenyl)silane: End Group Reactivity, 3047C
—; Devaux, J.; Dereppe, C.; Baudoux, G.; Delhalle, J.: 29!Si Nuclear Magnetic Resonance of Poly(methylphenyl)silane, 763C
Dembo, A. T.
—; Yakunin, A. N.; Zaitsev, V. S.; Mironov, A. V.; Starodoubtsev, S. G.; Khokhlov, A. R.; Chu, B.: Regular Microstructures in Gel-Surfactant Complexes: Influence of Water Content and Comparison With the Surfactant Structure in Water, 2893P
Deng, Q.
—; Cable, K. M.; Moore, R. B.; Mauritz, K. A.: Small-Angle X-Ray Scattering Studies of Nafion®/[Silicon Oxide] and Nafion®/ORMOSIL Nanocomposites, 1917P
Deppe, D. D.
—; Miller, R. D.; Torkelson, J. M.: Small Molecule Diffusion in a Rubbery Polymer near T_g: Effects of Probe Size, Shape, and Flexibility, 2987P
De Raaff, A. M. See Sarker, A. M., 2817C
Dereppe, C. See De Mahieu, A.-F., 763C
De Roover, B.
—; Coppens, G.; Devaux, J.; Legras, R.; Momtaz, A.: Contribution to Poly(*m*-xylylene adipamide) Characterization: Hydrolysis, Condensation, and Oxidation in the Melt, 1039C
—; Devaux, J.; Legras, R.: Maleic Anhydride Homopolymerization during Melt Functionalization of Isotactic Polypropylene, 1195C
Despotopoulou, M. M.
—; Miller, R. D.; Rabolt, J. F.; Frank, C. W.: Polymer Chain Organization and Orientation in Ultrathin Films: A Spectroscopic Investigation, 2335P
Devaux, J. See De Mahieu, A.-F., 763C, 3047C; De Roover, B., 1039C, 1195C; Jacques, B., 1189C
Díaz-Calleja, R.
—; Sanchis, M. J.; Gargallo, L.; Radic, D.: Viscoelastic Relaxation Phenomena in Poly(mono-*n*-alkyl itaconates), 261P
Dijkstra, P. J. See Van De Witte, P., 2553P, 2569P
Di Marco, G. See Fanggao, C., 425P
Di Marzio, E. A.
—; Castellano, C.; Yang, A.: Glass Temperature Depression of Polymer by use of Mixed Solvents: A Colligative Property, 535P
Dimonie, V. L. See Awan, M. A., 2633C, 2651C
Dimonie, V. L. See Magallanes González, G. S., 849C
Ding, Z.
—; Spruiell, J. E.: An Experimental Method for Studying Nonisothermal Crystallization of Polymers at Very High Cooling Rates, 2783P
Di Pasquale, G. See Bottino, F. A., 1305C
DiPietro, R. See Hedrick, J. L., 2867C
Doi, M. See Oana, H., 1105P
Doi, T.
—; Akimoto, A.; Matsumoto, A.; Oki, Y.; Otsu, T.: Alternating Copolymerization of *N*-(alkyl-substituted phenyl)maleimides with Isobutene and Thermal Properties of the Resulting Copolymers, 2499C
—; Akimoto, A.; Matsumoto, A.; Otsu, T.: Radical Copolymerization of *N*-alkylmaleimides with Isobutene and the Properties of the Resulting Alternating Copolymers, 367C
Domb, A. J.
—; Linden, G.; Polacheck, I.; Benita, S.: Nystatin–Dextran Conjugates: Synthesis and Characterization, 1229C
Dondos, A.
—; Papanagopoulos, D.: Three Models for Chain Conformation of Block Copolymers in Solution and in Solid State, 1281P
Dong, Y. J. See Peng, Y. X., 1815C
Donth, E.
Characteristic Length of the Glass Transition, 2881P
Don, T.-M.
—; Bell, J. P.: Polycarbonate-Modified Epoxies. I. Studies on the Reactions of Epoxy Resin/Polycarbonate Blends prior to Cure, 2103C
Doseva, V. See Baranovsky, V. Y., 2253C
Dozier, W. D. See Agrawal, G., 2919P
Dragan, S.
—; Cristea, M.; Luca, C.; Simionescu, B. C.: Polyelectrolyte Complexes. I. Synthesis and Characterization of Some Insoluble Polyanion–Polycation Complexes, 3485C
Dubault, A. See Mokdad, A., 2723P
Dubé, M. A.
—; Penlidis, A.; Reilly, P. M.: A Systematic Approach to the Study of Multicomponent Polymerization Kinetics: The Butyl Acrylate/Methyl Methacrylate/Vinyl Acetate

Example. IV. Optimal Bayesian Design of Emulsion Terpolymerization Experiments in a Pilot Plant Reactor, 811C
Dubin, P. L. See Xia, J., 497P
Dubner, W. S.
—; Schultz, J. M.: Influence of Bond Interchange Reactions on Mechanical Behavior of Solid Poly(ethylene terephthalate), 2307P
Dubois, P. See Yu, Y. S., 2221C
DuBois, Ph. See Barakat, I., 497C
Dubsky, J. See Snavely, D. L., 2575C
Duda, A. See Biela, T., 1807C
Duever, T. A. See Burke, A. L., 2665C
Dumay, M. See Glasser, W. G., 201P
Dunlop, J. I.
A New Technique for Measuring the Dynamic Moduli of Polymeric Foams, 1155P
Durning, C. J. See Chin, S., 2689P
Dusek, K. See Nabeth, B., 1031P
Dutcher, J. R. See Dalnoki-Veress, K., 3017P; Forrest, J. A., 3009P

Ebdon, J. R. See Rimmer, S., 3573C, 3591C
Ecevit, K. See Tuncel, A., 45C
Ediger, M. D. See Hwang, Y., 2853P
Edwards, D. A.
Non-Fickian Diffusion in Thin Polymer Films, 981P
Ehrenfeld, H. See Gilmer, T. C., 1025C
Eisenberg, A. See Barlow, R. J., 1197P
Eklind, H.
—; Maurer, F. H. J.: Frequency and Temperature Dependence of Molecular and Micromechanical Transitions in PPO/PMMA/P(S-g-EO) Blends, 1569P
Eklund, M. See Albertsson, A.-C., 1395C
El-Aasser, M. S. See Awan, M. A., 2633C, 2651C; Magallanes González, G. S., 849C; Nelliappan, V., 3173C, 3183C; Varela de la Rosa, L., 461C
Elce, E.
—; Hay, A. S.: Highly Phenylated Poly(aryl ether phthalazine)s, 1897C
Eliçabe, G.
—; Carella, J.; Borrajo, J.: Modeling the Fractionation Process in TREF Systems. II. Numerical Analysis, 527P
—; Cordon, C.; Carella, J.: Modeling the Fractionation Process in TREF Systems. III. Model Validation With Low Molecular Weight Homopolymers, 1147P
Elmidaoui, A. See Zouahri, A., 1793C
Elvira, C.
—; Levenfeld, B.; Vázquez, B.; San Román, J.: Amine Activators for the "Cool" Peroxide Initiated Polymerization of Acrylic Monomers, 2783C
Encinas, M. V. See Biondic, M., 1941C
Endo, M. See Shiomi, T., 2599P
Endo, T. See Kihara, N., 1819C, 2173C; Kubota, H., 1347C; Kuroda, H., 1597C; Nakano, S., 475C; Okazaki, T., 2029C; Sanda, F., 1969C; Sato, E., 669C; Tomita, I., 271C, 1853C
Endreszl, C. See Gilmer, T. C., 1025C
Erddalane, A.
—; Fouassier, J. P.; Morlet-Savary, F.; Takimoto, Y.: Efficiency and Excited State Processes in a Three-Component System, Based on Thioxanthene Derived Dye/Amine/Additive, Usable in Photopolymer Plates, 633C
Erlich, P. See Beaucage, G., 3063P
Erro, R.
—; Gaztelumendi, M.; Nazabal, J.: Transitions and Mechanical Properties in Polyoxymethylene/Phenoxy Blends, 1055P
Esselbrugge, H. See Van De Witte, P., 2569P
Even, W. R. See Whinnery, L. L., 1623C
Ewen, B. See Benmouna, M., 2161P

Facinelli, J. V. See Jayaraman, R. B., 1543C
Fanggao, C.
—; Saunders, G. A.; Lambson, E. F.; Hampton, R. N.; Carini, G.; Di Marco, G.; Lanza, M.: Temperature and Frequency Dependencies of the Complex Dielectric Constant of Poly(ethylene oxide) Under Hydrostatic Pressure, 425P
Fan, K. See Gonzales, D., 2019C
Fan, Z.-Q.
—; Feng, L.-X.; Yang, S.-L.: Distribution of Active Centers on $TiCl_4/MgCl_2$ Catalyst for Olefin Polymerization, 3329C
Favis, B. D. See Cigana, P., 1691P
Fei, B. See Xu, X., 1657C
Feijen, J. See Van De Witte, P., 2553P, 2569P
Feist, W. See Szafko, J., 613C
Felcher, G. P. See Agrawal, G., 2919P
Fendler, J. H. See Németh, S., 1723P
Feng, J. See Jin, X., 2045C
Fenglian, B. See Gaoquan, L., 1583P
Feng, L.-X. See Fan, Z.-Q., 3329C
Fernández-Santín, J. M. See García-Alvarez, M., 1959C
Ferri, D. See Laus, M., 1085P
Fetters, L. J.
—; Huang, J. S.; Young, R. N.: An Evaluation of the Concept of Unreactivity Arising from Head-Group Aggregation in Anionic Polymerizations, 1517C
Fiebes, A. See Baumgarten, E., 1889C
Fiedorow, R. M. See Rangwala, H. A., 3379C
Fina, L. J. See Yu, H. H., 781P
Fischer, E. W. See Benmouna, M., 1629P
Fischer, H. See Poser, S., 1733C
Fitz, B. See Mijović, J., 379P
Flores, A.
—; Ania, F.; Balta-Calleja, F. J.: Diamagnetic Susceptibility of Liquid Crystalline Copolyesters: Study of Molecular Relaxation, 2019P
Forder, C. See Patrickios, C. S., 1529C
Forrest, J. A.
—; Rowat, A. C.; Dalnoki-Veress, K.; Stevens, J. R.; Dutcher,

J. R.: Brillouin Light Scattering Studies of the Mechanical Properties of Polystyrene/Polyisoprene Multilayered Thin Films, 3009P
Forrest, J. A. See Dalnoki-Veress, K., 3017P
Forsyth, M. See Sun, J., 3465C
Fouassier, J. P. See Erddalane, A., 633C; Mayer, T., 3141C
Fournier, D.
—; Robertson, C.: Morphological Study of Aging Phenomena in XLPE by TEM Technique, 1621P
François, P. See Gaucher-Miri, V., 1113P
Frank, B.
—; Frübing, P.; Pissis, P.: Water Sorption and Thermally Stimulated Depolarization Currents in Nylon-6, 1853P
Frank, C. W. See Despotopoulou, M. M., 2335P
Fréchet, J. M. J. See Hosoya, K., 2767C; Kato, T., 57C
Fredrickson, G. H. See Leibig, C. M., 163P
Freeman, B. D. See Morisato, A., 1925P, 2209P; Pinnau, I., 2613P; Shen, H. C., 1347P
Frey, M. W.
—; Cuculo, J. A.; Khan, S. A.: Rheology and Gelation of Cellulose/Ammonia/Ammonium Thiocyanate Solutions, 2375P
—; Cuculo, J. A.; Spontak, R. J.: Morphological Characteristics of the Lyotropic and Gel Phases in the Cellulose/NH_3/NH_4SCN System, 2049P
Frisch, H. L.
—; Maaref, S.; Xue, Y.; Beaucage, G.; Pu, Z.; Mark, J. E.: Interpenetrating and Pseudo-Interpenetrating Polymer Networks of Polyethylacrylate and Zeolite 13X, 673C
—; West, J. M.; Göltner, C. G.; Attard, G. S.: Pseudo IPNs and IPNs of Two Porous Silicas and Polystyrene, 1823C
Frisch, H. L. See Pu, Z., 2657P; Sharma, P. R. S., 1049C
Froehling, P. E. See Van Asselt, R., 1553C
Frontini, P. M. See Bernal, C. R., 1869P
Frübing, P. See Frank, B., 1853P
Fu, D. See Chen, Y., 3297C
Fu, H. See Wolf, C. J., 75P, 717P
Fuhrmann, J. See Hild, S., 1953P
Fujiike, A. See Ishihara, K., 199C
Fujimaki, T. See Horikawa, Y., 1183C
Fujimoto, K. See Torii, H., 1237C
Fujio, R. See Horikawa, Y., 1183C
Fujishima, A. See Kato, T., 57C
Fukuhara, M.
—; Sampei, A.: Temperature Dependence of Elastic Moduli and Internal Dilational and Shear Frictions of Polyimide, 1579P
Fukutomi, T.
—; Oomori, H.; Sugito, Y.: Connection of Poly(methyl methacrylate) Microgel Particles Dispersed in Poly(vinyl alcohol) Matrix by Seed Polymerization, 2729C
Furukawa, J. See Kaita, S., 3431C
Fytas, G. See Meier, G., 1391P

Gähde, J. See Mix, R., 33C
Gall, S. See Bodor, G., 485P
Gao, C.
—; Paventi, M.; Hay, A. S.: Thermally Crosslinkable Polyimides Containing the 1,2-Diphenylcyclopropane or Diphenylacetylene Moiety, 413C
Gao, F.
—; Lin, S.: Synthesis of the Block Copolymer of Styrene and 1-Butene with a Novel Supported Ti-Catalyst, 2909C
Gaoquan, L.
—; Deben, C.; Fenglian, B.; Yiming, M.: Studies on the Fluorescence Quenching of Polysilane Copolymers by Chlorohydrocarbons, 1583P
Gao, Q.-Y. See Qiu, J., 3015C
García-Alvarez, M.
—; Martínez, de Ilarduya, A.; López-Carrasquero, F.; Fernández-Santín, J. M.; Munoz-Guerra, S.: Poly(α-Isobutyl-β-D,L-Aspartate)s: Polymerization Effects on Configuration and Crystal Structure of the Stereocopolymers, 1959C
García J. M.
—; De La Campa, J. G.; De Abajo, J.: Aliphatic-Aromatic Poly(ether amide)s Containing Oxyethylene Units. Synthesis and Characterization, 659C
Garetz, B. A.
Review of Spectroscopy with Polarized Light: Solute Alignment by Photoselection, in Liquid Crystals, Polymers, and Membranes, 1828C
Gargallo, L. See Díaz-Calleja, R., 261P
Gaskins, T. See Chin, S., 2689P
Gaucher-Miri, V.
—; François, P.; Séguéla, R.: On the Mechanisms of Initiation and Propagation of Plastic Instability in Polyethylene Under Tensile Drawing, 1113P
Gavara, R.
—; Catalá, R.; Aucejo, S.; Cabedo, D.; Hernandez, R.: Solubility of Alcohols in Ethylene-vinyl Alcohol Copolymers by Inverse Gas Chromatography, 1907P
Gaztelumendi, M. See Erro, R., 1055P
Geil, P. H. See Liu, J., 2843P
Gelan, J. See Van Asselt, R., 1553C
Genco, I. See Consolati, G., 357P
Gent, A. N.
—; Wang, C.: Cutting Resistance of Polyethylene, 2231P
Gent, A. N. See Chun, H., 2223P
George, S. E. See Jayaraman, R. B., 1543C
Georges, J. M. See Pelletier, E., 93P
German, A. L. See Manders, B. G., 2473C; Noël, L. F. J., 1763C; Schoonbrood, H. A. S., 935C, 949C
Ghosh, S. S. See Sikka, M., 1443P
Giacopello, S. See Biondic, M., 1941C
Gilmer, T. C.
—; Hall, P. K.; Ehrenfeld, H.; Wilson, K.; Bivens, T.; Clay, D.; Endreszl, C.: Synthesis, Characterization, and Mechanical Properties of PMMA/Poly(aromatic/aliphatic siloxane) Semi-

Interpenetrating Polymer Networks, 1025C
Giménez, V.
—; Mantecón, A.; Cádiz, V.: Modification of Poly(vinyl alcohol) with Acid Chlorides and Crosslinking with Difunctional Hardeners, 925C
Girard-Reydet, E. See Riccardi, C. C., 349P
Glasser, W. G.
—; Samaranayake, G.; Dumay, M.; Davé, V.: Erratum: Novel Cellulose Derivatives. III. Thermal Analysis of Mixed Esters With Butyric and Hexanoic Acid, 201P
Glasser, W. G. See Sealey, J. E., 1613P
Goddard, D. T. See Harron, H. R., 173P
Goering, H. See Mix, R., 33C
Göltner, C. G. See Frisch, H. L., 1823C
Gonsalves, K. E. See Zhang, S., 2737C
Gonzales, D.
—; Fan, K.; Sevoian, M.: Synthesis and Swelling Characterization of a poly(gamma-glutamic acid) Hydrogel, 2019C
Goodwin, A. A. See Beevers, M. S., 1133P; Spall, S., 2419P
Graillat, C. See Santos, A. M., 1271C
Granata, R. D. See Madani, M. M., 2767P
Grandfils, Ch. See Barakat, I., 497C
Grasselli, M. See Balbo, A. L., 305C
Gravalos, K. G. See Kakali, F., 1581C
Grenier-Loustalot, M.-F.
—; Lartigau, C.; Metras, F.; Grenier, P.: Mechanism of Thermal Polymerization of Cyanate Ester Systems: Chromatographic and Spectroscopic Studies, 2955C
Grenier, P. See Grenier-Loustalot, M.-F., 2955C
Grimau, M. See Laredo, E., 2863P
Grimsley, M. See Jensen, J. J., 397C
Grman, D. See Gupta, B., 1873C
Grolier, J.-P. E. See Rodier–Renaud, L., 1229P
Grosse-Sommer, A.
—; In, M.; Prud'homme, R. K.: Degradable Alkoxide-Crosslinked Hydrogels, 1447C
Gross, R. A. See Cai, H., 2701P
Grubb, D. T.
Comments on "Axial X-Ray Scattering on High Performance Polymeric Fibers", 1159P
Grubb, D. T. See Murthy, N. S., 821P
Gruenbaum, W. T. See Borsenberger, P. M., 575P
Gryte, C. C. See Gurkaynak, A., 349C
Guarrotxena, N.
—; Martínez, G.; Millán, J.: Local Chain Configuration Dependence of the Mechanisms of Analogous Reactions of PVC. I. A Conclusive Study of the Microstructure Evolution in S_N2 Nucleophilic Substitution, 2387C
—; Martínez, G.; Millán, J.: Local Chain Configuration Dependence of the Mechanisms of Analogous Reactions of PVC. II. A Further Evidence through the Changes in Conformationally Sensitive FTIR Bands with Degree of Nucleophilic Substitution, 2563C
Guida–Pietrasanta, F. See Ameduri, B., 3077C
Guillet, J. E. See Takeuchi, Y., 789C
Guillot, J. See Santos, A. M., 1271C
Gummaraju, R. V.
—; Moore, R. B.; Mauritz, K. A.: Asymmetric [Nafion®]/[Silicon Oxide] Hybrid Membranes via the *In Situ* Sol-Gel Reaction for Tetraethoxysilane, 2383P
Güntherodt, H.-J. See Hild, S., 1953P
Guo, L. See Hyeon-Lee, J., 3073P
Gupta, B.
—; Büchi, F. N.; Staub, M.; Grman, D.; Scherer, G. G.: Cation Exchange Membranes by Pre-Irradiation Grafting of Styrene into FEP Films. II. Properties of Copolymer Membranes, 1873C
Gupta, V. D. See Tandon, P., 1213P
Gurkaynak, A.
—; Tubert, F.; Yang, J.; Matyas, J.; Spencer, J. L.; Gryte, C. C.: High-Temperature Degradation of Polyacrylic Acid in Aqueous Solution, 349C
Gusarova, I. O. See Zaitsev, B. A., 1165C
Gutmannsbauer, W. See Hild, S., 1953P
Güven, O. See Şolpan, D., 833C
Guyot, A. See Santos, A. M., 1271C

Haag, A. P. See White, J. E., 2967C
Habenschuss, A. See Londono, J. D., 3055P
Häberle, K. D. See Bodor, G., 485P
Hachimori, A. See Itoh, Y., 89C
Hadjichristidis, N. See Pitsikalis, M., 249P
Hägele, K. See Klee, J. E., 2791C
Hägele, P. C. See Stobbe, R. A., 975P
Hagen, R.
—; Salmén, L.; Stenberg, B.: Effects of the Type of Crosslink on Viscoelastic Properties of Natural Rubber, 1997P
Haider, I. See Park, J. Y., 1741P
Halary, J. L. See Jasse, B., 2007P
Hall, P. K. See Gilmer, T. C., 1025C
Hamdan, S.
—; Swallowe, G. M.: Crystallinity in PEEK and PEK After Mechanical Testing and Its Dependence on Strain Rate and Temperature, 699P
Hamersky, M. W.
—; Tirrell, M.; Lodge, T. P.: Self-Diffusion of a Polystyrene-Polyisoprene Block Copolymer, 2899P
Hampton, R. N. See Fanggao, C., 425P
Han, C. C. See Ikkai, F., 939P
Handa, S. See Hayashi, S., 1589C
Handa, Y. P.
—; Kruus, P.; O'Neill, M.: High-Pressure Calorimetric Study of

Plasticization of Poly(methyl methacrylate) by Methane, Ethylene, and Carbon Dioxide, 2635P

Hansen, J. E.
—; Rickett, B. I.; Payer, J. H.; Ishida, H.: A Study of the Enhanced Oxidation of Poly-*N*-vinylimidazole Films on Copper, 611P

Harada, K. See Takeuchi, Y., 789C

Harron, H. R.
—; Pritchard, R. G.; Cope, B. C.; Goddard, D. T.: An Atomic Force Microscope (AFM) and Tapping Mode AFM Study of the Solvent-Induced Crystallization of Polycarbonate Thin Films, 173P

Hassander, H. See Jannasch, P., 1289P

Hatanaka, K. See Tobita, H., 671P

Hattori, K. See Yoshida, T., 3053C

Hauert, S. See Plummer, C. J. G., 2177P

Häußler, L. See Pompe, G., 211P

Hay, A. S. See Barbiero, G., 507C; Chan, K. P., 1923C; Elce, E., 1897C; Gao, C., 413C; Wang, Y.-F., 375C, 2135C; Yang, H., 2621C

Hayashi, S.
—; Handa, S.; Tsubokawa, N.: Introduction of Peroxide Groups onto Carbon Black Surface by Radical Trapping and Radical Graft Polymerization of Vinyl Monomers Initiated by the Surface Peroxide Groups, 1589C

Hedrick, J. C. See Hedrick, J. L., 2879C

Hedrick, J. L.
—; Charlier, Y.; DiPietro, R.; Jayaraman, S.; McGrath, J. E.: High T_g Polyimide Nanofoams Derived from Pyromellitic Dianhydride and 1,1-Bis(4-aminophenyl)-1-phenyl-2,2,2-trifluoroethane, 2867C
—; Russell, T. P.; Hedrick, J. C.; Hilborn, J. G.: Microporous Polycyanurate Networks, 2879C

Hedrick, J. L. See Plummer, C. J. G., 2177P

He, J.-H.
—; Mendoza, V. S.: Synthesis and Study of a Novel Hybrid UV Photoinitiator: *p*-Benzoyldiphenyliodonium Hexafluorophosphate di(PhCOPhI+ PhPF es− rb ei6 rb) ee, 2809C

Hempelmann, R. See Dadmun, M. D., 649P

Herbertson, P. L. See Colquhoun, H. M., 2521C

Hereña, P. G. See Crist, B., 449P

Hermida, E. B. See Povolo, F., 1257P

Hernandez, R. See Gavara, R., 1907P

Hess, M. See Stickfort, L., 1325C

Hewitt, C. E. See Visser, S. A., 1679P

He, X.-H. See Cai, H., 1245C

Heyding, R. D. See Russell, K. E., 2447P

Hidaka, H.
—; Suzuki, Y.; Nohara, K.; Horikoshi, S.; Hisamatsu, Y.; Pelizzetti, E.; Serpone, N.: Photocatalyzed Degradation of Polymers in Aqueous Semiconductor Suspensions. I. Photooxidation of Solid Particles of Polyvinylchloride, 1311C

Higashimura, T. See Ito, H., 2925C; Yoshida, T., 2229C

Higuchi, A.
—; Nakajima, T.; Morisato, A.; Ando, M.; Nagai, K.; Nakagawa, T.: Estimation of Diffusion and Permeability Coefficients of CO_2 in Polymeric Membranes by FTIR Method, 2153P

Higuchi, H.
—; Jamieson, A. M.; Simha, R.: Free Volume Quantities and Viscoelasticity of Polymer Glasses, 1423P

Hilborn, J. G. See Hedrick, J. L., 2879C; Plummer, C. J. G., 2177P

Hild, S.
—; Gutmannsbauer, W.; Lüthi, R.; Fuhrmann, J.; Güntherodt, H.-J.: A Nanoscopic View of Structure and Deformation of Hard Elastic Polypropylene with Scanning Force Microscopy, 1953P

Hill, D. J. T.
—; O'Donnell, J. H.; Perera, M. C. S.; Pomery, P. J.: An Investigation of Radiation-Induced Structural Changes in Nitrile Rubber, 2439C

Hill, D. J. T. See Bremner, T., 971C

Hiltner, A. See Bensason, S., 1301P

Hino, T.
—; Song, Y.; Prausnitz, J. M.: Liquid-Liquid Equilibria and Theta Temperatures in Binary Solvent-Copolymer Solutions from a Perturbed Hard-Sphere-Chain Equation of State, 1977P
—; Song, Y.; Prausnitz, J. M.: Liquid-Liquid Equilibria and Theta Temperatures in Homopolymer-Solvent Solutions from a Perturbed Hard-Sphere-Chain Equation of State, 1961P

Hirabayashi, T. See Inai, Y., 2341C

Hirata, M. See Xia, J., 497P

Hirose, T. See Tsumura, M., 3155C

Hirota, N. See Kato, T., 57C

Hisamatsu, Y. See Hidaka, H., 1311C

Hocking, M. B.
—; Klimchuk, K. A.: A Refinement of the Terpolymer Equation and Its Simple Extension to Two- and Four-Component Systems, 2481C

Hodge, T. C. See Lee, J. B., 1591P

Hoei, Y.
—; Okabe, M.; Yamaura, K.; Matsuzawa, S.: Characterization of Thermoreversible Polymer Gels by the Degree of Crystallinity by Surface Area, 2775C

Holeček, J. See Šindelář, P., 2163C

Holerca, M. N. See Barboiu, V., 261C

Holländer, A.
—; Klemberg-Sapieha, J. E.; Wertheimer, M. R.: The

Influence of Vacuum-Ultraviolet Radiation on Poly(ethylene terephthalate), 1511C
Hongo, T. See Tanaka, H., 1945C
Hopkins, J.
—; Badyal, J. P. S.: XPS and Atomic Force Microscopy of Plasma-Treated Polysulfone, 1385C
Horas, J. A.
—; Rizzotto, M. G.: Gas Diffusion in Partially Crystalline Polymers Part I: Concentration Dependence, 1541P
—; Rizzotto, M. G.: Gas Diffusion in Partially Crystalline Polymers Part II: Temperature Dependence, 1547P
Horikawa, Y.
—; Takeda, T.; Takizawa, T.; Akazawa, T.; Fujio, R.; Fujimaki, T.: Triallylstannyllithium-Allyllithium as an Initiator for the Anionic Reversible Chain Transfer Polymerization of 1,3-Butadiene, 1183C
Horikoshi, S. See Hidaka, H., 1311C
Hosoya, K.
—; Kageyama, Y.; Kimata, K.; Araki, T.; Tanaka, N.; Fréchet, J. M. J.: Preparations and Properties of Uniform Size Macroporous Polymer Beads Prepared by Two-Step Swelling and Polymerization Method Utilizing Divinyl Succinate or Divinyl Adipate as a Crosslinking Agent, 2767C
Ho, S. Y. See Chang, T. C., 2613C, 3313C, 3337C; Chen, H. B., 679C
Hou, Z. See Zhang, S., 2737C
Hoyt, A. E.
—; Huang, S. J.: Reactive Lyotropic Polyimide Oligomers, 587C
Hseih, H. K.
—; Woo, E. M.: Preparation of Crosslinked Epoxy Microparticles via Phase Inversion, 2591P
Hsiao, B. S. See Wang, W., 3095P
Hsiao, S.-H.
—; Chang, C.-F.: Synthesis and Properties of Aromatic Polyamides Based on Non-, Methyl-, and Phenyl-Substituted 4,4′-Bis(1,4-phenylenedioxy)benzoic Acids, 1433C
—; Chang, H.-Y.: Synthesis and Properties of Novel Aromatic Polyamides Based on "Multi-Ring" Flexible Dicarboxylic Acids, 1421C
Hsieh, Y.-L. See Hu, X.-P., 1451P
Hsiue, G.-H.
—; Lee, R.-H.; Jeng, R.-J.; Chang, C.-S.: Dielectric Study of Ferroelectric Side-Chain Liquid Crystalline Polysiloxanes With Broad Temperature Ranges of the Chiral Smectic C Phase 1. Structure Dependence of Dielectric Relaxation, 555P
Hsiue, G.-H. See Lee, S.-D., 141C
Hsu, C. C. See Mteza, S. B., 1693C
Huang, B. See Yu, G., 2237C
Huang, J.
—; Huang, X.; Hu, W.; Lou, W.: Block Copolymerization of Ethylene Oxide and Acrylonitrile and the Influence of Block Length of Polyacrylonitrile on the Thermal Behavior and Morphology of Block Copolymer, 1317C
—; Wang, H.; Tian, X.: Preparation of PEO with Amine and Sulfadiazine End Groups by Anion Ring-Opening Polymerization of Ethylene Oxide, 1933C
Huang, J. S. See Fetters, L. J., 1517C
Huang, J. Y. See Sung, P.-H., 2189C
Huang, S. J. See Hoyt, A. E., 587C
Huang, S. K. See Lin, S.-T., 869C, 1907C
Huang, X. See Huang, J., 1317C
Huang, Z. See Luo, Y., 65P
Huang, Z.-E. See Chen, Y., 3297C, 631P
Huh, S.-M. See Chung, S.-J., 1105C
Hung, T.-C.
—; Chang, T.-C.: Studies on Thermotropic Liquid Crystalline Polymers. XIV. Synthesis and Properties of Liquid Crystalline Poly(imide-ester)s by the Direct Polycondensation, 2455C
—; Sun, S.-J.; Chang, T.-C.: Studies on Thermotropic Liquid Crystalline Polymers. XV. Synthesis and Properties of Liquid Crystalline Copoly(imide-ester)s, 2465C
Hunt, B. J. See Barson, C. A., 227C
Hunter, B. K. See Russell, K. E., 2447P
Hunter, D. H. See Kill, G., 2299C
Hutchinson, J. M.
—; McCarthy, D.; Montserrat, S.; Cortés, P.: Enthalpy Relaxation in a Partially Cured Epoxy Resin, 229P
Hu, W. See Huang, J., 1317C
Hu, X.-P.
—; Hsieh, Y.-L.: Crystalline Structure of Developing Cotton Fibers, 1451P
Hwang, H.-J. See Wang, C.-S., 1493C
Hwang, L. M. See Wang, C., 47P, 1435P
Hwang, Y.
—; Ediger, M. D.: Enhanced Translational Diffusion of Rubrene and Tetracene in Polysulfone, 2853P
—; Patterson, G. D.; Stevens, J. R.: Photon Correlation Spectroscopy of Bulk Poly(*n*-hexyl methacrylate) Near the Glass Transition, 2291P
Hyeon-Lee, J.
—; Guo, L.; Beaucage, G.; Macip-Boulis, M. A.; Yang, A. J. M.: Morphological Development in PDMS/TEOS Hybrid Materials, 3073P

Ihm, D. W.
—; Park, S. Y.; Chang, C. G.; Kim, Y. S.; Lee, H. K.: Miscibility of Poly(ethylene terephthalate)/Poly(ethylene 2,6-naphthalate) Blends by Transesterification, 2841C
Iizawa, T.
—; Ogasa, T.: Novel Synthesis of Polyimide with Pendant 1-Phenylethyl Ester Using DBU and Its Thermal Acid-Catalyzed Deesterification, 63C

—; Ono, H.; Okatome, K.: Novel Synthesis of Polymeric Phase Transfer Catalysts Containing *N,N*-Dialkylacrylamide Unit and Their Catalytic Activity, 2407C
Ikkai, F.
—; Shibayama, M.: Microstructure and Swelling Behavior of Ion-Exchange Resin, 1637P
—; Shibayama, M.; Nomura, S.; Han, C. C.: Complexation of Poly(vinyl alcohol)–Congo Red Aqueous Solutions. 3. Dynamic Light Scattering Study, 939P
Imai, K. See Shiomi, T., 2599P
Imai, T. See Kabeta, K., 2991C
Imai, Y.
—; Nemoto, H.; Kakimoto, M.-A.: A New Facile and Rapid Synthesis of Aliphatic Polypyromellitimides by Microwave-Assisted Polycondensation of Salt Monomers Composed of Aliphatic Diamines and Pyromellitic Acid, 701C
Imre, A.
—; Van Hook, W. A.: Demixing in Polystyrene/Methylcyclohexane Solutions, 751P
Imrie, C. T. See Craig, A. A., 421C
Inaba, M. See Tasaka, A., 193C
Inai, Y.
—; Kato, S.-I.; Hirabayashi, T.; Yokota, K.: Complexation of Sequence-Ordered Methacrylic Acid Copolymers with Poly(4-vinylpyridine), 2341C
In, M. See Grosse-Sommer, A., 1447C
Inomata, K.
—; Sasaki, S.: Crystal Structure and Conformational Disorder of Poly(hexamethylene terephthalate), 83P
Inoue, K.
—; Takiue, K.; Tanigaki, T.: Effects of Coronands on Ionic Conductivities of Complexes of Poly[2-(4-Vinylphenoxy)-2,4,4,6,6-penta-(methoxyethoxyethoxyethoxy)-cyclotriphosphazene] with $LiClO_4$, 1331C
Inoue, M. See Itoh, Y., 89C
Ioanid, A. See Simionescu, C. I., 3071C
Iordanov, G. See Alexandrova, I., 2285C
Isayev, A. I. See Yushanov, S. P., 2409P
Ishida, H.
—; Allen, D. J.: Physical and Mechanical Characterization of Near-Zero Shrinkage Polybenzoxazines, 1019P
Ishida, H. See Hansen, J. E., 611P
Ishida, S.-I. See Yamagishi, T.-A., 687C
Ishihara, K.
—; Fujiike, A.; Iwasaki, Y.; Kurita, K.; Nakabayashi, N.: Synthesis of Polymers Having a Phospholipid Polar Group Connected to a Poly(oxyethylene) Chain and Their Protein Adsorption-Resistance Properties, 199C
Ishihara, M.
—; Okumura, J.; Yamaguichi, K.: Chemical States of Iodine in Iodine-Doped Polystyrene, 586P
Ishii, S. See Kurita, K., 429C
Ishikawa, N. See Lu, X., 1809P
Islam, N. See Chetri, P., 1613C
Ito, H.
—; Masuda, T.; Higashimura, T.: Synthesis and Properties of Germanium-Containing Poly(diphenylacetylenes), 2925C
Itoh, H.
—; Kameyama, A.; Nishikubo, T.: Synthesis of New Hybrid Monomers and Oligomers Containing Cationic and Radical Polymerizable Vinyl Groups and Their Photoinitiated Polymerization, 217C
Itoh, T.
—; Wanibe, T.; Iwatsuki, S.: Synthesis and Polymerization of 7,7-Bis(alkoxycarbonyl)-1,4-benzoquinone Methides, 963C
Itoh, Y.
—; Inoue, M.; Hachimori, A.: Alternating Copolymers Consisting of Arylalkyl Methacrylates. II. Effect of Coil Collapse on Fluorescence Spectra of Alternating Copolymers of 2-(9-Carbazolyl)ethyl Methacrylate and Aromatic Vinyl Monomers, 89C
Ito, K. See Suyama, K., 2181C
Iwahara, T. See Tsumura, M., 3155C
Iwasaki, Y. See Ishihara, K., 199C
Iwatsuki, S. See Itoh, T., 963C
Izumi, T. See Xia, J., 497P

Jacob, J. See Chia, H. L., 2087C
Jacques, B.
—; Devaux, J.; Legras, R.; Nield, E.: NMR Study of Ester-Interchange Reactions during Melt Mixing of Poly(ethylene terephthalate)/Poly(butylene terephthalate) Blends, 1189C
Jafarizadeh, M. A.
—; Razawi, S.; Seyed-Yagoobi, S. K. A.: Exact Solution of Indefinitely Growing Self-Avoiding and Hamiltonian Walk on Fractals in Four Dimensions, 419P
Jaffe, M. See Park, J. Y., 1741P
Jamieson, A. M. See Higuchi, H., 1423P
Jannasch, P.
—; Hassander, H.; Wesslén, B.: On the Macro- and Microphase Separation of Compatibilizers in Immiscible Polymer Blends, 1289P
Jao, T.-C. See Németh, S., 1723P
Jar, P.-Y. B.
—; Shanks, R. A.: Transparency Enhancement in Semicrystalline PEEK Through Variation of Polymer Morphology, 707P
Jarrin, J. See Rodier–Renaud, L., 1229P
Jasinski, R.
—; Redwine, D.; Rose, G.: Boron Equilibria With High Molecular Weight Guar: An NMR Study, 1477P
Jasse, B.
—; Oultache, A. K.; Mounach, H.; Halary, J. L.; Monnerie, L.: Influence of Tacticity on Orientation and Relaxation in Uniaxially Stretched Polymethylmethacrylates, 2007P
Jayakumar, R. See Kumar, A. B. M., 2915C

Jayaraman, R. B.
—; Facinelli, J. V.; Riffle, J. S.; George, S. E.: Epoxy and Hydroxy Functional Polyolefin Macromonomers, 1543C
Jayaraman, S. See Hedrick, J. L., 2867C
Jean, Y. C.
—; Rhee, Y.; Lou, Y.; Shelby, D.; Wilkes, G. L.: Anisotropy of Hole Structures in Oriented Polycarbonate Probed by Two-Dimensional Angular Correlation of Annihilation Radiation, 2979P
Jèczalik, J.
The Effect of Solvents and Polyethylene Glycol on the Synthesis of Linear and Cyclic Poly(Methylene Sulfide), 1083C
Jeng, R.-J. See Hsiue, G.-H., 555P
Jenkins, A. D.
Reactivity in Radical Polymerization: Beyond the *Q-e* Scheme, 3495C
Jensen, J. J.
—; Grimsley, M.; Mathias, L. J.: Adamantyl-Substituted Phenolic Polymers, 397C
Jeong, S. Y. See Kim, J., 3277C
Jérome, R. See Barakat, I., 497C
Jerome, R. See Cigana, P., 1691P
Jérôme, R. See Yu, Y. S., 2221C
Jiang, B. See Xie, R., 1489P
Jiang, J.-D. See Wu, G., 2035P
Jiang, L.
—; Shen, Z.; Zhang, Y.; Zhang, F.: Styrene Polymerization with Rare Earth Catalysts Using a Magnesium Alkyl Cocatalyst, 3519C
Jiang, P.-Y.
—; Zhang, Z.-C.; Zhang, M.-W.: Kinetics of the Potassium Persulfate-Initiated Inverse Emulsion Polymerization of Sodium Acrylate Solutions, 695C
Jiang, Z. See Yu, G., 2237C
Jin, J.-I. See Chung, S.-J., 1105C
Jin, X.
—; Shi, Y.; Yao, L.; Chen, L.; Feng, J.; Winnik, M. A.: Thermal Decomposition Behavior of Naphthalene-Labeled Polyethylene, 2045C
Jin, Y. See Li, G., 1079P
Ji, S.
—; Crews, G. M.; Pittman, C. U., Jr.; Wang, Y.; Ran, R.: Ammeline-Melamine-Formaldehyde Resins. Preparation and Properties, 2543C
Jones, R. A.
—; Taylor, D. J. R.; Stepto, R. F. T.; Ward, I. M.: Computer Modeling of the Formation of Radical Pairs in Amorphous High Density Polyethylene (HDPE), 901P
Jo, N. J. See Kim, B. K., 2095C
Jou, E. C.-Y. See Jou, J.-H., 2239P
Jouffret, F.
—; Madec, P.-J.: Polyamide Synthesis by Ester Aminolysis. I. A New Route for Nylon-6,6 Synthesis, 2363C
Jou, J.-H.
—; Cheng, C.-L.; Jou, E. C.-Y.; Yang, A. C.-M.: Characterization of Vapor Deposition Polymerized Polyimide Thin Films, 2239P
Jo, W. H.
—; Lee, J. W.; Lee, M. S.; Kim, C. Y.: Effect of Interchange Reactions on the Molecular Weight Distribution of Poly(ethylene terephthalate): A Monte Carlo Simulation, 725P
—; Nam, K. H.; Cho, J. C.: Effects of the Molecular Structure of Styrene-Isoprene Block Copolymers on the Interfacial Characteristics of Polystyrene/Polyisoprene Blends, 2169P
Judeinstein, P. See Brik, M. E., 2533P
Jung, J. C.
—; Park, S.-B.: Synthesis and Characterization of Polyimides from Imidazole-Blocked 2,5-Bis[(*n*-alkyloxy)methyl]-1,4-benzene diisocyanates and Pyromellitic Dianhydride, 357C
Jungnickel, B.-J. See Wellscheid, R., 267P, 893P
Juraničová, V. See Capek, I., 575C

Kabasakaloğlu, M. See Talu, M., 2981C
Kabeta, K.
—; Wakamatsu, S.; Imai, T.: Preparation of Substituted Network Polysilanes by a Disproportionation Reaction of Alkoxydisilanes in the Presence of Alkoxysilanes, 2991C
Kageyama, Y. See Hosoya, K., 2767C
Kaita, S.
—; Kobayashi, E.; Sakakibara, S.; Aoshima, S.; Furukawa, J.: Homo- and Copolymerizations of Butadiene and Styrene with $Ln(OCOCCl_3)_3$-Based Catalyst, 3431C
Kakali, F.
—; Gravalos, K. G.; Kallitsis, J. K.: Synthesis and Characterization of Soluble Aromatic Polyesters Derived from Substituted Terphenyl and Quinquephenyl Diols, 1581C
Kakimoto, M.
—; Ueno, H.; Kojima, H.; Yamaguchi, Y.; Nishimura, A.: Visible Absorption of Iodine-Doped Polysilane with *p-N,N*-Dialkylaminophenyl Substituents, 2753C
Kakimoto, M.-A. See Imai, Y., 701C; Negi, Y. S., 1663C
Kalinowski, J. See Campos, M., 623P
Kaliyappan, T.
—; Kannan, P.: Synthesis, Spectral and Thermal Properties of Poly(2-hydroxy-4-methacryloxyloxy-benzaldehyde)–Metal Complexes, 3551C
Kallitsis, J. K. See Kakali, F., 1581C
Kamath, M. See Mandal, B. K., 643C
Kameyama, A. See Itoh, H., 217C; Nishikubo, T., 3531C; Shimokawa, T., 1951C
Kamigaito, M. See Matsuyama, M., 3585C
Kamiya, Y. See Bondar, V. I., 369P; Wang, J.-S., 2027P
Kaneko, M. See Nagai, K., 2059P
Kanetaka, H. See Tanaka, H., 1945C
Kang, E.-J. See Yoon, J.-S., 2543P
Kang, S.-J. See Lee, H.-J., 2333C

Kannan, P.
—; Sudhakar, S.; Swaminathan, C. S.; Murugavel, S. C.: Studies on Heat Resistant Poly(aryl pyromellitimide-ether)s, 3559C
Kannan, P. See Kaliyappan, T., 3551C
Kao, C.-Y. See Lee, S.-D., 141C
Karageorgiev, S. See Mateev, M., 2743C
Karayannidis, G. P. See Bikiaris, D. N., 1337C
Karger-Kocsis, J. See Varga, J., 657P
Katagiri, Y. See Azuma, H., 1407C
Kato, S.-I. See Inai, Y., 2341C
Kato, T.
—; Hirota, N.; Fujishima, A.; Fréchet, J. M. J.: Supramolecular Hydrogen-Bonded Liquid–Crystalline Polymer Complexes. Design of Side-Chain Polymers and a Host–Guest System by Noncovalent Interaction, 57C
Kato, T. See Sato, A., 503C; Teng, H., 3407C
Katritzky, A. R.
—; Shcherbakova, I. V.; Tack, R. D.: Amidoalkylation of Nonactivated Terminal Double Bond in Polyalkenes, 1651C
Katsura, N. See Tanaka, K., 2771P
Katsuraya, K. See Teng, H., 3407C
Katti, S. B. See Tandon, P., 1213P
Kaufman, M. J. See Santore, M. M., 1555P
Kausch, H.-H. See Plummer, C. J. G., 2177P
Kawaguchi, H. See Torii, H., 1237C
Kawahara, J.-I. See Kinugasa, S., 583P
Kawamura, I. See Negi, Y. S., 1663C
Kawamura, Y. See Seno, M., 3121C
Kawano, T. See Ban, M., 1189P; Sadamoto, R., 1659P; Uedono, A., 2145P
Kennedy, J. P. See Majoros, I., 1675C
Kerres, J.
—; Cui, W.; Reichle, S.: New Sulfonated Engineering Polymers via the Metalation Route. I. Sulfonated Poly(ethersulfone) PSU Udel® via Metalation-Sulfination-Oxidation, 2421C
Kesenci, K. See Tuncel, A., 45C
Keun, J. See Park, H., 1455C
Khaldi, S. See Benmouna, M., 1629P
Khan, A. See Kumari, S., 2975C
Khan, A. M. See Pojman, J. A., 991C
Khan, N. See Bashir, Z., 2077P
Khan, S. A. See Frey, M. W., 2375P
Khokhlov, A. R. See Dembo, A. T., 2893P
Khougaz, K. See Barlow, R. J., 1197P
Kihara, N.
—; Kushida, Y.; Endo, T.: Optically Active Poly(hydroxyurethane)s Derived from Cyclic Carbonate and L-Lysine Derivatives, 2173C
—; Makabe, K.; Endo, T.: Polycondensation of ω-Hydroxy Carboxylic Acid Derived from L-Phenylalanine and Ethylene Carbonate, 1819C
Kill, G.
—; Hunter, D. H.; Mcintyre, N. S.: Reactions of Polyethylene Surfaces with the Downstream Products of an Air Plasma: Gas Phase and Surface Spectroscopic Studies, 2299C
Kimata, K. See Hosoya, K., 2767C
Kim, B. K.
—; Lee, J. C.: Waterborne Polyurethanes and Their Properties, 1095C
—; Lee, K. H.; Jo, N. J.: Basic Structure–Property Behavior of UV Curable Polyurethane Acrylates, 2095C
Kim, C. See Yoon, J.-S., 2543P
Kim, C.-H.
—; Kim, H.-T.; Park, J.-K.; Moon, S.-I.; Yoon, M.-S.: Preparation and Ionic Conductivities of the Plasticized Polymer Electrolytes Based on Poly(methyl methacrylate-*co*-alkali metal methacrylate), 2709P
Kim, C. K. See Kwak, S.-Y., 2201P
Kim, C. Y. See Jo, W. H., 725P
Kim, D. S. See Lee, H. J., 3225C; Shim, S. C., 3131C
Kim, D.-W.
—; Park, J.-K.; Bae, J.-S.; Pyun, S.-I.: Electrochemical Characteristics of the Blended Polymer Electrolytes Containing Lithium Salts, 2127P
Kim, H.-D. See Lee, K.-H., 1427P
Kim, H. K. See Lee, H.-J., 2333C
Kim, H.-K. See Lee, J.-H., 1621C
Kim, H. S.
Thermal Behavior of Polyacrylonitrile and Poly(vinylpyrrolidone-graft-acrylonitrile) Blend, 1181P
Kim, H.-T. See Kim, C.-H., 2709P
Kim, J.
—; Jeong, S. Y.; Kim, K. U.; Ahn, Y. H.; Quirk, R. P.: Anionic Dispersion Polymerization. I. Control of Particle Size, 3277C
Kim, J.-J. See Kwak, S.-Y., 2201P
Kim, K. U. See Kim, J., 3277C
Kim, M.-N. See Yoon, J.-S., 2543P
Kim, M. S.
—; Levon, K.: Blends of Alkylated Comb-Like Polyacrylates with Copolymers with a Controlled Ethylene-Vinyl Acetate Composition, 1665P
Kim, S.
—; Cameron, D. A.; Lee, Y.; Reynolds, J. R.; Savage, C. R.: Aromatic and Rigid Rod Polyelectrolytes based on Sulfonated Poly(benzobisthiazoles), 481C
Kim, S. D. See Liu, J., 131P
Kim, S. H. See Kim, S. S., 2367P
Kim, S.-H. See Lee, J.-H., 1621C
Kim, S. S.
—; Kim, S. H.; Lee, Y. M.: Preparation, Characterization, and Properties of β-Chitin and *N*-acetylated β-Chitin, 2367P
Kim, T.-J. See Lee, S.-I., 2377C
Kimura, H.
Polyketomalonate by Catalytic Oxidation of Glycerol over a CeBiPt Catalyst. II, 3607C
Kimura, H.
Polyketomalonates by Catalytic Oxidation of Glycerol. I, 3595C
Kimura, K.
—; Yamashita, Y.:

Copolymerization Effect of *m*-Acetoxybenzoic acid on Morphology of Poly(oxy-1,4-benzenediylcarbonyl) Whiskers, 739C

Kimura, S. See Yamaguchi, T., 1203C

Kim, W. G.

—; Nam, T. Y.: Curing Characteristics of *o*-Cresol Novolac Epoxy Resin Modified by Bismaleimide, 957C

Kim, Y. S. See Ihm, D. W., 2841C

Kingma, W. J. See Manders, B. G., 2473C

Kinugasa, S.

—; Nakahara, H.; Kawahara, J.-I.; Koga, Y.; Takaya, H.: Static Light Scattering From Poly(ethylene oxide) in Methanol, 583P

Kiseleva, R. F. See Zaitsev, B. A., 1165C

Kiselyov, E. M. See Voronov, S. A., 2507C

Kishida, A. See Akashi, M., 301C; Chen, M.-Q., 2213C

Kishore, K. See Murthy, K. S., 1415C; Subramanian, K., 3361C

Kitamura, M. See Chen, T.-M., 1155C; Wang, Y., 449C

Klee, J. E.

—; Hägele, K.; Przybylski, M.: Mass Spectrometric Characterization of Telechelic Prepolymers and Addition Polymers of DGEBA-Aliphatic Amines, 2791C

Klein, A. See Magallanes González, G. S., 849C; Nelliappan, V., 3173C, 3183C; Varela de la Rosa, L., 461C

Klemberg-Sapieha, J. E. See Holländer, A., 1511C

Klemm, E. See Schulze, Th., 81C

Klimchuk, K. A. See Hocking, M. B., 2481C

Klimová, M. See Bartos, J., 1741C

Kloczkowski, A. See Yuan, Q. W., 1647P

Kloos, G.

A Thermodynamic Approach to Studying the Influence of Viscoelasticity on the Apparent Coefficient of Quadratic Electrostriction, 683P

Klumperman, B. See Manders, B. G., 2473C

Kobatake, S.

—; Yamada, B.: Radical Polymerization and Copolymerization of Methyl α-(2-Carbomethoxyethyl)acrylate, a Dimer of Methyl Acrylate, as a Polymerizable α-Substituted Acrylate, 95C

Kobayashi, E. See Kaita, S., 3431C

Kobayashi, S. See Taguchi, Y., 561C; Takahashi, K., 175C; Troev, K., 621C

Koga, Y. See Kinugasa, S., 583P

Kohl, P. A. See Lee, J. B., 1591P

Kojima, H. See Kakimoto, M., 2753C

Kojima, Y.

—; Matsuoka, T.; Takahashi, H.: Optical-Limiting Property of Cyclic Phenylacetylene Oligomer Synthesized under High Pressure, 2607P

Kokufuta, E. See Xia, J., 497P

Kok, W. Th. See Van Asten, A. C., 283P

Komber, H. See Reinhardt, S., 2415C

Komura, A. See Tasaka, A., 193C

Kong, S.-Q. See Chen, Y., 3297C

Koo, J.-S. See Ahn, K.-D., 183C

Koros, W. J. See Pope, D. S., 1861P

Kosaka, Y. See Sadamoto, R., 1659P

Kosbar, L. L. See Buchwalter, S. L., 249C

Kosfeld, R. See Stickfort, L., 1325C

Kozlov, N. I. See Kuchanov, S. I., 1987P

Krajnc, P. See Zupan, M., 2325C

Kram, S. L. See White, J. E., 2967C

Krause, S. See Ye, Y., 309P

Kremer, F. See Meier, G., 1391P

Kricheldorf, H. R.

—; Al-Masri, M.: New Polymer Syntheses 84. Synthesis of Functional Polyethers by Alkylation of Silylated Diphenols, 2037C

—; Mahler, A.: Polymers of Carbonic Acid. XVII. Polymerization of Cyclobis(tetramethylene carbonate) by Means of $BuSnCl_3$ and Sn(II)2-ethylhexanoate, 2399C

—; Wulff, D. F.: LC Polyimides. XXVII. Cholesteric Poly(ester-imide)s Derived from Chiral *i*Pentyloxyterephthalic Acids, 3511C

Kricheldorf, H. R. See Schwarz, G., 603C

Krimm, S. See Palmö, K., 37P

Kruglova, V. A. See Annenkov, V. V., 597C

Kruus, P. See Handa, Y. P., 2635P

Kubota, H.

—; Nambu, Y.; Endo, T.: Alkaline Hydrolysis of Poly(γ-glutamic acid) Produced by Microorganism, 1347C

Kuchanov, S. I.

—; Yakovlev, A. S.; Kozlov, N. I.: Graph-Theoretic Approaches for Qualitative Analysis and Numerical Solution of Equations of Multicomponent Copolymerization, 1987P

Kulkarni, S. See Beaucage, G., 3063P

Kumar, A.

—; Ramakrishnan, S.: Hyperbranched Polyurethanes with Varying Spacer Segments between the Branching Points, 839C

Kumar, A. B. M.

—; Jayakumar, R.; Rao, K. P.: Synthesis and Aggregational Behavior of Acidic Proteinoid, 2915C

Kumar, S. See Mehta, V. R., 1881P

Kumari, S.

—; Roman, A.; Khan, A.: Chromophore and Spectrum of the Glycogen–Iodine Complex, 2975C

Kumpf, R. J. See Shen, H. C., 1347P

Kunugi, T.

—; Okuzaki, H.: Electrical and Mechanical Properties of the Zone-Drawn Polypyrrole Films, 1269P

Kunugi, T. See Okuzaki, H., 1747P

Kunz, M. S. See Yang, A. C.-M., 1141P

Kurita, K.
—; Watabe, S.-I.; Nishimura, S.-I.; Ishii, S.: Linear Polybiurets: Facile Synthesis and Characteristic Properties, 429C
Kurita, K. See Ishihara, K., 199C
Kuroda, H.
—; Tomita, I.; Endo, T.: A Novel Polyaddition of Bifunctional Acetylenes Containing Electron-Withdrawing Groups. III. Synthesis of Polymers Having β-Alkoxyenoate Moieties by the Reaction of Internal Diynes with Diols, 1597C
Kushida, Y. See Kihara, N., 2173C
Kwak, S.
—; Nauman, E. B.: Spinodal Decomposition of Two Homopolymers with Their Block Copolymer: A Comparison of Models, 1715P
Kwak, S.-Y.
—; Kim, C. K.; Kim, J.-J.: Effects of Bisphenol Monomer Structure on the Surface Morphology and Reverse Osmosis (RO) Performance of Thin-Film-Composite Membranes Composed of Polyphenyl Esters, 2201P
Kwei, T. K.
Review of Standard Pressure–Volume–Temperature Data for Polymers, 1365C
Kwei, T. K. See Lu, S., 3163C
Kyoto, M. See Ban, M., 1189P; Uedono, A., 2145P
Kyritsis, A. See Pissis, P., 1529P
Kyu, T.
—; Zhou, Z. L.; Zhu, G. C.; Tajuddin, Y.; Qutubuddin, S.: Novel Filled Polymer Composites Prepared from In Situ Polymerization via a Colloidal Approach. I. Kaolin/Nylon-6 In Situ Composites, 1761P
—; Zhu, G. C.; Zhou, Z. L.; Tajuddin, Y.; Qutubuddin, S.: Novel Filled Polymer Composites Prepared from In Situ Polymerization via a Colloidal Approach. II. Blends of Kaolin/Nylon-6 In Situ Composites with Conventional Nylon-6 and -66, 1769P

Lacey, D. See Moura Ramos, J. J., 2067P
Lagasse, R. R. See Beaucage, G., 3063P
Lai, Y.-L. See Crivello, J. V., 3091C, 3103C
Lamantia, F. P. See Montaudo, G., 1283C
Lambson, E. F. See Fanggao, C., 425P
Langer, R. See Uhrich, K. E., 1261C
Lantman, C. W. See Shen, H. C., 1347P
Lanza, M. See Fanggao, C., 425P
Lara, J.
—; Schreiber, H. P.: Specific Interactions and the Rheology of Pigmented Polymer Solutions, 1733P
Laredo, E.
—; Grimau, M.; Müller, A.; Bello, A.; Suarez, N.: Influence of Aging and Crystallinity on the Molecular Motions in Bisphenol-A Polycarbonate, 2863P
—; Suarez, N.; Bello, A.; Marquez, L.: The Glass Transition in Linear Low Density Polyethylene Determined by Thermally Stimulated Depolarization Currents, 641P
Larrier, D. R. See Uhrich, K. E., 1261C
Lartigau, C. See Grenier-Loustalot, M.-F., 2955C
Laurencin, C. T. See Uhrich, K. E., 1261C
Laus, M.
—; Ferri, D.: Dynamic Mechanical Behavior of a Side-Chain Liquid Crystalline Polyacrylate, 1085P
Lee, C. See Shroff, R., 2317P
Lee, G. W. See Cho, J. W., 1605P
Lee, H. J.
—; Kim, D. S.; Suh, M. C.; Shim, S. C.: Polymerization of 2,4-Hexadiyn-1,6-diol by Chemical Vapor Deposition, 3225C
Lee, H.-J.
—; Won, Y. H.; Kang, S.-J.; Choi, S.-K.; Kim, H. K.: Synthesis and Characterization of NLO Chromophores Bearing Poly(1,6-heptadiyne)s for Electro-Optic Application, 2333C
Lee, H. K. See Ihm, D. W., 2841C
Lee, J. B.
—; Allen, M. G.; Hodge, T. C.; Bidstrup, S. A.; Kohl, P. A.: Modeling of Substrate-Induced Anisotropy in Through-Plane Thermal Behavior of Polymeric Thin Films, 1591P
Lee, J. C. See Kim, B. K., 1095C
Lee, J.-H.
—; Park, J.-W.; Kim, S.-H.; Kim, H.-K.; Chang, Y.-H.; Choi, S.-K.: Novel Polymeric Dipropargyl Derivatives Containing a Carbazole Moiety via Palladium-Catalyzed Polycondensation: Synthesis and Characterization, 1621C
Lee, J. W. See Jo, W. H., 725P
Lee, K. See Park, H., 1455C
Lee, K.-H.
—; Park, J.-K.; Kim, H.-D.: Ion Conductivity Studies of Blends of Poly(methyl methacrylate)-*g*-Poly(ethylene glycol) and Poly(ethylene glycol) Complexed with $LiCF_3SO_3$, 1427P
Lee, K. H. See Kim, B. K., 2095C
Lee, M. S. See Jo, W. H., 725P
Lee, R.-H. See Hsiue, G.-H., 555P
Lee, S. C. See Park, L. S., 2117C
Lee, S.-D.
—; Hsiue, G.-H.; Kao, C.-Y.: Preparation and Characterization of a Homobifunctional Silicone Rubber Membrane Grafted with Acrylic Acid via Plasma-Induced Graft Copolymerization, 141C
Lee, S.-I.
—; Shim, S.-C.; Kim, T.-J.: Catalytic Polymerization of Phenylacetylene by Cationic Rhodium and Iridium Complexes of Ferrocene-Based Ligands, 2377C
Lee, Y. See Kim, S., 481C
Lee, Y. M. See Kim, S. S., 2367P
Legras, R. See De Roover, B., 1039C, 1195C; Jacques, B., 1189C
Leibig, C. M.
—; Fredrickson, G. H.: Tracer

Diffusion in Fluctuating Block Copolymer Melts, 163P
Leibler, L. See Creton, C., 545P
Lemert, R. M. See Asthana, S., 1993C
Leonardi, N. See Bottino, F. A., 1305C
Letsch, J. See Schulze, Th., 81C
Levenfeld, B. See Elvira, C., 2783C
Levesque, G. See Poulain, N., 729C
Levin, G. See Bromberg, L., 2595C
Levin, V. Y. See Yushanov, S. P., 2409P
Levita, G.
—; Livi, A.; Rolla, P. A.; Culicchi, C.: Dielectric Monitoring of Epoxy Cure, 2731P
Levon, K. See Kim, M. S., 1665P
Levy, D. See Bosch, P., 3289C
Lewandowski, M. See Marciniec, B., 1443C
Liaw, D.-J.
—; Chen, P.-S.: Preparation and Properties of Polyesters Derived from 4,4′-Sulfonyl Dibenzoyl Chloride by Solution Polycondensation, 885C
—; Wang, K.-I.: Synthesis and Characterization of Fluorine-Containing Polyamides Derived from 2,2-Bis[4-(4-aminophenoxy)phenyl]-hexafluoropropane by Direct Polycondensation, 1209C
Li, F.-M.
—; Chen, S.-J.; Li, Z.-C.; Qiu, J.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. I. Initiation and Photochemical Behavior of N-acryloyl-N′-phenylpiperazines and Their Polymers, 1881C
Li, F.-M. See Cai, H., 1245C; Qiu, J., 3015C
Li, G.
—; Jin, Y.; Shi, L.; Ye, M.; Bai, F.: Miscibility of Polystyrene (PS)/Polyphenylsilsesquioxane (PPSQ) Blends, 1079P
Li, K.-T.
—; Tsai, I.-T.: 2,6-Dimethylphenol Polymerization with Cuprous Chloride and *n*-Butylamine Catalyst System: Effect of NaI Addition, 3213C
Li, M.-S.
—; Ma, C.-C. M.; Lu, M.-S.; Lin, M.-L.; Chang, F.-C.: Mechanism of Transesterification and Cyclization of Epoxy-Polycarbonate Blends Catalyzed by Quarternary Ammonium Salt, 3303C
Linden, G. See Domb, A. J., 1229C
Lin, J. See Zhu, P. C., 2195C
Lin, J.-H.
—; Yang, C.-P.: New Poly(amide-Imide)s Syntheses. XVII. Preparation and Properties of Poly(amide-Imide)s Derived from 3,3-Bis[4-(4-aminophenoxy)phenyl]-phthalimidine and Various Bis(trimellitimide)s, 747C
Lin, J.-H. See Yang, C.-P., 341C
Lin, M.-L. See Li, M.-S., 3303C
Lin, S. See Gao, F., 2909C
Lin, S.-T.
—; Huang, S. K.: Preparation and Structural Determination of Siloxane-Modified Sulfone-Containing Epoxy Resins, 869C
—; Huang, S. K.: Synthesis and Impact Properties of Siloxane-DGEBA Epoxy Copolymers, 1907C
Lin, Y.
—; Yasuda, H.; Miyama, M.; Yasuda, T.: Water Barrier Characteristics of Plasma Polymers of Perfluorocarbons, 1843C
Li, S.
—; Tang, J.; Chinachoti, P.: Thermodynamics of Starch-Water Systems: An Analysis from Solution-Gel Model on Water Sorption Isotherms, 2579P
Lisi, R. See Paradossi, G., 3417C
Lissi, E. A. See Biondic, M., 1941C
Litt, M. H. See Cai, G., 2679C, 2689C, 2701C, 2711C, 2719C
Liu, G.
—; White, B.; Vancsó-Szmercsányi, I.; Vancso, G. J.: Thixotropic Behavior of Metal-Containing Coordination Polymers: Melt Viscosity of Neutral Aliphatic Polyesters With Zn Carboxylates, 277P
Liu, J.
—; Kim, S. D.: Polycondensation Behavior of Methyltrimethoxysilane Studied by NMR Spectroscopy, 131P
—; Long, T.-C.; Geil, P. H.; Rybnikar, F.: Poly(terephthalic anhydride) Single Crystals: Morphology and Crystal Structure, 2843P
Liu, J. L. See Peng, Y. X., 903C, 1815C, 3527C
Liu, Y. See Zhu, P. C., 2195C
Livi, A. See Levita, G., 2731P
Li, Y.
—; Mao, S.: A Study on the Glass Transition Behavior and Morphology of Semi-Interpenetrating Polymer Networks, 2371C
Li, Z.-C. See Cai, H., 1245C; Li, F.-M., 1881C; Qiu, J., 3015C
Lode, U. See Bodor, G., 485P
Lodge, T. P. See Hamersky, M. W., 2899P
Löhden, G. See Crivello, J. V., 1015C, 2051C
Londono, J. D.
—; Habenschuss, A.; Curro, J. G.; Rajasekaran, J. J.: Short-Range Order in Some Polymer Melts From X-Ray Diffraction, 3055P
Long, H. W. See Saalmueller, J. W., 1093P
Long, T.-C. See Liu, J., 2843P
López-Carrasquero, F. See García-Alvarez, M., 1959C
López-González, M. M. C. See Callejo Cudero, M. J., 1059C
Loubet, J. L. See Pelletier, E., 93P
Lou, W. See Huang, J., 1317C
Lou, Y. See Jean, Y. C., 2979P
Loy, D. A. See Whinnery, L. L., 1623C
Lu, F. See Piao, M., 1567C
Lu, M.-S. See Li, M.-S., 3303C
Lu, S.
—; Pearce, E. M.; Kwei, T. K.; Chu, E.: Miscibility Window for the Blends of Poly(styrene-co-4-vinylphenymethylphenylsilanol)

with Poly(*n*-butyl methacrylate), 3163C
Lu, X.
—; Ishikawa, N.; Brown, N.: The Critical Molecular Weight for Resisting Slow Crack Growth in a Polyethylene, 1809P
—; Weiss, R. A.: Specific Interactions and Miscibility of Blends of Poly(ϵ-caprolactam) and Sulfonated PEEK Ionomer, 1795P
Luca, C. See Barboiu, V., 261C; Dragan, S., 3485C
Lungu, A.
—; Neckers, D. C.: Correlation between the Mechanical Properties and the Homogeneity of Some Photopolymerized Acrylic/Methacrylic Networks[1], 3355C
Luo, N.
—; Wang, D.-N.; Ying, S.-K.: Study on Sequence Distribution of Segmented Poly(urethane urea)s by ^{13}C-NMR Spectroscopy: Effect of Polymerization Procedures, 2157C
Luo, Y.
—; Weng, Z.; Huang, Z.; Pan, Z.: The Combined Statistical and Kinetic Modeling of Gel/Sol Partition in Free-Radical Copolymerization of Vinyl/Divinyl Monomers, 65P
Lüthi, R. See Hild, S., 1953P

Maaref, S. See Frisch, H. L., 673C; Pu, Z., 2657P
Ma, C.-C. M. See Li, M.-S., 3303C
Macdonald, J. G. See Caldas, V., 2085P
MacFarlane, D. R. See Sun, J., 3465C
Macip-Boulis, M. A. See Hyeon-Lee, J., 3073P
MacQueen, R. C. See Madani, M. M., 2767P
Madani, M. M.
—; MacQueen, R. C.; Granata, R. D.: Positron Annihilation Lifetime Study of PTFE/Silica Composites, 2767P
Madec, P.-J. See Jouffret, F., 2363C
Maeda, S. See Naka, K., 1003C
Magallanes González, G. S.
—; Dimonie, V. L.; Sudol, E. D.; Yue, H. J.; Klein, A.; El-Aasser, M. S.: Characterization of Poly(vinyl alcohol) during the Emulsion Polymerization of Vinyl Acetate Using Poly(vinyl alcohol) as Emulsifier, 849C
Magin, E. H. See Borsenberger, P. M., 317P
Maglio, G. See Avella, N., 1219C
Mahler, A. See Kricheldorf, H. R., 2399C
Maio, V. See Bellucci, F., 1277P
Mai, Y. See Negi, Y. S., 1663C
Majoros, I.
—; Marsalkó, T. M.; Kennedy, J. P.: Conventional and Living Carbocationic Polymerizations United. II. The Conversion of Conventional to Living Isobutylene Polymerization by Proton Trap and a Comprehensive Closed-Loop Mechanism of Proton Trap Mediated Living Polymerization, 1675C
Makabe, K. See Kihara, N., 1819C
Malavašič, T. See Anžlovar, A., 2349C
Malik, R. See Crivello, J. V., 3091C, 3103C
Mallapragada, S. K.
—; Peppas, N. A.: Dissolution Mechanism of Semicrystalline Poly(vinyl alcohol) in Water, 1339P
Mandal, B. K.
—; Sinha, A. K.; Kamath, M.: Thin Film Processing of Axially Modified Phthalocyanine Derivatives, 643C
Manders, B. G.
—; Chambard, G.; Kingma, W. J.; Klumperman, B.; Van Herk, A. M.; German, A. L.: Estimation of Activation Parameters for the Propagation Rate Constant of Styrene, 2473C
Mano, J. F. See Moura Ramos, J. J., 2067P
Manolache, S. See Simionescu, C. I., 3071C
Manseri, A. See Ameduri, B., 3077C
Mantecón, A. See Giménez, V., 925C
Mao, S. See Li, Y., 2371C
Marchessault, R. H. See Spyros, A., 1777P
Marciniec, B.
—; Lewandowski, M.: Synthesis of Silylene–Vinylene Oligomers via Catalytic Polycondensation of Divinyldimethylsilane, 1443C
Maresch, G. G. See Saalmueller, J. W., 1093P
Margel, S. See Bamnolker, H., 1857C
Marino, T. L. See Sarker, A. M., 2817C
Mark, J. E. See Frisch, H. L., 673C; Pu, Z., 2657P; Yuan, Q. W., 1647P
Markley, T. J.
—; Pinschmidt, R. K., Jr.; Vanderhoff, J. W.: Grafting Reactions of Vinyl Acetate onto Poly[(vinyl alcohol)-co-(vinyl acetate)], 2581C
Marquez, L. See Laredo, E., 641P
Marsalkó, T. M. See Majoros, I., 1675C
Martin, O.
—; Mendicuti, F.; Saiz, E.; Mattice, W. L.: Intramolecular Formation of Excimers in Model Compounds for Polymers of 2,6-Naphthalene Dicarboxylic Acid and Five Glycols in Media of Different Viscosity, 2623P
Martínez, de Ilarduya, A. See García-Alvarez, M., 1959C
Martínez, G. See Guarrotxena, N., 2387C, 2563C
Maschke, U. See Benmouna, M., 2161P
Massines, F. See Sahnoune, A., 341P
Masubuchi, Y. See Oana, H., 1105P
Masuda, T. See Ito, H., 2925C; Nanjo, K., 2931C; Yoshida, T., 2229C
Mateev, M.
—; Karageorgiev, S.: Radiation-Induced Changes in the Microdestruction Mechanisms in High-Density Polyethylene, 2743C
Mateo, J. L. See Bosch, P., 3289C
Mathew, A.
—; Deb, P. C.: Synthesis of Spherical Copolymer Beads of

Styrene–Maleic Anhydride by Aqueous Suspension Polymerization, 1605C
Mathias, L. J. See Avci, D., 3191C; Jensen, J. J., 397C
Matsumoto, A.
—; Sano, Y.; Yoshioka, M.; Otsu, T.: Kinetic Study of Radical Polymerization of Dialkyl Fumarates Using Electron Spin Resonance Spectroscopy, 291C
Matsumoto, A. See Doi, T., 367C, 2499C
Matsumoto, M. See Oana, H., 1105P
Matsuoka, T. See Kojima, Y., 2607P
Matsusaki, K. See Sata, T., 2123C
Matsuyama, M.
—; Kamigaito, M.; Sawamoto, M.: Sulfonyl Chlorides as Initiators for the Ruthenium-Mediated Living Radical Polymerization of Methyl Methacrylate, 3585C
Matsuzawa, S. See Hoei, Y., 2775C
Mattice, W. L. See Martin, O., 2623P; Zhang, R., 565P
Mattoussi, H.
—; Berry, G. C.; Patterson, G. D.: The Effects of Surface Layers on Third Harmonic Generation From Solutions of a Nematogenic Polymer, 925P
Matula, D. See Šindelář, P., 2163C
Matyas, J. See Gurkaynak, A., 349C
Matyjaszewski, K. See Chrusciel, J., 2243C; White, M. L., 277C
Maurer, F. H. J. See Eklind, H., 1569P
Mauritz, K. A. See Deng, Q., 1917P; Gummaraju, R. V., 2383P; Shao, P. L., 873P
Mavinkurve, A.
—; Visser, S.; van den Broek, W.; Pennings, A. J.: "Titration" Polymerization of Monovinylacetylene, 985C
Ma, X.-Q. See Wu, C., 221P
Mayer, M. J. J.
—; van den Boomen, F. H. A. M.; Paquet, D. A.; Meuldijk, J.; Thoenes, D.: The Polymerization Rate of Freshly Nucleated Particles during Emulsion Polymerization with Micellar Nucleation, 1747C
Mayer, T.
—; Burget, D.; Mignani, G.; Fouassier, J. P.: Photohydrosilylation Reaction of Silicone Polymers. Platinum-Based Photocatalysts: Trimethyl(β-dicarbonyl) Platinum(IV) Complexes, 3141C
Mayné, V. See Penelle, J., 3369C
Mays, J. W. See Agrawal, G., 2919P
Mazyar, N. L. See Annenkov, V. V., 597C
McCarthy, D. See Hutchinson, J. M., 229P
McCarthy, S. P. See Cai, H., 2701P
McDowell, C. C. See Shen, H. C., 1347P
McFaddin, D. C. See Russell, K. E., 2447P
McGrath, J. E. See Hedrick, J. L., 2867C
McHugh, A. J. See Bushman, A. C., 2393P
Mcintyre, N. S. See Kill, G., 2299C
McKellop, H. A. See Shen, F.-W., 1063P
McManus, N. T.
—; Penlidis, A.: A Kinetic Investigation of Styrene/Ethyl Acrylate Copolymerization, 237C
Mehta, V. R.
—; Kumar, S.; Polk, M. B.; Vanderhart, D. L.; Arnold, F. E.; Dang, T. D.: On the Evidence of Crosslinking in Methyl Pendent PBZT Fiber, 1881P
Meier, G.
—; Kremer, F.; Fytas, G.; Rizos, A.: Evidence of Dynamic Heterogeneity As Obtained from Dielectric and Brillouin Light-Scattering Studies of Poly(*n*-Hexylmethacrylate), 1391P
Melad, O. K. See Usanmaz, A., 1087C
Mendicuti, F. See Martin, O., 2623P
Mendoza, V. S. See He, J.-H., 2809C
Meng, X.
—; Natansohn, A.; Rochon, P.: Azo Polymers for Reversible Optical Storage. 11 Poly{4,4′-(1-Methylethylidene)Bisphenylene 3-[4-(4-Nitrophenylazo)Phenyl]-3-Aza-Pentanedioate}, 1461P
Merino, J. C. See Rodriíguez-Cabello, J. C., 1243P
Metras, F. See Grenier-Loustalot, M.-F., 2955C
Meuldijk, J. See Mayer, M. J. J., 1747C
Mignani, G. See Mayer, T., 3141C
Mijović, J.
—; Andjelić, S.; Fitz, B.; Zurawsky, W.; Mondragon, I.; Bellucci, F.; Nicolais, L.: Impedance Spectroscopy of Reactive Polymers. 3. Correlations Between Dielectric, Spectroscopic, and Rheological Properties During Cure of a Trifunctional Epoxy Resin, 379P
Mijovic, J. See Bellucci, F., 1277P
Mikroyannidis, J. A.
Soluble Aromatic Polyamide and Polyimides Derived from Di(aminophenyl)acetylenediurea, 3389C
Mikroyannidis, J. A. See Spiliopoulos, I. K., 1685C, 1703C, 2799C
Millán, J. See Guarrotxena, N., 2387C, 2563C
Miller, R. D. See Deppe, D. D., 2987P; Despotopoulou, M. M., 2335P
Minick, J. See Bensason, S., 1301P
Minko, S. S. See Voronov, S. A., 2507C
Mironov, A. V. See Dembo, A. T., 2893P
Mischenko, N.
—; Reynders, K.; Mortensen, K.; Overberg, N.; Reynaers, H.: "Butterfly"-Like Patterns of Triblock Copolymer Gels as Observed by Small-Angle Neutron Scattering, 2739P
Mishra, V.
—; Sperling, L. H.: Simultaneous

Interpenetrating Networks of a Polyurethane and Poly([methyl methacrylate]-*stat*-[*N,N*-dimethylacrylamide]), 883P
—; Thomas, D. A.; Sperling, L. H.: Partition Coefficient for Small Amounts of Monomer, Solvent, or Plasticizer in a Two-Phased Polymer Blend or IPN, 2105P
Mitsuhashi, K. See Tomita, I., 271C
Mix, R.
—; Gähde, J.; Goering, H.; Schulz, G.: Segmented Polyurethanes with 4,4′-Bis-(6-hydroxyhexoxy)biphenyl as Chain Extender. Part 2. Synthesis and Properties of MDI-Polyurethanes in Comparison with 2,4-TDI-Polyurethanes, 33C
Miyama, M. See Lin, Y., 1843C
Miyamori, S. See Takahashi, K., 175C
Moet, A. See Bensason, S., 1301P
Mokdad, A.
—; Dubault, A.; Monnerie, L.: Sorption and Diffusion of Carbon Dioxide in Single-Phase Polystyrene/Poly(vinylmethylether) Blends, 2723P
Möller, M. See de Graaf, L. A., 1839P
Momtaz, A. See DeRoover, B., 1039C
Mondragon, I. See Mijović, J., 379P
Monetta, T. See Bellucci, F., 1277P
Monnerie, L. See Jasse, B., 2007P; Mokdad, A., 2723P
Montaudo, G.
—; Montaudo, M. S.; Puglisi, C.; Samperi, F.: Characterization of End Groups in Nylon 6 by MALDI-TOF Mass Spectrometry, 439C
—; Puglisi, C.; Samperi, F.; Lamantia, F. P.: Synthesis of AB and ABA Block Copolymers as Compatibilizers in Nylon 6/Polycarbonate Blends, 1283C
Montaudo, M. S. See Montaudo, G., 439C
Montemartini, P. E. See Bernal, C. R., 1869P
Montfort, J. P. See Pelletier, E., 93P
Montserrat, S. See Hutchinson, J. M., 229P
Moonen, J. See Scherrenberg, R., 335P
Moon, S.-I. See Kim, C.-H., 2709P
Moore, R. A. F. See Murthy, N. S., 821P
Moore, R. B. See Deng, Q., 1917P; Gummaraju, R. V., 2383P; Shao, P. L., 873P
Morales, E.
—; Salmerón, M.; Acosta, J. L.: Crystallization, Thermal Behavior, and Compatibility of Poly(ethylene oxide)/Poly(propylene oxide) Blends, 2715P
Morisato, A.
—; Freeman, B. D.; Pinnau, I.; Casillas, C. G.: Pure Hydrocarbon Sorption Properties of Poly(1-trimethylsilyl-1-propyne) (PTMSP), Poly(1-phenyl-1-propyne) (PPP), and PTMSP/PPP Blends, 1925P
—; Shen, H. C.; Sankar, S. S.; Freeman, B. D.; Pinnau, I.; Casillas, C. G.: Polymer Characterization and Gas Permeability of Poly(1-trimethylsilyl-1-propyne) [PTMSP], Poly(1-phenyl-1-propyne) [PPP], and PTMSP/PPP Blends, 2209P
Morisato, A. See Higuchi, A., 2153P; Pinnau, I., 2613P
Morlet-Savary, F. See Erddalane, A., 633C
Mortensen, K. See Mischenko, N., 2739P; Scherrenberg, R., 335P
Mounach, H. See Jasse, B., 2007P
Mouran, D.
—; Reimers, J.; Schork, F. J.: Miniemulsion Polymerization of Methyl Methacrylate with Dodecyl Mercaptan As Cosurfactant, 1073C
Moura Ramos, J. J.
—; Mano, J. F.; Lacey, D.; Nestor, G.: Dipolar Relaxations in the Glass Transition Region and in the Liquid Crystalline Phase of Two Side-Chain Liquid Crystalline Polysiloxanes, 2067P
Mteza, S. B.
—; Hsu, C. C.; Bacon, D. W.: A Study of Polyethylene-gr-2-*tert*-butyl Amino Methacrylate-Supported $TiCl_4$ Catalyst for Ethylene Polymerization, 1693C
Müller, A. See Laredo, E., 2863P
Muller, S. J. See Solomon, M. J., 181P
Munch, J. P. See Ohlemacher, A., 2747P
Muñoz-Guerra, S. See Alemán, C., 963P; García-Alvarez, M., 1959C
Murakami, M. See Ogawa, T., 1317P
Murthy, K. S.
—; Kishore, K.: Synthesis of Epoxy-Terminated Polymers by Radical Polymerization Using α-(*t*-Butylperoxymethyl)styrene as Chain Transfer Agent, 1415C
Murthy, N. S.
—; Bednarczyk, C.; Moore, R. A. F.; Grubb, D. T.: Analysis of Small-Angle X-Ray Scattering from Fibers: Structural Changes in Nylon 6 Upon Drawing and Annealing, 821P
Murugavel, S. C. See Kannan, P., 3559C
Muthukumar, M. See Dadmun, M. D., 649P

Nabeth, B.
—; Corniglion, I.; Pascault, J. P.: Influence of the Composition on the Glass Transition Temperature of Polyurethane and Polyurethane Acrylate Networks, 401P
—; Pascault, J. P.; Dusek, K.: Concept of Hard Clusters in the Interpretation of Thermal and Mechanical Properties of Polyurethane and Polyurethane Acrylate Networks, 1031P
Nagai, K.
—; Utsunomiya, K.; Takamiya, N.; Nemoto, N.; Kaneko, M.: Photoluminescence of Polysiloxane Containing Mesogenic 4-Cyanobiphenyl in Solution, 2059P
Nagai, K. See Higuchi, A., 2153P
Naito, Y. See Wang, J.-S., 2027P

Nakabayashi, N. See Ishihara, K., 199C
Nakache, E. See Poulain, N., 729C
Nakagawa, T. See Higuchi, A., 2153P
Nakahara, H. See Kinugasa, S., 583P
Nakajima, T. See Higuchi, A., 2153P
Naka, K.
—; Tachiyama, Y.; Ohki, A.; Maeda, S.: A New Polymer Chelate Precursor System to the YBa+2!Cu+3!O+7−*x*! Superconductor Using Poly(*N,N*-dicarboxymethyl)allylamine, 1003C
Nakamatsu, J. See Sohn, D., 3025P
Nakamoto, Y. See Yamagishi, T.-A., 687C
Nakamura, N.
—; Suzuki, K.: Study on Ketalization Reaction of Poly(vinyl alcohol) by Ketones. VIII. Kinetic Study on Acetalization and Ketalization Reactions of Poly(vinyl alcohol), 3319C
Nakamura, S. See Wang, C., 493C, 755C, 2517C
Nakano, S.
—; Endo, T.: Synthesis and Properties of α-Substituted Benzylpyridinium Salts as Cationic Initiators, 475C
Nakano, S. See Akashi, M., 301C
Nakao, S.-I. See Yamaguchi, T., 1203C
Nakayama, T. See Ueda, M., 109C
Nakaya, T. See Chen, T.-M., 1155C; Wang, Y., 449C
Nambu, Y. See Kubota, H., 1347C
Nam, J. I. See Park, L. S., 2117C
Nam, K. H. See Jo, W. H., 2169P
Nam, T. Y. See Kim, W. G., 957C
Nanjo, K.
—; Masuda, T.: Polymerization of 1-Chloro-2-β-naphthylacetylene by Mo Catalysts and Polymer Properties, 2931C
Narasimhan, B.
—; Peppas, N. A.: Disentanglement and Reptation During Dissolution of Rubbery Polymers, 947P
Narkis, M. See Bianco, H., 2775P
Natansohn, A. See Meng, X., 1461P
Nauman, E. B. See Kwak, S., 1715P
Nazabal, J. See Erro, R., 1055P
Neckers, D. C. See Lungu, A., 3355C; Sarker, A. M., 2817C; Wang, Z. J., 325P
Nedbal, J. See Pissis, P., 1529P
Negi, Y. S.
—; Suzuki, Y.-I.; Kawamura, I.; Kakimoto, M.-A.; Mai, Y.: Synthesis and Characterization of Soluble Polyamides Based on 2,2-Bis[4-(4-aminophenoxy)phenyl]-hexafluoropropane and 2,2-Bis[4-(4-aminophenoxy)phenyl]propane and Diacid Chlorides, 1663C
Nelliappan, V.
—; El-Aasser, M. S.; Klein, A.; Daniels, E. S.; Roberts, J. E.: Compatibilization of the PBA/PMMA Core/Shell Latex Interphase. II. Effect of PMMA Macromonomer, 3183C
—; El-Aasser, M. S.; Klein, A.; Daniels, E. S.; Roberts, J. E.: Compatibilization of the PBA/PMMA Core/Shell Latex Interphase. I. Partitioning of PMMA Macromonomer in the PBA Seed Latex, 3173C
Nelson, E. W.
—; Scranton, A. B.: Kinetics of Cationic Photopolymerizations of Divinyl Ethers Characterized Using *In Situ* Raman Spectroscopy, 403C
Nelson, K. A. See Rogers, J. A., 861P
Németh, S.
—; Jao, T.-C.; Fendler, J. H.: Distribution of Functional Groups Grafted onto an Ethylene–Propylene Copolymer, 1723P
Nemoto, H. See Imai, Y., 701C
Nemoto, N. See Nagai, K., 2059P
Nestor, G. See Moura Ramos, J. J., 2067P
Newman, B. A. See Winsor, D. L., 2967P; Wu, S.-L., 3035P
Niaounakis, M. See Pissis, P., 1529P
Nicodemo, L. See Bellucci, F., 1277P
Nicolais, L. See Mijović, J., 379P
Nield, E. See Jacques, B., 1189C
Nishikubo, T.
—; Kameyama, A.; Yamada, Y.; Yoshida, Y.: Synthesis of Polymers in Aqueous Solutions: Esterification Reaction of Poly(methacrylic acid) with Alkyl Halides Using DBU in Aqueous Solutions, 3531C
Nishikubo, T. See Itoh, H., 217C; Shimokawa, T., 1951C
Nishimura, A. See Kakimoto, M., 2753C
Nishimura, S.-I. See Kurita, K., 429C
Noël, C. See Shen, H. C., 1347P
Noël, L. F. J.
—; Van Altveer, J. L.; Timmermans, M. D. F.; German, A. L.: The Effect of Water Solubility of the Monomers on Composition Drift on Methyl Acrylate–Vinyl Ester Combinations, 1763C
Nohara, K. See Hidaka, H., 1311C
Nohr, R. S. See Caldas, V., 2085P
Nomura, S. See Ikkai, F., 939P

Oana, H.
—; Masubuchi, Y.; Matsumoto, M.; Doi, M.; Yoshikawa, K.: Motion of Large DNA Molecules Traveling from Solution to Gel Under Steady Field, 1105P
Oba, M.
Effect of Curing Accelerators on Thermal Imidization of Polyamic Acids at Low Temperature, 651C
Ober, C. K. See Shiota, A., 1291C
Odian, G. See Cangiano, D. L., 801C
O'Donnell, J. H. See Bremner, T., 971C; Hill, D. J. T., 2439C
Ogasa, T. See Iizawa, T., 63C
Ogawa, T.
—; Murakami, M.: Poly(diarylsilmethylene)s. II. Thermal and Mechanical Properties[1], 1317P
Ogumi, Z. See Tasaka, A., 193C
Ohki, A. See Naka, K., 1003C

Ohlemacher, A.
—; Candau, F.; Munch, J. P.; Candau, S. J.: Aqueous Solution Properties of Polyampholytes: Effect of the Net Charge Distribution, 2747P
Okabe, M. See Hoei, Y., 2775C
Okada, Y. See Yoshida, E., 3631C
Okatome, K. See Iizawa, T., 2407C
Okazaki, I.
—; Wunderlich, B.: Modulated Differential Scanning Calorimetry in the Glass Transition Region, V. Activation Energies and Relaxation Times of Poly(ethylene terephthalate)s, 2941P
Okazaki, T.
—; Sanda, F.; Endo, T.: Synthesis and Radical Ring-Opening Polymerization Behavior of Vinylcyclopropane Bearing Six-Membered Cyclic Acetal Moiety, 2029C
Oki, Y. See Doi, T., 2499C
Okubo, M.
—; Ahmad, H.: Effect of Shell Thickness on the Temperature-Sensitive Property of Core-Shell Composite Polymer Particles, 3147C
Okumura, J. See Ishihara, M., 586P
Okuyama, K. See Teng, H., 3407C
Okuzaki, H.
—; Kunugi, T.: Adsorption-Induced Bending of Polypyrrole Films and Its Application to a Chemomechanical Rotor, 1747P
Okuzaki, H. See Kunugi, T., 1269P
O'Neill, M. See Handa, Y. P., 2635P
Önen, A. See Yağci, Y., 3621C
Ono, H. See Iizawa, T., 2407C
Oomori, H. See Fukutomi, T., 2729C
O'Regan, M. B. See Borsenberger, P. M., 317P
Oriol, L. See Canessa, G. S., 1465C; Cerrada, P., 2603C
Osa Kada, K. See Yamaguchi, I., 1609C
Oskoui, H. R. See Talu, M., 2981C
Osoba, W. See Borek, J., 1903P
Otsu, T. See Doi, T., 367C, 2499C; Matsumoto, A., 291C
Oultache, A. K. See Jasse, B., 2007P
Overberg, N. See Mischenko, N., 2739P

Pabin-Szafko, B. See Szafko, J., 613C
Paci, M. See Paradossi, G., 3417C
Paine, A. J. See Shouldice, G. T. D., 3061C
Palmö, K.
—; Krimm, S.: Chain Elastic Modulus of Polyethylene: A Spectroscopically Determined Force Field (SDFF) Study, 37P
Palumbo, R. See Avella, N., 1219C
Pan, C.-Y.
—; Zhao, B.; Bai, R.-K.; Zheng, T. N.: Study on Copolymerization Behavior of 2-Substituted 4-Methylene-1,3-dioxolane with Maleic Anhydride and Acrylonitrile, 2149C
Pan, Z. See Luo, Y., 65P
Panunzi, B. See Centore, R., 3203C
Papanagopoulos, D. See Dondos, A., 1281P
Paquet, D. A. See Mayer, M. J. J., 1747C
Paradossi, G.
—; Lisi, R.; Paci, M.; Crescenzi, V.: New Chemical Hydrogels Based on Poly(vinyl alcohol), 3417C
Paraschiv, V. See Simionescu, C. I., 3071C
Park, H.
—; Keun, J.; Lee, K.: Syntheses and Physical Properties of Two-Component Polyurethane Flame-Retardant Coatings Using Chlorine-Containing Modified Polyesters, 1455C
Park, J.-K. See Kim, C.-H., 2709P; Kim, D.-W., 2127P; Lee, K.-H., 1427P; Lee, J.-H., 1621C
Park, J. Y.
—; Paul, D. R.; Haider, I.; Jaffe, M.: Effect of Thermal Annealing on the Gas Permeability of HIQ-40 Films, 1741P
Park, L. S.
—; Lee, S. C.; Nam, J. I.: Effect of Temperature and Water as Additive on the MW and Thermal Properties of Copoly(p-Phenylene/Biphenylene sulfide)s, 2117C
Park, S.-B. See Jung, J. C., 357C
Park, S. Y. See Ihm, D. W., 2841C
Pascault, J.-P. See Chen, J., 2889C
Pascault, J. P. See Nabeth, B., 401P, 1031P; Riccardi, C. C., 349P
Pastor, J. M. See Rodríiguez-Cabello, J. C., 1243P
Patrickios, C. S.
—; Forder, C.; Armes, S. P.; Billingham, N. C.: Synthesis and Characterization of Amphiphilic Diblock Copolymers of Methyl Tri(Ethylene Glycol) Vinyl Ether and Isobutyl Vinyl Ether, 1529C
Patterson, G. D. See Hwang, Y., 2291P; Mattoussi, H., 925P
Paul, D. R. See Park, J. Y., 1741P; Schult, K. A., 2805P; Ziaee, S., 2641P
Paventi, M. See Gao, C., 413C; Wang, Y.-F., 2135C
Pawloski, C. E. See White, J. E., 2967C
Payer, J. H. See Hansen, J. E., 611P
Pearce, E. M.
Review of *Polymer Films in Sensor Applications*, 149C
Pearce, E. M. See Lu, S., 3163C
Pegoraro, M. See Consolati, G., 357P
Pekcan, Ö. See Canpolat, M., 691P
Pelizzetti, E. See Hidaka, H., 1311C
Pelletier, E.
—; Montfort, J. P.; Loubet, J. L.; Tonck, A.; Georges, J. M.: Relaxation Experiments of Polymeric Systems Confined in Very Narrow Gaps, 93P
Penelle, J.
—; Mayné, V.; Touillaux, R.: Reactive Polymers Incorporating Silyl Enol Ether Groups. I. Synthesis by Radical Polymerization of 2-

(Trimethylsiloxy)-butadiene and 2-(*tert*-Butyldimethylsiloxy)butadiene, 3369C

Peng, Y. X.
—; Cun, L. F.: Cationic Monomer-Isomerization Oligomerization of 2-Methyl-1-butene, 2513C
—; Cun, L. F.; Dai, H. S.; Liu, J. L.: Microstructure of 1-Pentene Cationic Oligomer, 903C
—; Dong, Y. J.; Liu, J. L.; Dai, H. S.; Cun, L. F.: Effect of Benzylic Halides on Cationic Polymerization of 1,3-Pentadiene, 1815C
—; Liu, J. L.; Cun, L. F.: Microstructure of Polymers Obtained by Cationic Polymerization of *endo*-Dicyclopentadiene, 3527C

Peniche, C. See Davidenko, N., 1753C, 2759C

Penlidis, A. See Burke, A. L., 2665C; Dubé, M. A., 811C; McManus, N. T., 237C

Pennings, A. J. See Mavinkurve, A., 985C

Peppas, N. A. See Mallapragada, S. K., 1339P; Narasimhan, B., 947P

Perera, M. C. S. See Bremner, T., 971C; Hill, D. J. T., 2439C

Pews, R. G. See White, J. E., 2967C

Phillips, R. A.
—; Cooper, S. L.: Morphology Development During Solid-State Annealing of Poly(ether-ester) Multiblock Copolymers, 737P

Piao, M.
—; Wan, M.; Lu, F.: Mechanism of Enhancement of Conductivity for Pyrolyzed Polypyrrolone Film at High Temperature, 1567C

Piché, L. See Sahnoune, A., 341P

Pillai, C. K. S. See Rajalekshmi, S., 2851C

Pina, A. See Poulain, N., 729C

Pinnau, I.
—; Casillas, C. G.; Morisato, A.; Freeman, B. D.: Hydrocarbon/Hydrogen Mixed Gas Permeation in Poly(1-trimethylsilyl-1-propyne) (PTMSP), Poly(1-phenyl-1-propyne) (PPP), and PTMSP/PPP Blends, 2613P

Pinnau, I. See Morisato, A., 1925P, 2209P

Piñol, M. See Cerrada, P., 2603C

Pinschmidt, R. K., Jr. See Markley, T. J., 2581C

Pişkin, E. See Tuncel, A., 45C

Pispas, S. See Agrawal, G., 2919P

Pissis, P.
—; Apekis, L.; Christodoulides, C.; Niaounakis, M.; Kyritsis, A.; Nedbal, J.: Water Effects in Polyurethane Block Copolymers, 1529P

Pissis, P. See Frank, B., 1853P

Pitsikalis, M.
—; Siakali-Kioulafa, E.; Hadjichristidis, N.: Association Behavior of Linear ω-Functionalized Polybutadienes in Cyclohexane, 249P

Pittman, C. U., Jr. See Ji, S., 2543C; Zhu, P. C., 73C, 169C, 2195C

Plummer, C. J. G.
—; Hedrick, J. L.; Hauert, S.; Hilborn, J. G.; Kausch, H.-H.: Preparation and Properties of Phenylene Oxide-aryl Ether Sulphone Block Copolymers and Their Blends, 2177P

Poersch, G. See Stickfort, L., 1325C

Pojman, J. A.
—; Willis, J. R.; Khan, A. M.; West, W. W.: The True Molecular Weight Distributions of Acrylate Polymers Formed in Propagating Fronts, 991C

Polacheck, I. See Domb, A. J., 1229C

Polk, M. B. See Mehta, V. R., 1881P

Pollicino, A. See Bottino, F. A., 1305C

Polykarpov, A. Y. See Sarker, A. M., 2817C

Pomery, P. J. See Bremner, T., 971C; Hill, D. J. T., 2439C

Pompe, G.
—; Häußler, L.; Winter, W.: Investigations of the Equilibrium Melting Temperature in PBT and PC/PBT Blends, 211P

Pope, D. S.
—; Koros, W. J.: Gas Sorption-Induced Dilation of Poly(4-methyl-1-pentene), 1861P

Popielarz, R.
The TIT-Inifer Method of synthesis of Block Copolymers, 3471C

Poppe, H. See Van Asten, A. C., 283P, 297P

Portmess, J. D.
—; Wagener, K. B.: Acyclic Diene Metathesis (ADMET) Polymerization: The Synthesis of Unsaturated Polyamines, 1353C

Poser, S.
—; Fischer, H.; Arnold, M.: Liquid Crystalline Side-Group Block Copolymers with Triblock Structure: Investigations on the Influence of the Block Arrangement on the Morphology and the LC-Phase Behavior, 1733C

Poulain, N.
—; Nakache, E.; Pina, A.; Levesque, G.: Nanoparticles from Vesicle Polymerization: Characterization and Kinetic Study, 729C

Povolo, F.
—; Schwartz, G.; Hermida, E. B.: Stress Relaxation of PVC Below the Yield Point, 1257P

Prabhakaran, C. P. See Rajalekshmi, S., 2851C

Prasad, A. See Shroff, R., 2317P

Prasad, O. See Tandon, P., 1213P

Prausnitz, J. M. See Hino, T., 1961P, 1977P

Pritchard, R. G. See Harron, H. R., 173P

Prud'homme, R. K. See Grosse-Sommer, A., 1447C

Przybylski, M. See Klee, J. E., 2791C

Pucciariello, R.
Effect of Thermal History on the Melting Behavior and the Crystal–Crystal Transitions of Tetrafluoroethylene-Perfluoroalkylvinylether Copolymers, 1751P

Puglisi, C. See Montaudo, G., 439C, 1283C

Puiggalí, J. See Alemán, C., 1327P

Pu, Z.
—; Mark, J. E.; Beaucage, G.; Maaref, S.; Frisch, H. L.: Small

Angle X-Ray Scattering Investigations of Zeolite-Penetrated Poly(ethyl acrylate) Composites, 2657P
Pu, Z. See Frisch, H. L., 673C
Pyun, S.-I. See Kim, D.-W., 2127P

Qiu, J.
—; Li, Z.-C.; Gao, Q.-Y.; Yao, G.-Q.; Yang, G.-X.; Zhang, J.-X.; Li, F.-M.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. III. Synthesis and Photochemical Behavior of Acrylic Monomers Having Phenothiazine Moieties and Their Polymers, 3015C
Qiu, J. See Cai, H., 1245C; Li, F.-M., 1881C
Qi, Y. See Zaluski, C., 731P
Qi, Z. N. See Wang, C. L., 193P
Quint, J. R. See Rodier–Renaud, L., 1229P
Quirk, R. P. See Kim, J., 3277C
Qutubuddin, S. See Kyu, T., 1761P, 1769P

Rabiller, C. See Alimi, K., 845P
Rabolt, J. F. See Despotopoulou, M. M., 2335P
Radhakrishnan, G. See Ramesh, S., 1713C; Tharanikkarasu, K., 1723C
Radic, D. See Díaz-Calleja, R., 261P
Radzilowski, L. H.
—; Carvalho, B. L.; Thomas, E. L.: Structure of Minimum Thickness and Terraced Free-Standing Films of Block Copolymers, 3081P
Rajagopalan, P.
—; Tsatsas, A. T.; Risen, W. M., Jr.: Synthesis and Near Infrared Properties of Rare Earth Ionomers, 151P
Rajalekshmi, S.
—; Saminathan, M.; Pillai, C. K. S.; Prabhakaran, C. P.: Synthesis and Thermal Characterization of Poly(1,3-Phenyl Octanoate), 2851C
Rajasekaran, J. J. See Londono, J. D., 3055P
Ramakrishnan, S. See Kumar, A., 839C
Ramesh, S.
—; Radhakrishnan, G.: Chain-Extended Polyurethane Anionomers Using Ionic Diols of Varying Methylene Spacers, 1713C
Randzio, S. L. See Rodier–Renaud, L., 1229P
Rangwala, H. A.
—; Dalla Lana, I. G.; Szymura, J. A.; Fiedorow, R. M.: Copolymerization of Ethylene and 1-Butene Using a Cr;u9Silica Catalyst in a Slurry Reactor, 3379C
Ran, R. See Ji, S., 2543C
Rao, K. P. See Kumar, A. B. M., 2915C
Rastogi, S. See Tandon, P., 1213P
Ratsimihety, A. See Ameduri, B., 3077C
Rausch, M. D. See Song, W., 2945C
Razawi, S. See Jafarizadeh, M. A., 419P
Reddy, S. S.
—; Sivaram, S.: Kinetics and Mechanism of Photopolymerization of Methyl Methacrylate Induced by Methylaluminoxane, 3427C
Redwine, D. See Jasinski, R., 1477P
Reichle, S. See Kerres, J., 2421C
Reilly, P. M. See Dubé, M. A., 811C
Reimers, J. See Mouran, D., 1073C
Reinhardt, S.
—; Komber, H.; Steinert, V.: Investigations on the Dissociation Behavior of Hydrolyzed Alternating Copolymers of Maleic Anhydride and Alkenes: ^{13}C-NMR Spectra and Potentiometric Titrations, 2415C
Reynaers, H. See Mischenko, N., 2739P
Reynders, K. See Mischenko, N., 2739P
Reynolds, J. R. See Kim, S., 481C
Rezzano, I. See Balbo, A. L., 305C
Rhee, Y. See Jean, Y. C., 2979P
Riccardi, C. C.
—; Borrajo, J.; Williams, R. J. J.; Girard-Reydet, E.; Sautereau, H.; Pascault, J. P.: Thermodynamic Analysis of the Phase Separation in Polyetherimide-Modified Epoxies, 349P
Rickett, B. I. See Hansen, J. E., 611P
Rieker, T. P. See Beaucage, G., 3063P
Riffle, J. S. See Jayaraman, R. B., 1543C
Rimmer, S.
—; Ebdon, J. R.: On the Effect of the Use of Dimethylacetamide as Solvent on the Work-up of Polymer Ozonides with Polymer-Supported Reagents, 3591C
—; Ebdon, J. R.: Synthesis of Telechelic Oligostyrenes by the Ozonolysis of Poly(styrene-stat-butadiene): Protection of Styrene Units Against Ozone Attack by the Use of Di-*N*-alkyl Amides as Sacrificial Ozone Scavengers, 3573C
Risen, W. M., Jr. See Rajagopalan, P., 151P
Rivera-Gastélum, M. J.
—; Wagner, N. J.: A Rheological and Morphological Study of a Copolyester Liquid Crystal/Polypropylene Blend System, 2433P
Rizos, A. See Meier, G., 1391P
Rizzotto, M. G. See Horas, J. A., 1541P, 1547P
Roberts, J. E. See Nelliappan, V., 3173C, 3183C
Robertson, C. See Fournier, D., 1621P
Rochon, P. See Meng, X., 1461P
Rode, B. M. See Tan, T. T. M., 2139P
Rodier–Renaud, L.
—; Randzio, S. L.; Grolier, J.-P. E.; Quint, J. R.; Jarrin, J.: Isobaric Thermal Expansivities of Polyethylenes with Various Crystallinities Over the Pressure Range from 0.1 to 300 MPa and Over the Temperature Range from 303 to 393 K, 1229P
Rodríguez-Cabello, J. C.
—; Santos, J.; Merino, J. C.; Pastor, J. M.: Thermally Induced Structural Changes in Low-Shrinkage Poly(ethylene terephthalate) Fibers, 1243P

Rogers, J. A.
—; Nelson, K. A.: Impulsive Stimulated Thermal Scattering Studies of Thermally Induced Cure in Thin Films of PMDA/ODA, 861P
Roiter, Y. V. See Voronov, S. A., 2507C
Rolla, P. A. See Levita, G., 2731P
Roman, A. See Kumari, S., 2975C
Román, J. S. See Davidenko, N., 1753C
Romdhane, I. H. See Zielinski, J. M., 121P
Rose, G. See Jasinski, R., 1477P
Roundhill, D. M. See Troev, K., 621C
Roviello, A. See Centore, R., 3203C
Rowat, A. C. See Forrest, J. A., 3009P
Rudin, A. See Bremner, T., 1893P; Shouldice, G. T. D., 3061C
Russell, K. E.
—; McFaddin, D. C.; Hunter, B. K.; Heyding, R. D.: Crystallization of Side Chains in Copolymers of Ethylene and 1-Alkenes, 2447P
Russell, T. P. See Agrawal, G., 2919P; Hedrick, J. L., 2879C
Russo, P. S. See Sohn, D., 3025P; Yu, K., 1467P
Rybnikář, F.
Crystallization of Poly-*p*-oxybenzoate on Mica, 1935P
Rybnikar, F. See Liu, J., 2843P

Saalmueller, J. W.
—; Long, H. W.; Volkmer, T.; Wiesner, U.; Maresch, G. G.; Spiess, H. W.: Characterization of the Motion of Spin Probes and Spin Labels in Amorphous Polymers with Two-Dimensional Field-Step ELDOR, 1093P
Sadamoto, R.
—; Uedono, A.; Kawano, T.; Tanigawa, S.; Kosaka, Y.; Uryu, T.: Free Volumes in Nematic and Smectic Liquid-Crystalline Polymers Probed by Positron Annihilation, 1659P
Sáenz, J. M.
—; Asua, J. M.: Dispersion Copolymerization of Styrene and Butyl Acrylate in Polar Solvents, 1977C
Safoula, G. See Alimi, K., 845P
Sahnoune, A.
—; Massines, F.; Piché, L.: Ultrasonic Measurement of Relaxation Behavior in Polystyrene, 341P
Saiz, E. See Martin, O., 2623P
Sakakibara, S. See Kaita, S., 3431C
Sakurai, I. See Chen, T.-M., 1155C
Salatelli, E. See Angiolini, L., 2999C
Salmén, L. See Hagen, R., 1997P
Salmerón, M. See Morales, E., 2715P
Salovey, R. See Shen, F.-W., 1063P
Samaranayake, G. See Glasser, W. G., 201P; Sealey, J. E., 1613P
Saminathan, M. See Rajalekshmi, S., 2851C
Sammler, R. L. See Bicerano, J., 2247P
Sampei, A. See Fukuhara, M., 1579P
Samperi, F. See Montaudo, G., 439C, 1283C
Sanchis, M. J. See Díaz-Calleja, R., 261P
Sanda, F.
—; Abe, T.; Endo, T.: Syntheses and Radical Polymerizations of Novel Optically Active Vinyl and Isopropenyl Carbamates Having L-Leucine Structures, 1969C
Sanda, F. See Okazaki, T., 2029C
Sankar, S. S. See Morisato, A., 2209P; Shen, H. C., 1347P
Sano, Y. See Matsumoto, A., 291C
San Roman, J. See Davidenko, N., 2759C
San Román, J. See Elvira, C., 2783C
Santore, M. M.
—; Kaufman, M. J.: Total Internal Reflectance Fluorescence (TIRF) Measurements of Tracer Diffusion through Swollen Supported Polymer Films, 1555P
Santos, A. M.
—; Vindevoghel, PH.; Graillat, C.; Guyot, A.; Guillot, J.: Study of the Thermal Decomposition of Potassium Persulfate by Potentiometry and Capillary Electrophoresis, 1271C
Santos, J. See Rodriíguez-Cabello, J. C., 1243P
Sarker, A. M.
—; Polykarpov, A. Y.; De Raaff, A. M.; Marino, T. L.; Neckers, D. C.: Visible Light Photopolymerization Employing 2,4-Diiodo-6-butoxy-3-fluorone and Tetraorganylborate Salts as Photoinitiators, 2817C
Sasabe, H. See Zhang, Y., 1359C, 2289C
Sasaki, S. See Inomata, K., 83P
Sastre, R. See Davidenko, N., 1753C, 2759C
Sata, T.
—; Matsusaki, K.: Generation of Light-Induced Electrical Potential from Ion Exchange Membranes Containing 4,4′-Bipyridine Moiety. II. Effect of Species of Anion Exchange Membranes on Photovoltage, 2123C
—; Teshima, K.; Yamaguchi, T.: Permselectivity between Two Anions in Anion Exchange Membranes Crosslinked with Various Diamines in Electrodialysis, 1475C
Sato, A.
—; Kato, T.; Uryu, T.: Hydrogen-Bonded Liquid-Crystalline Polymer Blends Formed from a Thermotropic Polyester Containing a Lateral Pyridyl Group and Poly(4-vinylphenol), 503C
Sato, E.
—; Yokozawa, T.; Endo, T.: Photopolyaddition of Dithiols to Bis(alkoxyallene)s, 669C
Sato, T. See Seno, M., 3121C; Shiomi, T., 2599P
Sauer, B. B.
—; Avakian, P.; Starkweather, H. W., Jr.: Cooperative Relaxations in Semicrystalline Fluoropolymers Studied by Thermally Stimulated Currents and ac Dielectric, 517P

Saunders, G. A. See Fanggao, C., 425P
Sautereau, H. See Riccardi, C. C., 349P
Savage, C. R. See Kim, S., 481C
Sawada, Y. See Yoshida, T., 3053C
Sawaguchi, T.
—; Seno, M.: Synthesis of Multiblock Copolymers of α,ω-Dihydrosilylpolydimethylsiloxane with α,ω-Diisopropenyloligopropylenes with Different Stereoregularities, 3625C
Sawamoto, M. See Matsuyama, M., 3585C
Saxena, C. See Banerjee, S., 3565C
Schaefer, D. W. See Beaucage, G., 3063P
Scheinbeim, J. I. See Winsor, D. L., 2967P; Wu, S.-L., 3035P
Scherer, G. G. See Gupta, B., 1873C
Scherrenberg, R.
—; Moonen, J.; Mortensen, K.: Small-Angle Neutron Scattering Study on the Transamidition of Polyamide-4.6, 335P
Scherzer, T.
Characterization of the Molecular Deformation Behavior of Glassy Epoxy Resins by Rheo-Optical FTIR Spectroscopy, 459P
Schild, H. G.
Thermal Decomposition of PNIPAAM: TGA–FTIR Analysis, 2259C
Schmidt, D. L. See Cangiano, D. L., 801C
Schoonbrood, H. A. S.
—; van Eijnatten, R. C. P. M.; German, A. L.: Emulsion Co- and Terpolymerization of Styrene, Methyl Methacrylate and Methyl Acrylate. II. Control of Emulsion Terpolymer Microstructure with Optimal Addition Profiles, 949C
—; van Eijnatten, R. C. P. M.; van den Reijen, B.; van Herk, A. M.; German, A. L.: Emulsion Co- and Terpolymerization of Styrene, Methyl Methacrylate, and Methyl Acrylate. I. Experimental Determination and Model Prediction of Composition Drift and Microstructure in Batch Reactions, 935C
Schork, F. J. See Mouran, D., 1073C
Schreiber, H. P. See Lara, J., 1733P
Schult, K. A.
—; Paul, D. R.: Water Sorption and Transport in a Series of Polysulfones, 2805P
Schultz, J. M. See Bénard, A., 471P; Dubner, W. S., 2307P; Wang, W., 3095P
Schulze, Th.
—; Letsch, J.; Klemm, E.: Investigation on Radical Polymerization of 2-Methylene-1,3-dioxolanes and 2-Methylene-1,3-oxazolidines, 81C
Schulz, G. See Mix, R., 33C
Schwahn, D. See Dadmun, M. D., 649P
Schwartz, G. See Povolo, F., 1257P
Schwarz, G.
—; Kricheldorf, H. R.: New Polymer Synthesis. LXXXIII. Synthesis of Chiral and Cholesteric Polyesters from Silylated "Sugar Diols", 603C
Scicchitano, M. See Turri, S., 3263C
Scranton, A. B. See Nelson, E. W., 403C
Sealey, J. E.
—; Samaranayake, G.; Todd, J. G.; Glasser, W. G.: Novel Cellulose Derivatives. IV. Preparation and Thermal Analysis of Waxy Esters of Cellulose, 1613P
Séguéla, R. See Gaucher-Miri, V., 1113P
Seitz, J. T. See Bicerano, J., 2247P
Seno, M.
—; Kawamura, Y.; Sato, T.: The Effect of $SnCl_4$ on the Radical Polymerization of *N*-allyl-*N*-phenylmethacrylamide and *N*-allyl-*N*-phenylacrylamide, 3121C
Seno, M. See Sawaguchi, T., 3625C
Sen, S. R.
—; Chakravorty, S.: Synthesis of Benzophenone Tetracarboxylic Dianhydride and Pyromellitic Dianhydride Incorporated Biscitraconimides and Their Thermal Polymerization, 25C
Serpe, G.
—; Chaupart, N.: Relaxation–Structure Relationship in Bulk and Plasticized Polyamide 11, 2351P
Serpone, N. See Hidaka, H., 1311C
Serrano, J. L. See Canessa, G. S., 1465C; Cerrada, P., 2603C
Sevoian, M. See Gonzales, D., 2019C
Seyed-Yagoobi, S. K. A. See Jafarizadeh, M. A., 419P
Shanks, R. A. See Jar, P.-Y. B., 707P
Shao, P. L.
—; Mauritz, K. A.; Moore, R. B.: [Perfluorosulfonate Ionomer]/[SiO_2-TiO_2] Nanocomposites via Polymer-In Situ Sol-Gel Chemistry: Sequential Alkoxide Procedure, 873P
Shao, Q. See Chen, Y., 3297C
Sharaf, M. A. See Yuan, Q. W., 1647P
Sharma, P. R. S.
—; Zhou, P.; Frisch, H. L.: Synthesis and Characterization of Interpenetrating Polymer Networks with Nonlinear Optical Properties, 1049C
Shau, M.-D.
—; Wang, T.-S.: Syntheses, Structure, Reactivity, and Thermal Properties of New Cyclic Phosphine Oxide Epoxy Resins Cured by Diamines, 387C
Shcherbakova, I. V. See Katritzky, A. R., 1651C
Shelby, D. See Jean, Y. C., 2979P
Shen, F.-W.
—; McKellop, H. A.; Salovey, R.: Irradiation of Chemically Crosslinked Ultrahigh Molecular Weight Polyethylene, 1063P

Shen, H. C.
—; McDowell, C. C.; Sankar, S. S.; Freeman, B. D.; Kumpf, R. J.; Wicks, D. A.; Lantman, C. W.; Noël, C.: Synthesis and Thermal Transitions of a Soluble, Main Chain, Nematic Liquid Crystalline Polymer Exhibiting a Kinetically Trapped, Disordered Structure, 1347P
Shen, H. C. See Morisato, A., 2209P
Shenkov, S. See Baranovsky, V. Y., 163C, 2253C
Shen, Y.
—; Zhu, K. J.; Shen, Z.; Yao, K.-M.: Synthesis and Characterization of Highly Random Copolymer of ε-Caprolactone and D,L-Lactide Using Rare Earth Catalyst, 1799C
Shen, Z. See Jiang, L., 3519C; Shen, Y., 1799C
Shibayama, M. See Ikkai, F., 939P, 1637P
Shi, L. See Li, G., 1079P
Shimokawa, T.
—; Shinmoto, Y.; Kameyama, A.; Nishikubo, T.: Synthesis and Thermal Crosslinking Reaction of Polymers Containing Pendant Carboxyl and Epoxy Groups, 1951C
Shim, S. C.
—; Suh, M. C.; Kim, D. S.: Vacuum Pyrolysis Study of Graphite-Like Pyropolymers from 1,4-Diphenyl-1-buten-3-yne, 3131C
Shim, S. C. See Lee, H. J., 3225C
Shim, S.-C. See Lee, S.-I., 2377C
Shinmoto, Y. See Shimokawa, T., 1951C
Shiomi, T.
—; Tohyama, M.; Endo, M.; Sato, T.; Imai, K.: Dependence of Flory–Huggins £chi£ Parameters on the Copolymer Composition for Solutions of Poly(methyl methacrylate-*ran*-*n*-butyl methacrylate) in Cyclohexanone, 2599P
Shiota, A.
—; Ober, C. K.: Synthesis and Curing of Novel LC Twin Epoxy Monomers for Liquid Crystal Thermosets, 1291C
Shirano, K. See Yamagishi, T.-A., 687C
Shi, Y. See Jin, X., 2045C
Shoemake, K. A. See Storey, R. F., 2003C
Shouldice, G. T. D.
—; Rudin, A.; Paine, A. J.: The Controlled Flocculation of Submicron Emulsion Particles. I. A Three-Step Synthetic Route to Supermicron Polymer Particles, 3061C
Shroff, R.
—; Prasad, A.; Lee, C.: Effect of Molecular Structure on Rheological and Crystallization Properties of Polyethylenes, 2317P
Siakali-Kioulafa, E. See Pitsikalis, M., 249P
Sikka, M.
—; Cerini, L. N.; Ghosh, S. S.; Winey, K. I.: Melt Intercalation of Polystyrene in Layered Silicates, 1443P
Sillescu, H. See Zielinski, J. M., 121P
Silverstein, M. S. See Chen, R., 207C
Simha, R. See Higuchi, H., 1423P
Simionescu, B. C. See Dragan, S., 3485C; Simionescu, C. I., 3071C
Simionescu, C. I.
—; David, G.; Paraschiv, V.; Ioanid, A.; Manolache, S.; Simionescu, B. C.: Template Polymerization of Methacrylic Acid along Poly(*N*-acetyliminoethylene) in Water. Influence of Template Architecture, 3071C
Simionescu, C. I. See Chiriac, A. P., 567C
Simon, G. P. See Spall, S., 2419P
Šindelář, P.
—; Matula, D.; Holeček, J.: One-Phase Supported Titanium-Based Catalyst for Polymerization of Ethylene. IV. Effect of Alkyl Group at Organoaluminium Compound on Catalyst Performance, 2163C
Sinha, A. K. See Mandal, B. K., 643C
Sinicropi, J. A. See Borsenberger, P. M., 317P
Sirigu, A. See Centore, R., 3203C
Sivaram, S. See Reddy, S. S., 3427C
Smith, T. W. See Ye, Y., 309P
Snavely, D. L.
—; Angevine, C.: Near-IR Spectrum of Polybutadiene, 1669C
—; Dubsky, J.: Near-IR Spectra of Polyethylene, Polyethylene Glycol, and Polyvinylethyl Ether, 2575C
Sobral, S. See Balbo, A. L., 305C
Soenen, H.
—; Berghmans, H.: Gelation and Structure Formation in Solutions of Poly(Vinyl Chloride), 241P
Sohn, D.
—; Yu, H.; Nakamatsu, J.; Russo, P. S.; Daly, W. H.: Monolayer Properties of a Fuzzy Rod Polymer: Poly(γ-stearyl α, L-glutamate), 3025P
Solomon, M. J.
—; Muller, S. J.: Study of Mixed Solvent Quality in a Polystyrene–Dioctyl Phthalate–Polystyrene System, 181P
Şolpan, D.
—; Güven, O.: The Copolymerization of Allyl Glycidyl Ether with Acrylonitrile Initiated by Gamma-Rays, 833C
Song, J.-C. See Teng, H., 3407C
Song, J. C. See Wang, Z. J., 325P
Song, W.
—; Rausch, M. D.; Chien, J. C. W.: Syndioselective Propylene Polymerizations by *ansa*-Zirconocenium Catalyst, 2945C
Song, Y. See Hino, T., 1961P, 1977P
Spall, S.
—; Goodwin, A. A.; Zipper, M. D.; Simon, G. P.: Molecular Dynamics in a Miscible Polyester Blend, 2419P
Spencer, J. L. See Gurkaynak, A., 349C
Sperling, L. H. See Mishra, V., 883P, 2105P
Spiess, H. W. See Saalmueller, J. W., 1093P
Spiliopoulos, I. K.
—; Mikroyannidis, J. A.: Modified Polyisophthalamides Bearing

Pendent Benzoylamino and/or (Phenylamino)carbonyl Groups, 1685C
—; Mikroyannidis, J. A.: Synthesis and Properties of Polyterephthalamides with Ester Pendent Groups, 1703C
—; Mikroyannidis, J. A.: Unsaturated Polyamides and Polyesters Prepared from 1,4-Bis(2-carboxyvinyl)benzene and 4-Hydroxycinnamic Acid, 2799C
Spontak, R. J. See Frey, M. W., 2049P
Springer, T. See Dadmun, M. D., 649P
Spruiell, J. E. See Ding, Z., 2783P
Spyros, A.
—; Marchessault, R. H.: ^{13}C and ^{1}H Amorphous Linewidths in Semicrystalline Poly(4-hydroxybutyrate) and Poly(3-*co*-4-hydroxybutyrate) above T_g by High Resolution and Solid-State NMR Experiments, 1777P
Starkweather, H. W., Jr. See Sauer, B. B., 517P
Starodoubtsev, S. G. See Dembo, A. T., 2893P
Staub, M. See Gupta, B., 1873C
Stavber, S. See Zupan, M., 2325C
Steinert, V. See Reinhardt, S., 2415C
Stein, R. S. See Beaucage, G., 3063P
Stenberg, B. See Hagen, R., 1997P
Stepto, R. F. T. See Jones, R. A., 901P
Stevens, J. R. See Dalnoki-Veress, K., 3017P; Forrest, J. A., 3009P; Hwang, Y., 2291P; Wieczorek, W., 2911P
Stickfort, L.
—; Poersch, G.; Hess, M.; Kosfeld, R.: Liquid-Crystalline Polyesters Based on Branched Propylene Spacers, 1325C
Stobbe, R. A.
—; Hägele, P. C.: Calculation of the Temperature Dependence of the Negative Thermal Expansion of Polyethylene Chains by Means of the Self-Consistent Harmonic Approximation, 975P
Storey, R. F.
—; Shoemake, K. A.; Chisholm, B. J.: Synthesis and Characterization of Multi-Arm Star-Branched Polyisobutylenes, 2003C
Stoyanova, M. G. See Todorov, N. G., 863C
Streba, E. See Barboiu, V., 261C
Stumpe, A. See Baumgarten, E., 1889C
Suarez, N. See Laredo, E., 641P, 2863P
Subramanian, K.
—; Kishore, K.: Photoinitiating Capabilities of Vinyl Polyperoxides and Metamorphosis of Block-into-Block Copolymer, 3361C
Sudhakar, S. See Kannan, P., 3559C
Sudol, E. D. See Magallanes González, G. S., 849C; Varela de la Rosa, L., 461C
Sugita, K. See Takeuchi, Y., 789C
Sugito, Y. See Fukutomi, T., 2729C
Suh, M. C. See Lee, H. J., 3225C; Shim, S. C., 3131C
Sung, P.-H.
—; Chen, C.-Y.; Wu, S.-Y.; Huang, J. Y.: Styrene/Maleimide Copolymer with Stable Second-Order Optical Nonlinearity, 2189C
Sun, J.
—; MacFarlane, D. R.; Forsyth, M.: Ion Conductive Poly(ethylene oxide-dimethyl siloxane) Copolymers, 3465C
Sun, S.-J.
—; Chang, T.-C.: Studies on Thermotropic Liquid Crystalline Polyurethanes. III. Synthesis and Properties of Polyurethane Elastomers by Using Various Mesogenic Units as Chain Extender, 771C
Sun, S.-J. See Hung, T.-C., 2465C
Sun, Y.-M.
—; Wang, C.-S.: Novel Copolyesters Containing Naphthalene Structure. I. From Bis(hydroxyalkyl)naphthalate and Bis[4-(2-hydroxyethoxy)aryl] Compounds, 1783C
Sutton, S. J.
—; Vaughan, A. S.: A Comparison of Fracture and Permanganic Etching of Polypyrrole Films, 837P
Suyama, K.
—; Ito, K.; Tsunooka, M.: Photo-Induced Polarity Alteration and Photodegradation Behavior of O-Acryloyl Acetophenone Oxime and Phenyl Vinyl Ketone Copolymers, 2181C
Suzuki, K. See Nakamura, N., 3319C
Suzuki, Y. See Hidaka, H., 1311C; Takeuchi, Y., 789C
Suzuki, Y.-I. See Negi, Y. S., 1663C
Swallowe, G. M. See Hamdan, S., 699P
Swaminathan, C. S. See Kannan, P., 3559C
Szafko, J.
—; Feist, W.; Pabin-Szafko, B.: Solvation Effect in Thermal Decomposition of 2,2′-Azoisobutyronitrile on the *N,N*-dimethylformamide/Acrylonitrile System, 613C
Szymura, J. A. See Rangwala, H. A., 3379C

Tachiyama, Y. See Naka, K., 1003C
Tack, R. D. See Katritzky, A. R., 1651C
Taguchi, Y.
—; Uyama, H.; Kobayashi, S.: Synthesis and Properties of Alkyl-Substituted Poly(aryl ether ketone)s Showing High Solubility Toward Organic Solvents, 561C
Taha, M. See Chen, J., 2889C
Tajuddin, Y. See Kyu, T., 1761P, 1769P
Takahashi, H. See Kojima, Y., 2607P
Takahashi, K.
—; Miyamori, S.; Uyama, H.; Kobayashi, S.: Preparation of Micron-Size Monodisperse Poly(2-hydroxyethyl methacrylate) Particles by Dispersion Polymerization, 175C
Takamiya, N. See Nagai, K., 2059P

Takaya, H. See Kinugasa, S., 583P
Takayama, T. See Wang, C., 755C
Takeda, T. See Horikawa, Y., 1183C
Takeichi, T.
—; Tanikawa, M.: Internal Acetylene Unit Linked para to the Aromatic Ring as a Crosslink Site for Polyimide, 2205C
Takeuchi, Y.
—; Guillet, J. E.; Sugita, K.; Ueno, N.; Harada, K.; Suzuki, Y.: Photolysis of Unsubstituted and *p*-Methoxycarbonyl Substituted 2-Methyl-1-phenylprop-2-en-1-one Copolymers in Solution, 789C
Takimoto, Y. See Erddalane, A., 633C
Takiue, K. See Inoue, K., 1331C
Takizawa, T. See Horikawa, Y., 1183C
Talu, M.
—; Kabasakaloğlu, M.; Oskoui, H. R.: Electrochemical Copolymerization of Thiophene and Aniline, 2981C
Tanaka, H.
—; Kanetaka, H.; Hongo, T.: Radical Polymerization of Vinyl Monomers Initiated by a Mono-Captodatively Substituted Ethane, 1945C
Tanaka, K.
—; Katsura, N.: Fiber Period of Chondroitin Sulfate and Its Mechanical History, 2771P
Tanaka, N. See Hosoya, K., 2767C
Tandon, P.
—; Gupta, V. D.; Prasad, O.; Rastogi, S.; Katti, S. B.: Heat Capacity and Vibrational Dynamics of α Poly(β-Benzyl-L-Aspartate), 1213P
Tang, J. See Li, S., 2579P
Tang, K.
—; Zhang, Z.: Dissolution Equation of Polymer, 1175P
Tani, K. See Yamagishi, T.-A., 687C
Tanigaki, T. See Inoue, K., 1331C
Tanigawa, S. See Ban, M., 1189P; Sadamoto, R., 1659P; Uedono, A., 2145P
Tanikawa, M. See Takeichi, T., 2205C
Tan, L.-S.
—; Venkatasubramanian, N.: Aromatic Polyamides Containing Keto-benzocyclobutene Pendants, 3539C
Tan, T. T. M.
—; Rode, B. M.: The Melting Points of Oligomethylenes, 2139P
Tasaka, A.
—; Komura, A.; Uchimoto, Y.; Inaba, M.; Ogumi, Z.: Preparation of Functionally Gradient Fluorocarbon Polymer Films by Plasma Polymerization of NF_3 and Propylene, 193C
Taylor, D. J. R. See Jones, R. A., 901P
Tebby, J. C. See Zhang, Y., 1561C
Teng, H.
—; Song, J.-C.; Okuyama, K.; Katsuraya, K.; Kato, T.; Uryu, T.: Liquid Crystallinity, IR Analysis, and Mechanical Properties of Thermotropic Polyamides Having Alkylene Spacers, 3407C
Teshima, K. See Sata, T., 1475C
Teyssié, P. See Yu, Y. S., 2221C
Tharanikkarasu, K.
—; Radhakrishnan, G.: Tetraphenylethane Iniferters. II. Toluene Diisocyanate-Based Polyurethane Iniferter for "Living" Radical Polymerization of Acrylonitrile, 1723C
Thigpen, K. See Avci, D., 3191C
Th. Kok, W. See Van Asten, A. C., 297P
Thoenes, D. See Mayer, M. J. J., 1747C
Thomas, D. A. See Mishra, V., 2105P
Thomas, E. L. See Radzilowski, L. H., 3081P
Thominette, F.
—; Verdu, J.: Radiation-Induced Rejuvenation of Poly(methyl methacrylate) (note), 3221C
Tian, X. See Huang, J., 1933C
Tijssen, R. See Van Asten, A. C., 283P, 297P
Timmermans, M. D. F. See Noël, L. F. J., 1763C
Tirrell, M. See Hamersky, M. W., 2899P
Titman, J. J. See Brik, M. E., 2533P
Tobita, H.
—; Hatanaka, K.: Branched Structure Formation in Free Radical Polymerization of Vinyl Acetate, 671P
—; Uemura, Y.: Microgel Formation in Emulsion Copolymerization. I. Polymerization without Seed Latex, 1403P
—; Yoshihara, Y.: Microgel Formation in Emulsion Copolymerization. II. Seeded Polymerization, 1415P
—; Zhu, S.: Polyradical Distribution in Free Radical Crosslinking of Polymer Chains, 2099P
Todd, J. G. See Sealey, J. E., 1613P
Todorov, N. G.
—; Valkov, E. N.; Stoyanova, M. G.: Chemical Modification of Poly(acrylonitrile) with Amines, 863C
Tohyama, M. See Shiomi, T., 2599P
Tomita, I.
—; Mitsuhashi, K.; Endo, T.: Synthesis and Radical Polymerization of Styrene Derivative Bearing Kojic Acid Moieties, 271C
—; Yamamura, I.; Endo, T.: Isomerization and Radical Polymerization of Propargyl Ethers in the Presence of Potassium tert-Butoxide, 1853C
Tomita, I. See Kuroda, H., 1597C
Tonck, A. See Pelletier, E., 93P
Tonelli, C. See Turri, S., 3263C
Torii, H.
—; Fujimoto, K.; Kawaguchi, H.: Chemical Properties of Water-Soluble, Nonionic Azo Compounds as Initiators for Emulsion Polymerization, 1237C
Torkelson, J. M. See Deppe, D. D., 2987P; Wisnudel, M. B., 2999P
Touillaux, R. See Penelle, J., 3369C
Toyoda, H. See Ueda, M., 109C

Troev, K.
—; Tsevi, R.; Bourova, T.; Kobayashi, S.; Uayama, H.; Roundhill, D. M.: Synthesis of Phosphorus-Containing Polyurethanes without Use of Isocyanates, 621C
Trumbo, D. L.
Synthesis, Polymerization, and Copolymerization of 2,6-Dimethyl-nona-2,6,8-triene, 1343C
Truss, R. W. See Clark, D. J. M., 103P
Tsai, I.-T. See Li, K.-T., 3213C
Tsatsas, A. T. See Rajagopalan, P., 151P
Tsevi, R. See Troev, K., 621C
Tsiang, R. C.-C. See Wang, S.-M., 1483C
Tsonis, C. P.
—; Badawi, H. M.: Structural Stability of Poly(1-propyne) Dimers and Trimers, 853P
Tsubokawa, N. See Hayashi, S., 1589C
Tsumura, M.
—; Iwahara, T.; Hirose, T.: Synthesis and Properties of Polycarbosilanes with the Meta-Linkage Bending Unit by Hydrosilylation Polymerization, 3155C
Tsunooka, M. See Suyama, K., 2181C
Tubert, F. See Gurkaynak, A., 349C
Tucker, P. A. See Wu, G., 2035P
Tulun, T. See Acar, N., 1251C
Tuncel, A.
—; Ecevit, K.; Kesenci, K.; Pişkin, E.: Nonswellable and Swellable Ethylene Glycol Dimethacrylate-Acrylic Acid Copolymer Microspheres, 45C
Tunoğlu, N. K. See Balcioğlu, N., 2311C
Turri, S.
—; Scicchitano, M.; Tonelli, C.: End Group Chemistry of Fluoro-Oligomers: Highly Selective Syntheses of Diepoxy, Diallyl, and Tetraol Derivatives, 3263C

Uayama, H. See Troev, K., 621C
Uchimoto, Y. See Tasaka, A., 193C
Ueda, M.
—; Toyoda, H.; Nakayama, T.; Abe, T.: Synthesis of Photoreactive Poly(ether ether ketone)s Containing Alkyl Groups, 109C
Uedono, A.
—; Kawano, T.; Tanigawa, S.; Ban, M.; Kyoto, M.; Uozumi, T.: Study of Relaxation Processes in Polyethylene and Polystyrene by Positron Annihilation, 2145P
Uedono, A. See Ban, M., 1189P; Sadamoto, R., 1659P
Uemura, Y. See Tobita, H., 1403P
Ueno, H. See Kakimoto, M., 2753C
Ueno, N. See Takeuchi, Y., 789C
Uhrich, K. E.
—; Larrier, D. R.; Laurencin, C. T.; Langer, R.: *In Vitro* Degradation Characteristics of Poly(anhydride-imides) Containing Pyromellitylimidoalanine, 1261C
Uozumi, T. See Uedono, A., 2145P
Uryu, T. See Sadamoto, R., 1659P; Sato, A., 503C; Teng, H., 3407C; Yoshida, T., 3053C
Usanmaz, A.
—; Melad, O. K.: Topotactic Solid-State Polymerization of 3-Aminocrotonamide by Radiation, 1087C
Utsunomiya, K. See Nagai, K., 2059P
Uyama, H. See Taguchi, Y., 561C; Takahashi, K., 175C

Valkov, E. N. See Todorov, N. G., 863C
Van Altveer, J. L. See Noël, L. F. J., 1763C
Van Asselt, R.
—; Vanderzande, D.; Gelan, J.; Froehling, P. E.; Aagaard, O.: New Synthetic Routes to Poly(isothianaphthene). II. Mechanistic Aspects of the Reactions of Phthalic Anhydride and Phthalide with Phosphorus Pentasulfide, 1553C
Van Asten, A. C.
—; Kok, W. Th.; Tijssen, R.; Poppe, H.: Characterization of Thermal Diffusion of Polystyrene in Binary Mixtures of THF/Dioxane and THF/Cyclohexane, 283P
—; Th. Kok, W.; Tijssen, R.; Poppe, H.: Study of Thermal Diffusion of Polybutadiene and Polytetrahydrofuran in Various Organic Solvents, 297P
Vancso, G. J. See Liu, G., 277P
Vancsó-Szmercsányi, I. See Liu, G., 277P
Van Den Berg, J. W. A. See Van De Witte, P., 2553P, 2569P
van den Boomen, F. H. A. M. See Mayer, M. J. J., 1747C
van den Broek, W. See Mavinkurve, A., 985C
van den Reijen, B. See Schoonbrood, H. A. S., 935C
Vanderhart, D. L. See Mehta, V. R., 1881P
Vanderhoff, J. W. See Markley, T. J., 2581C
Vanderzande, D. See Van Asselt, R., 1553C
Van De Witte, P.
—; Dijkstra, P. J.; Van Den Berg, J. W. A.; Feijen, J.: Phase Behavior of Polylactides in Solvent-Nonsolvent Mixtures, 2553P
—; Esselbrugge, H.; Dijkstra, P. J.; Van Den Berg, J. W. A.; Feijen, J.: A Morphological Study of Membranes Obtained from the Systems Polylactide-Dioxane-Methanol, Polylactide-Dioxane-Water, and Polylactide-*N*-Methyl Pyrrolidone-Water, 2569P
van Eijnatten, R. C. P. M. See Schoonbrood, H. A. S., 935C, 949C
Van Herk, A. M. See Manders, B. G., 2473C; Schoonbrood, H. A. S., 935C
Van Hook, W. A. See Imre, A., 751P
Varanasi, S. See Asthana, S., 1993C
Varela de la Rosa, L.
—; Sudol, E. D.; El-Aasser, M. S.; Klein, A.: Details of the Emulsion Polymerization of Styrene Using a Reaction Calorimeter, 461C
Varga, J.
—; Karger-Kocsis, J.: Rules of Supermolecular Structure

Formation in Sheared Isotactic Polypropylene Melts, 657P
Vaughan, A. S. See Sutton, S. J., 837P
Vázquez, B. See Elvira, C., 2783C
Venkatasubramanian, N. See Tan, L.-S., 3539C
Verdu, J. See Thominette, F., 3221C
Viet, T. N. T. See Decker, C., 1771C
Villano, P. See Centore, R., 3203C
Vindevoghel, PH. See Santos, A. M., 1271C
Viola, G. T.
—; Bortolotti, M.; Zazzetta, A.: Thermolytic Behavior of Polydienyllithium and Polystyryllithium, 13C
Visser, S. See Mavinkurve, A., 985C
Visser, S. A.
—; Hewitt, C. E.; Binga, T. D.: Stability of Filled Poly(dimethylsiloxane) and Poly(diphenylsiloxane-co-dimethylsiloxane) Elastomers to Cyclic Stress at Elevated Temperature, 1679P
Volkmer, T. See Saalmueller, J. W., 1093P
Voronov, S. A.
—; Kiselyov, E. M.; Minko, S. S.; Budishevska, O. G.; Roiter, Y. V.: Structure and Reactivity of Peroxide Monomers, 2507C

Wada, T. See Zhang, Y., 1359C, 2289C
Wade, K. See Colquhoun, H. M., 2521C
Wagener, K. B. See Portmess, J. D., 1353C
Wagner, N. J. See Rivera-Gastélum, M. J., 2433P
Wakamatsu, S. See Kabeta, K., 2991C
Wang, C.
—; Hwang, L. M.: Transcrystallization of PTFE Fiber/PP Composites (I) Crystallization Kinetics and Morphology, 47P
—; Hwang, L. M.: Transcrystallization of PTFE Fiber/PP Composites. II. Effect of Transcrystallinity on the Interfacial Strength, 1435P
—; Nakamura, S.: Chemoselective Polycondensation of Isophthaloyl Chloride with Multifunctional Monomers Containing Hydroxyl Groups and Sulfamino Acid or Amino Acid Moiety, 493C
—; Nakamura, S.: Synthesis of Copolyester Having Quaternary Ammonium Groups in the Main Chain, 2517C
—; Takayama, T.; Nakamura, S.: Synthesis of Reactive Aromatic Polyesters Having Pendant Chlorohydrin Moieties, 755C
Wang, C. See Gent, A. N., 2231P
Wang, C. L.
—; Wang, S. J.; Qi, Z. N.: Interaction of Two Phases in PP/EPDM Polymer Blend Probed by Positron Annihilation: CONTIN Analysis, 193P
Wang, C.-S.
—; Hwang, H.-J.: Investigation of Bismaleimide Containing Naphthalene Unit. II. Thermal Behavior and Properties of Polymer, 1493C
Wang, C.-S. See Sun, Y.-M., 1783C
Wang, D.-N. See Luo, N., 2157C
Wang, H. See Huang, J., 1933C
Wang, J.-J.
—; Chern, Y.-T.; Chung, M.-A.: Synthesis and Characterization of New Poly(*N*-1-adamantylmaleimide) and Poly(*N*-1-diamantylmaleimide), 3345C
Wang, J.-S.
—; Naito, Y.; Kamiya, Y.: Effect of Penetrant-Induced Isothermal Glass Transition on Sorption, Dilation, and Diffusion Behavior of Polybenzylmethacrylate/CO_2, 2027P
Wang, K.-I. See Liaw, D.-J., 1209C
Wang, L. See Zhang, Y., 1359C
Wang, R. C. See Yang, A. C.-M., 1141P
Wang, S. J. See Wang, C. L., 193P
Wang, S.-M.
—; Tsiang, R. C.-C.: Epoxidation of Partially Hydrogenated Styrene–Butadiene Block Copolymers Using Peracetic Acid in a Cyclohexane/Water Heterogeneous System, 1483C
Wang, T.-S. See Shau, M.-D., 387C
Wang, W.
—; Schultz, J. M.; Hsiao, B. S.: Anomalous Two-Stage Spherulite Growth in Poly(aryl ether ketones) during Isothermal Crystallization, 3095P
Wang, W.-L. See Chern, Y.-T., 1501C
Wang, X. See Yang, C. Q., 1573C
Wang, Y.
—; Chen, T.; Kitamura, M.; Nakaya, T.: Syntheses and Properties of a Series of Amphiphilic Polyacrylamides Bearing Two Long Alkyl Chains and Phosphatidylcholine Analogous Groups in the Side Chains, 449C
Wang, Y. See Ji, S., 2543C
Wang, Y.-F.
—; Chan, K. P.; Hay, A. S.: Ring-Opening Polymerization of Macrocyclic Aryl Ether Ketone Oligomers Containing the 1,2-Dibenzoylbenzene Moiety, 375C
—; Paventi, M.; Chan, K. P.; Hay, A. S.: Synthesis, Characterization, and Ring-Opening Polymerization of Novel High T_g Macrocyclic Oligomers Based on 1,2-Dihydro-4-(4-hydroxyphenyl)(2*H*)-phthalazin-1-one, 2135C
Wang, Y.-F. See Chen, T.-M., 1155C
Wang, Z. J.
—; Song, J. C.; Bao, R.; Neckers, D. C.: Fluorescence Probes for Monitoring Polymerization Processes, 325P
Wang, Z. Y. See Zaluski, C., 731P
Wanibe, T. See Itoh, T., 963C
Wan, M. See Piao, M., 1567C
Ward, I. M. See Brolly, J. B., 761P, 769P; Jones, R. A., 901P
Watabe, S.-I. See Kurita, K., 429C
Weiss, R. A. See Lu, X., 1795P
Wellscheid, R.
—; Wüst, J.; Jungnickel, B.-J.: The Competition Between

Crystallization and Demixing in Polymer Blends. IV. Detection of Composition Inhomogeneities Around Growing Spherulites, 267P
—; Wüst, J.; Jungnickel, B.-J.: The Competition between Crystallization and Demixing in Polymer Blends. V. Numerical Modeling and Quantitative Evaluation of Crystallization-Induced Composition Inhomogeneities, 893P
Weng, Z. See Luo, Y., 65P
Wertheimer, M. R. See Holländer, A., 1511C
Wesslén, B. See Jannasch, P., 1289P
West, J. M. See Frisch, H. L., 1823C
West, W. W. See Pojman, J. A., 991C
Whaley, P. D. See Beaucage, G., 3063P
Wheeler, J. W. See Zhang, Y., 1561C
Whinnery, L. L.
—; Even, W. R.; Beach, J. V.; Loy, D. A.: Engineering the Macrostructure of Thermally Induced Phase Separated Polysilane Foams, 1623C
White, B. See Liu, G., 277P
White, J. E.
—; Haag, A. P.; Pews, R. G.; Kram, S. L.; Pawloski, C. E.; Brown, C. N.: Poly(hydroxy ether sulfonamides). A New Class of Epoxy-Based Thermoplastics[1], 2967C
White, M. L.
—; Matyjaszewski, K.: Synthesis, Isomerization, and Polymerization of Mixed Phosphoranimines, 277C
Wicks, D. A. See Shen, H. C., 1347P
Wieczorek, W.
—; Chung, S. H.; Stevens, J. R.: Ionic Conduction in Composite Polymer Electrolytes at Subambient Temperatures, 2911P
Wiesner, U. See Saalmueller, J. W., 1093P
Wilkes, G. L. See Jean, Y. C., 2979P
Wilke, W. See Bodor, G., 485P
Wilkie, C. A. See Chandrasiri, J. A., 1113C
Williams, R. J. J. See Riccardi, C. C., 349P
Willis, J. R. See Pojman, J. A., 991C
Wilson, K. See Gilmer, T. C., 1025C
Winey, K. I. See Sikka, M., 1443P
Winnik, M. A. See Jin, X., 2045C
Winsor, D. L.
—; Scheinbeim, J. I.; Newman, B. A.: Effects of Plasticizer on the Mechanical and Ferroelectric Properties of Uniaxially Oriented β-Phase PVF_2, 2967P
Winter, W. See Pompe, G., 211P
Wisnudel, M. B.
—; Torkelson, J. M.: Effect of Chain Length on Rates of Diffusion-Limited Small Molecule-Polymer and Polymer-Polymer Reactions: Phosphorescence Quenching Studies, 2999P
Witelski, T. P.
Traveling Wave Solutions for Case II Diffusion in Polymers, 141P
Wnek, G. E. See Ye, Y., 309P
Wolf, C. J.
—; Fu, H.: Stress-Enhanced Transport of Toluene in Poly Aryl Ether Ether Ketone (PEEK), 75P
—; Fu, H.: Transport Behavior of Carbon Disulfide Into Poly Aryl Ether Ether Ketone, 717P
Won, Y. H. See Lee, H.-J., 2333C
Woo, E. M.
Reaction-Induced Phase Separation in a Semiinterpenetrating Network of Reactive Ternary Blends, 781C
Woo, E. M. See Hseih, H. K., 2591P; Wu, M. N., 789P
Wool, R. P. See Agrawal, G., 2919P
Wu, C.
—; Wu, P.; Ma, X.-Q.: The Aggregation of Trichosanthin in Aqueous Solution, 221P
—; Zhou, S.: Effects of Surfactants on the Phase Transition of Poly(*N*-isopropylacrylamide) in Water, 1597P
Wu, G.
—; Jiang, J.-D.; Tucker, P. A.; Cuculo, J. A.: Oriented Noncrystalline Structure in PET Fibers Prepared with Threadline Modification Process, 2035P
Wu, K. H. See Chang, T. C., 3337C
Wulff, D. F. See Kricheldorf, H. R., 3511C
Wu, M. N.
—; Woo, E. M.: Effects of Chemical Interlinks on the Morphology of Polymer-Modified Epoxy Blends, 789P
Wunderlich, B. See Okazaki, I., 2941P
Wunder, S. L. See Cheng, R. R., 435P
Wu, P. See Wu, C., 221P
Wu, S.-L.
—; Scheinbeim, J. I.; Newman, B. A.: The Effect of Melt Processing Conditions on the Hydrogen-Bonded Sheet Orientation and Polarization of Nylon 11 Films, 3035P
Wüst, J. See Wellscheid, R., 267P, 893P
Wu, S.-Y. See Sung, P.-H., 2189C

Xia, J.
—; Dubin, P. L.; Izumi, T.; Hirata, M.; Kokufuta, E.: Dynamic and Electrophoretic Light Scattering of Poly(dimethyldiallylammonium chloride) in Salt-Free Solutions, 497P
Xie, R.
—; Yang, B.; Jiang, B.: Phase Behavior in Mixtures of a Homopolymer and a Block Copolymer. 4. SALS and SAXS Studies, 1489P
Xuan, H. L. See Decker, C., 1771C
Xue, Y. See Frisch, H. L., 673C
Xu, G. See Zaluski, C., 731P
Xu, H. See Chen, L., 721C
Xu, X.
—; Fei, B.; Zhang, Z.; Zhang, M.: Polymerization of Butyl Acrylate in Anionic Microemulsion, 1657C

Yağci, Y.
—; Önen, A.: An Allylic Pyridinium Salt: Radical Promoted Latent

Thermal Catalyst for Catinic Polymerization, 3621C
Yakovlev, A. S. See Kuchanov, S. I., 1987P
Yakunin, A. N. See Dembo, A. T., 2893P
Yamabe, S. See Azuma, H., 1407C
Yamada, B. See Kobatake, S., 95C
Yamada, Y. See Nishikubo, T., 3531C
Yamagishi, T.-A.
—; Tani, K.; Shirano, K.; Ishida, S.-I.; Nakamoto, Y.: Metal Cation Extraction Properties of Linear All-*Ortho* Phenolic Oligomers, 687C
Yamaguchi, I.
—; Osa Kada, K.; Yamamoto, T.: Copper(I) Iodide Catalyzed Polycondensation of *p*-Xylylene Dibromide and Potassium Carbonate to Give Poly[(*p*-xylylene carbonate)-co-(*p*-xylylene oxide)], 1609C
Yamaguchi, T.
—; Nakao, S.-I.; Kimura, S.: Evidence and Mechanisms of Filling Polymerization by Plasma-Induced Graft Polymerization, 1203C
Yamaguchi, T. See Sata, T., 1475C
Yamaguchi, Y. See Kakimoto, M., 2753C
Yamaguichi, K. See Ishihara, M., 586P
Yamamoto, T.
Electrochemical Reduction Potential of n-Type π-Conjugated Polymers, 997C
Yamamoto, T. See Yamaguchi, I., 1609C
Yamamura, I. See Tomita, I., 1853C
Yamashita, Y. See Kimura, K., 739C
Yamaura, K. See Hoei, Y., 2775C
Yampol'skii, Y. P. See Bondar, V. I., 369P
Yang, A. See Di Marzio, E. A., 535P
Yang, A. C.-M.
—; Wang, R. C.; Kunz, M. S.; Yang, I. C.: Drawing of Microshear Deformation Zones in Glassy Polymers: Poly(phenylene oxide) (PPO), 1141P
Yang, A. C.-M. See Jou, J.-H., 2239P
Yang, A. J. M. See Hyeon-Lee, J., 3073P
Yang, B. See Xie, R., 1489P
Yang, C. See Chen, L., 721C
Yang, C.-P.
—; Lin, J.-H.: Synthesis and Properties of Aromatic Polyamides Derived from 1,7-Bis(4-aminophenoxy)naphthalene and Various Aromatic Dicarboxylic Acids, 341C
Yang, C.-P. See Lin, J.-H., 747C
Yang, C. Q.
—; Wang, X.: Infrared Spectroscopy Studies of the Cyclic Anhydride as the Intermediate for the Ester Crosslinking of Cotton Cellulose by Polycarboxylic Acids. II. Comparison of Different Polycarboxylic Acids, 1573C
Yang, G.-X. See Qiu, J., 3015C
Yang, H.
—; Hay, A. S.: Novel Poly(aryl ether phthalazinium) Ionomers and Their Properties, 2621C
Yang, H. See Chan, K. P., 1923C
Yang, I. C. See Yang, A. C.-M., 1141P
Yang, J. See Gurkaynak, A., 349C
Yang, J.-C. See Chang, Y., 2193P
Yang, S.-L. See Fan, Z.-Q., 3329C
Yang, T.-C. See Chen, M., 113P
Yan, X.
—; Yu, X.; Cheng, R.: Kinetic Study of Anionic Oligomerization of Styrene by Quantitative SEC, 2319C
Yan, X. See Chen, Y., 3297C
Yao, G.-Q. See Qiu, J., 3015C
Yao, K.-M. See Shen, Y., 1799C
Yao, L. See Jin, X., 2045C
Yasuda, H. See Lin, Y., 1843C
Yasuda, T. See Lin, Y., 1843C
Ye, M. See Li, G., 1079P
Ye, Y.
—; Wnek, G. E.; Krause, S.; Smith, T. W.: Effect of Crystallization on the Morphologies of Block Copolymer/Homopolymer Blends Cast in an Electric Field, 309P
Yilmaz, F.
—; Baysal, B. M.: Application of Thermal Blob Theory to Intrinsic Viscosity Measurements of Poly(4-Chlorostyrene) above the Theta Point, 1789P
Yiming, M. See Gaoquan, L., 1583P
Ying, S.-K. See Luo, N., 2157C
Yokota, K. See Inai, Y., 2341C
Yokozawa, T. See Sato, E., 669C
Yoon, J.-S.
—; Chang, M.-C.; Kim, M.-N.; Kang, E.-J.; Kim, C.; Chin, I.-J.: Compatibility and Fungal Degradation of Poly[(R)-3-hydroxybutyrate]/Aliphatic Copolyester Blend, 2543P
Yoon, M.-S. See Kim, C.-H., 2709P
Yoshida, E.
Synthesis of a Well-Defined Polybromostyrene by Living Radical Polymerization with a Nitroxyl Radical, 2937C
—; Okada, Y.: Control of Molecular Weight by Living Radical Polymerization with a Nitroxyl Radical, 3631C
Yoshida, T.
—; Abe, Y.; Masuda, T.; Higashimura, T.: Polymerization and Polymer Properties of (p-tert-Butyl-o,o-dimethylphenyl)acetylene, 2229C
—; Hattori, K.; Sawada, Y.; Choi, Y.; Uryu, T.: Graft Copolymerization of Methyl Methacrylate onto Curdlan, 3053C
Yoshida, Y. See Nishikubo, T., 3531C
Yoshihara, Y. See Tobita, H., 1415P
Yoshikawa, K. See Oana, H., 1105P
Yoshioka, M. See Matsumoto, A., 291C
Young, R. N. See Fetters, L. J., 1517C
Yuan, Q. W.
—; Kloczkowski, A.; Mark, J. E.; Sharaf, M. A.: Simulations on the Reinforcement of Poly(dimethylsiloxane) Elastomers by Randomly Distributed Filler Particles, 1647P
Yue, H. J. See Magallanes González, G. S., 849C
Yu, G.
—; Chen, H.; Zhang, X.; Jiang, Z.; Huang, B.: Polymer-Supported Titanium Catalysts for Syndiotactic Polymerization of Styrene, 2237C
Yu, H. See Sohn, D., 3025P
Yu, H. H.
—; Fina, L. J.: Electric Field-Induced Dipole Reorientation

in Oriented Nylon 11 by In Situ Infrared Spectroscopy, 781P
Yu, K.
—; Russo, P. S.: Light Scattering and Fluorescence Photobleaching Recovery Study of Poly(amidoamine) Cascade Polymers in Aqueous Solution, 1467P
Yushanov, S. P.
—; Isayev, A. I.; Levin, V. Y.: Percolation Simulation of the Network Degradation During Ultrasonic Devulcanization, 2409P
Yu, X. See Chen, L., 721C; Yan, X., 2319C
Yu, Y. S.
—; Dubois, P.; Jérôme, R.; Teyssié, P.: Difunctional Initiator Based on 1,3-Diisopropenylbenzene. IV. Synthesis and Modification of Poly(alkyl methacrylate-*b*-styrene-*b*-butadiene-*b*-styrene-b-alkyl methacrylate (MSBSM) Thermoplastic Elastomers, 2221C

Zaitsev, B. A.
—; Kiseleva, R. F.; Gusarova, I. O.: Proton-Transfer Polyaddition Reactions in Syntheses of Linear, Branched, and Functionalized Poly(*p*-divinyl aromatics). I. Synthesis, Kinetics, and Mechanism of Formation of Linear Unsaturated Poly[bis(*p*-vinylphenyl) ether], 1165C
Zaitsev, V. S. See Dembo, A. T., 2893P
Zaldívar, D. See Davidenko, N., 2759C
Zaluski, C.
—; Xu, G.; Qi, Y.; Wang, Z. Y.: Dielectric Properties of Novel Poly(aryl prehnitimide)s, 731P
Zanderighi, L. See Consolati, G., 357P
Zazzetta, A. See Viola, G. T., 13C
Zhang, F. See Jiang, L., 3519C
Zhang, J.-X. See Qiu, J., 3015C
Zhang, M. See Xu, X., 1657C
Zhang, M.-W. See Jiang, P.-Y., 695C
Zhang, R.
—; Mattice, W. L.: Molecular Dynamics Study of the Persistence Lengths of a New Class of Polyimide Fibers, 565P
Zhang, S.
—; Hou, Z.; Gonsalves, K. E.: Copolymer Synthesis of Poly(L-lactide-b-DMS-L-lactide) via the Ring Opening Polymerization of L-lactide in the Presence of α,ω-Hydroxylpropyl-Terminated PDMS Macroinitiator, 2737C
Zhang, X. See Yu, G., 2237C
Zhang, Y.
—; Tebby, J. C.; Wheeler, J. W.: Polyamides Incorporating Phosphine Oxide Groups. I. Wholly Aromatic Polymers, 1561C
—; Wada, T.; Sasabe, H.: Carbazole Main-Chain Polymers for Multifunctional Materials: Synthesis and Characterization, 2289C
—; Wang, L.; Wada, T.; Sasabe, H.: Synthesis and Characterization of Novel Hyperbranched Polymer with Dipole Carbazole Moieties for Multifunctional Materials, 1359C
Zhang, Y. See Jiang, L., 3519C
Zhang, Z. See Jiang, P.-Y., 695C; Tang, K., 1175P; Xu, X., 1657C
Zhao, B. See Pan, C.-Y., 2149C
Zhao, F. See Chen, Y., 3297C
Zheng, D.-Y. See Cai, H., 1245C
Zheng, T. N. See Pan, C.-Y., 2149C
Zhou, J. See Agrawal, G., 2919P
Zhou, P.
—; Blumstein, A.: Interpenetrating Networks of Conjugated Ionic Polyacetylenes, 3399C
Zhou, P. See Sharma, P. R. S., 1049C
Zhou, S. See Wu, C., 1597P
Zhou, X. See Chen, M., 113P
Zhou, Z. L. See Kyu, T., 1761P, 1769P
Zhu, G. C. See Kyu, T., 1761P, 1769P
Zhu, K. J. See Shen, Y., 1799C
Zhu, P. C.
—; Liu, Y.; Lin, J.; Pittman, C. U., Jr.: Cationic Copolymerization of 2-Methylene-5,5-dimethyl-1,3-dioxane with 2-Methylene-1,3-dioxolane and 2-Methylene-1,3-dioxane, 2195C
—; Pittman, C. U., Jr.: Stable Polymers from Cyclic Ketene Acetals: Cationic Polymerization Initiated by Acid-Washed Glassware or Acid-Washed Glass Beads, 169C
—; Pittman, C. U., Jr.: The Use of Carbon Black-Supported Sulfuric Acid to Initiate the Cationic Polymerization of Cyclic Ketene Acetals, 73C
Zhu, S.
Effect of Polyradicals on Gel Formation in Free Radical Polymer Modification, 505P
Zhu, S. See Tobita, H., 2099P
Zhu, Y. See Chen, L., 721C
Ziaee, S.
—; Paul, D. R.: Polymer-Polymer Interactions via Analog Calorimetry. 1—Blends of Polystyrene with Poly(2,6-dimethyl-1,4-phenylene oxide), 2641P
Zielinski, J. M.
A Friction Factor Analysis of the Coupling between Polymer/Solvent Self- and Mutual-Diffusion: Polystyrene/Toluene, 2759P
—; Sillescu, H.; Romdhane, I. H.: 1,3,5-Triisopropylbenzene Diffusion in Polystyrene Solutions, 121P
Zimmerman, S. See Barlow, R. J., 1197P
Zipper, M. D. See Spall, S., 2419P
Zouahri, A.
—; Elmidaoui, A.: Synthesis of Perfluorinated Cation Exchange Membranes by Preirradiation Grafting of Acrylic Acid onto Ethylene-Tetrafluoroethylene Films, 1793C
Zupan, M.
—; Krajnc, P.; Stavber, S.: Site-Site Interactions in a Polymer Matrix: The Effect of Polymer Backbone Structure on the Transformation of Crosslinked Resins with Substituted Hydrazines, 2325C
Zurawsky, W. See Mijović, J., 379P

JOURNAL OF
Polymer Science

Combined Subject Index to Volume 34

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science,* Vol. 34, 1996. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Ab initio, 449P
ABS, 1113C
AC impedance, 731P, 2127P
Acetalization, 3319C
Acetonitrile/water extraction, 849C
Acetylene, 1853C
Acetylenediurea, 3389C
Acid value, 25C
Acid-base interaction, 1733P
Acid-catalyzed deesterification, 63C
Acid-washed glass beads, 169C
Acrylate, 695C, 1771C
Acrylate moieties, 217
Acrylic acid, 45C, 1113C, 1793C
Acrylic monomers, 2817C
Acrylonitrile, 575C, 833C, 1317C, 1723C
Activated carbon, 73C
Activated free radical initiation, 2783C
Activated methylene groups, 507C
Activation energy, 3337C, 121P, 1569P, 2941P
Actuator, 1747P
Acyclic diene polycondensation (ADP), 1443C
Acyl oxime, 2181C
Adamantane, 117C, 397C
Adamantyl-substituted polymers, 397C
Addition polymerization, 1407C
Addition reactions, 261C
Addition-cured, 1679P
Addition-fragmentation, 893C, 1415C
Addition-fragmentation mechanism, 3621C
Adhesion, 545P, 2719C, 1839P, 2223P
Adhesive fracture energy, 1435P
Adsorption, 3147C, 1733P, 1747P
Adsorption kinetics, 2651C
Adsorption of metal cations, 429C
Affinity, 687C
AFM, 1385C, 173P, 3025P
Aged energetic copolymer, 3337C
Aggregate reactivity, 1517C
Aggregation, 2915C, 3061C, 221P
Aggregation of active species, 1807C
Aging, 1621P
AIBN decomposition, 613C
Aliphatic copolyester, 2543P
Aliphatic polypyromellitimides, 701C
Alkali cation, 687C
Alkaline earth cation, 687C
Alkaline hydrolysis, 1347C
Alkoxide, 1447C
Alkoxy or phenyl substituted aromatic polyesters, 1581C
Alkoxyallene, 669C, 1853C
Alkoxydisilane, 2991C
β-alkoxyenoates, 1597C
Alkyl-substituted poly(aryl ether ketone), 561C
Alkyne, 853P
Allyl, 2679C, 3263C
Allyl glycidyl ether, 833C
Allylic pyridinium salt, 3621C
Allyloxy, 2711C, 2719C
Alternating copolymer, 89C, 367C, 2499C
Ambifunctional monomers, 1015C
Amide, 3573C
Amide pendent groups, 1685C
Amide-ether copolymers, 659C
Amidoalkylation, 1651C
Amine, 1933C
Amine activators, 2783C
Amines, 1353C
Amino acid moiety, 493C
Amino-containing polymers, 863C
3-aminocrotonamide, 1087C
Aminoethanol, 1933C
Aminolysis, 439C
Ammeline, 2543C
Ammeline-formaldehyde resins, 2543C
Ammeline-melamine-formaldehyde resins, 2543C
Ammonium persulfate, 3053C
Amorphous, 2621C, 103P, 1229P
Amorphous glassy polymers, 1741C
Amorphous polymers, 1093P
Amphiphiles, 1529C
Analog calorimetry, 2641P
Anhydride, 991C
Aniline, 2981C
Anion exchange membranes, 1475C, 2123C
Anionic coordination polymerization, 1807C
Anionic dispersion polymerization, 2651C, 3277C
Anionic polymerization, 985C, 1183C, 1517C, 1933C, 2221C
Anionic ring-opening polymerization, 375C
Anisotropy, 1591P, 2979P
Annealing, 909P, 1741P, 1751P, 2771P
Annealing degradation, 845P
Anomalous growth, 3095P
Anomalous polymer diffusion, 141P
Anticorrosion, 2701C, 2719C
Antifungal, 1229C
Apparent radius of gyration, 1629P
Apparent virial coefficient, 1629P
Aqueous, 349C
Archie's law, 1541P
Aromatic polyamide, 3389C
Aromatic polyamides, 1433C
Aromatic polyester, 493C
Aromatic polyesters, 1105C, 1581C
Aromatic polyimides, 3389C
Association, 249P
A-stage resin, 2543C
Asymmetric membranes, 2383P
Asymmetric polyaddition, 2999C

Atomic force microscope, 1141P
Atomic force microscopic (AFM) morphology, 2201P
Atomic force microscopy, 1953P
Axial x-ray scattering, 1159P
Axially modified phthalocyanine, 643C
Azacrown, 1331C
Azo compound, 1237C
Azo polymers, 1461P
Azobenzene, 57C, 1085P
Azobenzene mesogens, 1465C
A–T isobars, 449C

Barrier resins, 2967C
Bathochromic effect, 163C
Bayesian design of experiments, 811C
9-BBN, 2689C, 2711C
Bending, 1747P
Bent diimide, 731P
1,2,4-benzenetricarboxylic acid monoesters, 1219C
Benzocyclobutene, 3539C
Benzoyl peroxide reaction of, 81C, 81C
Benzyloxyamine, 429C
Bifunctional initiator, 1317C
Binary solvent mixtures, 283P
Binomial distribution, 1723P
Bioaffinity chromatography, 45C
Biocompatible polymers, 1753C
Biodegradable, 1261C
Biodegradation, 2701P
Biomaterials, 199C
Biopolymer, 1347C
Birefringence growth and relaxation kinetics, 1461P
Bis(alkoxyallene), 669C
1,7-bis(4-aminophenoxy)naphthalene, 341C
2,2-bis[4-(4-aminophenoxy)phenyl]hexafluoropropane, 1209C
3,3-bis[4-(4-aminophenoxy)phenyl]phthalimidine, 747C
2,7-bis(4-maleimidophenoxy)naphthalene, 1493C
Bismaleimide, 957C, 1493C
Bismuth, 3607C
Bis-N-hydroxymethylammeline, 2543C
Bisphenol A, 1283C
Bis(*p*-vinylphenyl) ether, 1165C
Bis(trimellitimide)s, 747C
Bis[4-(2-hydroxyethoxy)aryl] compound, 1783C
Biuret, 429C
Blend, 3303C, 1079P, 1181P, 1691P, 2177P, 2689P
Blend interphases, 1289P
Blends, 1283C, 211P, 267P, 1489P, 1569P, 1795P, 1925P, 2209P, 2591P, 2613P, 2715P, 2723P, 2953P
Blob theory, 1789P
Block copolymer, 1317C, 1483C, 2613C, 2909C, 2937C, 1281P, 1489P, 2899P
Block copolymerization, 1945C
Block copolymers, 1283C, 3361C, 3471C, 2169P, 3081P
Block polyelectrolyte solutions, 1197P
Blood compatibility, 199C
Boger fluid, 181P
Bond-Fluctuation Method, 1127P
Borate anion, 1477P
BPO, 2937C, 3631C
Brabender plastograph, 1039C
Branched spaces, 1325C
Branching density distribution, 671P
Breakdown strength, 207C
Bruggeman model, 2209P
BTDA and PMDA incorporation, 25C
Builder, 3607C
Bulk polyesterification, 1059C
Bulk polymerization, 3191C
Bunching, 1213P
Butadiene, 1483C
1-butenyl ethers, 1015C
Butterfly pattern, 2739P
Butyl acrylate, 575C, 811C, 991C, 1657C, 1977C
α-(*t*-butylperoxymethyl)styrene, 1415C

C-13 linewidth, 1777P
C_{60}, 3015C, 3297C
^{13}C CP/MAS NMR, 755C
^{13}C solid state NMR, 1881P
^{13}C NMR, 2447P
^{13}C-NMR, 1189C, 2157C, 2415C, 3173C
^{13}C-NMR spectra of poly(amide–mide), 1219C
^{13}C-NMR spectroscopy, 333C, 1059C
Cage effect, 1237C
Calorimetry, 461C
Candida, 1229C
ε-caprolactone, 1807C
ε-caprolactone and D,L-lactide copolymer, 1799C
Captodative, 1945C
Carbazole, 89C, 1359C, 1621C
Carbazole main-chain polymer, 2289C
Carbon black, 73C, 1589C
Carbon black-supported sulfuric acid, 73C
Carbon dioxide, 761P, 769P, 2723P
Carbon disulfide, 717P
Carbonization, 1567C
Carbonyl azide, 839C
Carboxybetaines, 261C
Carboxyl, 2719C
Carboxylic membranes preparation, 2285C
Cascade polymers, 1467P
Case II diffusion, 141P, 981P
Catalysis, 1083C, 2311C
Catalyst, 169C, 73C
Catalysts, 2955C
Catalytic activity, 2407C, 3551C
Cation exchange membranes, 1873C
Cationic, 403C
Cationic initiator, 475C
Cationic initiators, 73C
Cationic polymerization, 169C, 73C, 475C, 903C, 1015C, 1815C, 1993C, 2195C, 2513C, 3103C, 3527C, 3621C
CeBi Pt/C, 3607C
Cell development stages, 1451P
Cellulose, 1573C, 2049P
Cellulose acylation, 1613P
Cellulose ester, 1613P
Cellulose esterification, 1613P
Cellulose solution, 2375P
Cerium, 3607C
CH_3CO—, 3329C
Chain configuration, 1733P
Chain conformation, 2351P
Chain copolymers, 2481C
Chain extender, 771C, 1337C
Chain length effects, 2999P
Chain orientation, 1113P, 2335P
Chain transfer, 893C, 1815C
Chain transfer agent, 1415C
Char yield, 25C, 387C
Characterization, 33C, 2851C, 3345C, 631P, 2239P
Charge transfer, 2753C
Charge transfer complex, 1317C, 3015C
Charge-transfer (CT) complex, 586P
Charge-transfer polymerization, 81C
Chemical composition distribution, 935C, 949C
Chemical gels, 3417C
Chemical imidization of polyamic acid, 63C
Chemical modification, 863C, 3263C, 3297C, 631P
Chemically modified polymers, 261C
Chemomechanical system, 1747P
Chemoselective polycondensation, 493C
Chiral diols, 603C
Chiral-substituted terephthalic acids, 3511C

β-chitin, 2367P
Chitosan, 3417C
1-chloro-2-β-naphthylacetylene, 2931C
Cholesteric phases, 603C
Cholesteric poly(ester-imide)s, 3511C
Chondroitin sulfate, 2771P
Cinchona and *ephedra* alkaloids, 2999C
Circular dichroism, 2999C
Cis-polybutadiene, 2675P
Cis-polymerization of butadiene, 3431C
Citraconamic acid, 25C
Citral, 1343C
Closed loop, 751P
Cloud point, 1529C, 2543C
Cloudpoint, 751P
Clustering, 2805P
Clusters, 1031P
CNDO/2, 2139P
Coatings, 2701C, 2719C
Co-cyclic oligomers, 2135C
Coefficient of thermal expansion (CTE), 1591P
Coil collapse, 89C
Cole-Cole plot, 555P
Collective relaxation, 555P
Colligative property, 535P
Colloidal approach, 1769P
Colloidal polymerization, 1761P
Comb-like polymers, 3203C
Comb-shaped polymer, 1665P
Compatability, 1427P
Compatibility, 2543P, 2715P
Compatibilization, 1283C
Compatibilizer, 1569P
Compatibilizing agent, 3183C
Compatibilizing agents, 3173C
Compensation, 2067P
Competitive complexation, 2253C
Competitive fluorescence quenching, 1583P
Complex, 597C
Complexation, 271C, 2341C, 1795P
Composite polymer electrolytes, 2911P
Composites, 2767P
Composition drift, 935C, 1763C
Composition inhomogeneities, 267P, 893P
Compressed gases, 2635P
Compression test, 2193P
Computational calculations, 763C
Computer modelling, 901P
Computer simulation, 893P
Concentration and scattering angle, 1629P
Concentration dependence, 1541P
Concentration of growing polymer chain, 3631C
Condensation, 1039C
Condensation agent, 2455C
Condensation monomers, 659C
Condensation of methymethoxysilane, 131P
Condensation polymerization, 1083C, 1087C
Conducting polymers, 481C, 1553C, 837P
Conduction mechanism, 2911P
Conductivity, 3485C
Conductometry, 1251C
CConfined thin film melt polymerization, 2843P
Confined thin film polymerization/ crystallization, 1935P
Conformation, 83P, 1213P
Conformational analysis, 1327P
Conformations, 3221C
Conformers, 1243P
Congo Red, 939P
Conjugate addition, 1597C
π-conjugated polymer, 997C
Conjugation, 3399C
σ-conjugation, 2753C
Conjugative monomer, 963C
Connection of particles, 2729C
Consolute temperature, 751P
Constrained geometry catalyst technology, 1301P
Constrained swelling, 1555P
Contact mechanics, 545P
Contact time, 545P
Contrast, 109C
Control of microstructure, 949C
Controlled threadline dynamics, 2035P
Conventional carbocationic, 1675C
Cool polymerization, 2783C
Cooperative interactions, 241P
Cooperative length of glass transition, 1391P
Cooperative model, 1257P
Coordination, 721C
Coordination copolymerization, 2909C
Coordination polymers, 277P
Coordination-insertion, 497C
Copolyamide, 1209C
Copolyamides, 1663C
Copolyester with naphthalene groups, 1783C
Copolymer, 517P, 2003C, 2189C, 2737C
Copolymer composition, 2117C, 1987P
Copolymer conformation, 1281P
Copolymer diffusion, 163P
Copolymer fractionation, 527P
Copolymer solution, 1977P
Copolymerization, 237C, 739C, 833C, 2149C, 2195C, 2499C, 2665C, 3121C, 65P, 2247P
Copolymerization of butadiene and styrene, 3431C
Copolymerization of ethylene and 1-butene, 3379C
Copolymers, 1753C, 2679C, 2689C, 2701C, 2711C, 2719C
Copolyphosphazenes, 277C
Copolysilanes, 3047C
Copper, 611P
Copper(I) iodide, 1609C
Core-shell, 3147C
Core/shell latexes, 3173C, 3183C
Core-shell morphology, 2775P
Correlation, 2247P, 2979P
Correlation time distributions, 1093P
Corrosion, 611P
Cosurfactant, 1073C
Cotton, 1573C
Cotton fibers, 1451P
Coupling, 2419P
CP/MAS NMR, 2085P
Crazing, 2177P
Creep, 2307P
Critical micelle concentration, 1529C
Critical molecular weight, 1809P
Critical quencher concentration, 1583P
Crosslink, 1447C
Crosslink density, 1997P
Crosslinked chloromethylated polystyrene, 2325C
Crosslinked copoly(styrene-*p*-nitrophenylacrylate), 2325C
Crosslinked polymers, 1025C
Crosslinking, 413C, 925C, 1395C, 1573C, 1621C, 1771C, 1815C, 2173C, 2205C, 2799C, 3539C, 65P, 1403P, 1415P, 1881P, 1997P, 2247P
Crosslinking polymer, 3155C
Crosslinks, 1031P
Crossover, 1213P
Cross-sectional TEM, 3081P
Crown ether, 1331C
Cr/silica catalyst, 3379C
Crystal modulus, 963P
Crystal structure, 1087C, 83P, 2085P, 2843P
Crystalline, 2679C, 2689C, 2689C, 2701C, 2711C, 2719C
Crystalline fibrils, 309P
Crystalline structure, 1181P, 1451P, 2351P
Crystallinity, 103P, 699P, 1229P, 1741P, 2035P, 2701P
Crystallinity and crystallite size, 1451P
Crystallite size, 2775C
Crystallite size distribution, 485
Crystallization, 2095C, 173P, 657P, 737P, 893P, 1751P,

2077P, 2393P, 2569P, 2715P, 2771P, 3095P
Crystallization during polymerization, 739C
Crystallization kinetics, 267P, 2783P
Crystal–crystal transitions, 1751P
CT complex iodine-PVK, 845P
CuCl/*n*-butylamine catalyst, 3213C
Curdlan, 3053C
Curing, 957C, 861P
Curing accelerator, 651C
Curing kinetics, 435P
Cutting, 2231P
CVD, 3225C
Cyanate esters, 2955C
Cyclic acetal, 2029C
Cyclic carbonate, 1819C
Cyclic copolymer, 1629P
Cyclic ketene acetal, 169C, 2195C
Cyclic ketene acetals, 73C, 3091C, 3103C
Cyclic oligomer, 2607P
Cyclic oligomers, 2791C
Cyclic phosphine oxide epoxy resin, 387C
Cyclization, 3303C
Cyclododecanones, 1941C
Cyclohexane, 249P
Cyclo(tetramethylene carbonate), 2399C
Cylindrite, 657P

2D Fourier transform, 103P
2D-ACAR, 2979P
DBU, 3531C
DCC, 1819C
Decarboxylation, 349C
Decomposition, 1271C
Defects, 3081P
Degradable, 1447C
Degradation, 349C, 1261C, 1395C, 3573C
Degradative transfer, 227C
Degree of cure, 325P
Demixing, 751P, 2553P
Dendrimers, 1467P
Depolarization, 2967P
Devulcanization, 2409P
Dextran conjugates, 1229C
DGEBA, 789P, 2591P
DGEBA epoxy, 781C
Dialkyl fumarate, 291C
Dialkylaminophenyl substituent, 2753C
Diamagnetic susceptibility, 2019P
Diamantane, 125C, 133C, 1501C
3,5-diaminophenyl-4-benzocyclobutenyl ketone, 3539C
Dianhydrides, 925C
Diblock copolymer, 1691P, 1715P
Diblock copolymers, 1529C
Dicarboxylic acids, 1421C
Dielectric, 517P
Dielectric constant, 425, 731P
Dielectric monitoring, 2731P
Dielectric properties, 1277P
Dielectric relaxation, 1853P, 2067P, 2419P
Dielectric relaxation spectroscopy, 1391P, 1529P
Diethylaluminum ethoxide, 1807C
Diethyldithiophosphate, 2595C
Differential photocalorimetry, 1407C
Differential scanning calorimetry, 2349C, 1281P, 1339P, 1751P
Differential scanning calorimetry (DSC), 1049C, 211P
Diffusion, 691P, 761P, 769P, 893P, 1529P, 2027P, 2153P, 2161P, 2723P, 2899P
Diffusion NMR, 297P
Diffusion through polymeric films, 1541P, 1547P
Diffusion-limited reaction, 2999P
Diffusivity, 2805P
Difunctional initiator, 2221C
Diimidodiepoxide, 1337C
Diisocyanate, 429C
Diisocyanates, 925C
Dilation, 1861P, 2027P
Dilational friction, 1579P
Dilatometric technique, 567C
Dilute solution, 1281P
Dimers, 853P
Dimethyl dimethoxy/diethoxysilane, 3465C
Dimethyl itaconate, 1407C
α,α-dimethylbenzylpyridinium SbF_6, 475C
Dimethylendiamine, 1327P
2,6-dimethylphenol polymerization, 3213C
Dimethylsiloxane, 2737C
Di-*n*–butylmagnesium, 3519C
Diols, 1597C
Diphenylacetylene, 413C
1,2-diphenylcyclopropane, 413C
Diphenylpicrylhydrazine, 227C
1,1-diphenyl-2-picryhydrazyl, 141C
1,3-diphenylpropene, 227
Dipolar disorder, 575P
Dipropargyl derivatives, 1621C
Direct polycondensation, 341C, 1209C, 2455C, 2857C
Disorder controlled hopping, 575P, 317P
Dispersibility, 1589C
Dispersion polymerization, 175C, 1857C, 1977C, 2633C
Dispersion rheology, 1733P
Disproportionation, 2991C
Dissolution, 947P, 1175P, 1339P
Dithiol, 669C
Divinyl adipate, 2767C
Divinyl ether, 403C
Divinyl monomer, 65P
Divinyl succinate, 2767C
Divinyldimethylsilane, 1443C
DMAP, 1819C
DMSO, 1613C
DNA, 1105P
Dopant, 2967P
DPC, 1407C
Drawing and annealing, 821P
Drug delivery, 2915C
DSC, 1713C, 2679C, 2689C, 2701C, 2711C, 2719C, 1181P, 2077P, 2881P
DSC kinetics, 909P
Dual mode, 2689P
Dual-mode sorption, 2153P
Dual-mode sorption model, 369P
Dynamic creep, 1679P
Dynamic heterogeneities, 2291P
Dynamic light scattering, 497P, 283P, 297P, 939P
Dynamic measurements, 1031P
Dynamic mechanical, 517P
Dynamic mechanical behavior, 1085P
Dynamic mechanical properties, 1997P
Dynamic relaxation, 2161P
Dynamics, 2919P
Dynamics of multicomponent copolymerization, 1987P

Effect of hydrophobicity on anion transport, 1475C
Effect of reaction condition, 3345C
Effect of $SnCl_4$, 3121C
Effective crosslink density, 1679P
Effective medium theory, 1541P
Effects of temperature, 1629P
Elastic modules, 2193P
Elastic moduli, 1579P
Elastic modulus, 449P, 37P
Elastic–plastic fracture, 1869P
Elastomers, 1647P
Electric field effect, 309P
Electric field poling, 781P
Electrical conductivity, 1567C, 2991C, 1269P
Electrical conductivity of poly(*p*-phenylene sulfide), 623P
Electrocapillary wave diffraction, 3025P
Electrocopolymerization, 2981C
Electrodialysis, 1475C
Electron affinity, 997C
Electron double resonance, 1093P
Electron microscopy, 2743C, 2049P
Electron spin resonance, 291C

Electron transport, 575P
Electron-accepting monomer, 963C
Electronic structure, 2507C
4f electrons, 3431C
Electrooptic Kerr effect, 1133P
Electro-optics, 2333C
Electrophilic substitution, 109C
Electrophoretic light scattering, 497P
Empirical model, 261P
Emulsion, 1073C
Emulsion copolymerization, 935C, 1763C
Emulsion polymerization, 309C, 461C, 811C, 1237C, 1747C, 3061C, 2775P
Emulsion polymers, 1403P, 1415P
Emulsion terpolymerization, 949C
End group analysis, 439C
End group chemistry, 3263C
Endo-dieyclopentadiene, 3527C
Endothermic transition, 1181P
Endpoint, 3485C
End-reactive oligomer, 3625C
Energy transfer, 2181C, 1583P
Engineering thermoplastics, 561C
Entanglements, 2007P
Enthalpy relaxation, 229P, 2941P
EP copolymer, 2775C
Epi-fluorescence, 3025P
Epitaxial crystallization on mica, 1935P
Epoxidation, 1483C, 2701C
Epoxide, 1483C, 1771C, 3263C
Epoxide end groups, 1415C
Epoxide-amine addition polymers, 2791C
Epoxy, 1543C, 2103C, 2701C, 3303C
Epoxy blend, 789P
Epoxy cure, 2731P
Epoxy microspheres, 2591P
Epoxy resin, 957C, 2371C, 229P
Epoxy resins, 249C, 2967C
Epoxy/amine resins, 459P
Epoxyde-colloids silicone, 3141C
EPR, 2533P
Equation of state, 1229P, 1961P, 1977P
Equation-of-state theory, 2599P
Equilibrium constant, 1039C
Equilibrium constants, 1477P
Equilibrium melting temperature, 211P
Error-in-variables, 1343C
ESR, 1945C, 2439C
ESR spectroscopy, 95C
Ester aminolysis, 2363C
Ester interchange, 1189C, 2307P
Ester interchange reaction, 725P
Ester pendent groups, 1703C
Esterification, 1573C, 3531C
Esterification of pendant carboxylic acid, 63C
Ethene-propene copolymer, 1651C
Ether-dicarboxylic acids, 1433C
Etherification, 3263C
Ethyl acrylate, 237C
Ethyl nitrate, 1613C
Ethylene, 1407C
Ethylene copolymers, 2447P
Ethylene glycol dimethacrylate, 45C
Ethylene homopolymers, 1147P
Ethylene oxide, 1317C
Ethylene polymerization, 1693C, 2163C
(Ethylene 1-hexen)-copolymers, 485P
Ethylene-octene copolymers, 1301P
Ethylene–propylene copolymer, 1723P
e-Value, 1589C
Evanescent scattering model, 1555P
Even-odd effect, 2465C
EVOH, 1907P
Exchange reactions, 789P
Excimer, 2059P, 2623P
Excited state, 633C
Excluded volume effect, 1647P
Exit, 309C
Experimental verification, 2665C
Extreme dilution, 1197P

Fast-atom bombardment spectra, 2791C
FEP, 517P, 1873C
Ferrocenylimine, 2377C
Ferrocenylphosphine, 2377C
Ferroelectric liquid crystalline polymer, 555P
Ferroelectric polarization, 2967P
Fiber, 565P
Fiber period, 2771P
Fiber properties, 2035P
Fibers, 2433P
Fibrillar and lamellar structure, 821P
Filled composite, 1761P
Filled elastomer, 1679P
Filler particle size, 1647P
Fillers, 1647P
Films, 837P
Finite element modeling, 1591P
Fire-retardant materials, 1561C
Five simplex fractal, 419P
Five-block copolymers, 2221C
Five-membered cyclic carbonate, 2173C
Five-ring, 1421C
Flame retardancy, 387C, 1455C
Flocculation, 3061C
Flory-Huggins equation, 349P
Flory–Huggins, 2553P
Flow, 2393P
Fluctuations, 163P
Fluid transport, 75P
Fluorene, 227C
Fluorescence, 89C, 2915C, 3015C, 691P, 2059P, 2623P
Fluorescence microscopy, 1105P
Fluorescence nonradiative energy transfer, 2987P
Fluorescence photobleaching recovery, 1467P
Fluorescence probe, 325P
Fluorescence structural self-quenching effect, 1881C
Fluorescent probe, 1881C
Fluorinated, 1897C
Fluorinated chain, 3077C
Fluorine-containing polyamides, 1663C
Fluorocarbon, 207C
Fluorocarbon film, 193C
Fluoro-displacement, 1421C
Fluoroescence structural self-quenching effect, 1245C
Fluoromembranes, 1793C
Fluorone dyes, 2817C
Fluoropolyether, 3263C
Foams, 2879C
Forced Rayleigh scattering, 2759P, 2899P
Force-field parameterization, 963P
Formaldehyde, 2543C
Fotopolymerization, 2759C
Fractionation, 1147P
Fracture, 837P, 2223P, 2231P
Fragile glass, 341P
Free radical, 505P, 3621C
Free radical polymerization, 2759C, 3471C
Free volume, 121P, 1189P, 1659P, 1903P, 2145P, 2767P, 2979P
Free-volume distribution, 193P
Frequency dependence, 425P
Friction coefficients, 2759P
Frontal polymerization, 991C
FTIR, 957C
FT-IR, 2689C, 3163C
FTIR vibration modes, 2563C
Fullerene, 631P
Fullerenes, 3297C
Functional group distribution, 1723P
Functional groups, 2037C, 2349C
Functional polyester, 2517C
Functional polymer, 493C
Functional polymers, 271C
Functionalization, 1483C
ω-functionalized polybutadienes, 249P
Functionally gradient material, 193C
Fungal degradation, 2543P

Furfuryl acrylate, 2759C
Furfuryl methacrylate, 2759C
Fuzzy rods, 3025P

Gamma irradiation, 1063P
Gamma-rays, 833C
Gas and vapor transport, 2209P
Gas permeability, 2229C, 2925C, 2931C
Gas sorption, 369P, 1861P
Gases, 1741P
GC-mass spectrometry, 2045C
GC/MS, 971C
Gel, 1105P, 2099P
Gel electrophoresis, 1105P
Gel formation, 505P
Gel fraction, 1951C, 65P
Gel melting, 2775C
Gel permeation chromatography, 725P
Gel phase, 2049P
Gel point, 2375P
Gelation, 649P, 1415P, 2375P
Gelation rate, 1605P
Gel-core comonomer, 2003C
Gels, 1447C, 2595C
Germanium-containing polymer, 2925C
Gibbs DiMarzio entropy theory, 535P
Glass temperature, 535P
Glass transition, 401P, 2371C, 341P, 641P, 1189P, 1613P, 1907P, 2291P, 2635P, 2863P, 2881P, 2941P
Glass transition enhancement, 397C
Glass transition temperature, 957C, 1105C, 3163C, 1997P, 2247P, 2911P, 2987P
Glassware, 169C
Glassy polymer, 2689P
Glassy polymers, 369P, 761P
Glycerol, 3607C, 3595C
Glycine, 1327P
Glycogen chains, 2975C
Glycogen–iodine (GI) complex, 2975C
GPC, 659C
Gradient polymer elution chromatography, 935C, 949C
Graft copolymerization, 1113C, 3053C
Graft degree, 1427P
Graft polymerization, 1203C, 1589C
Grafting, 2581C
Grandjean texture, 3511C
Graphite-like pyropolymer, 3131C
Graphitization, 1567C
Graph-theoretic approach in chemical kinetics, 1987P
Growth index of gelation, 1605P
Guar, 1477P

H_{12}MDI, 2889C
^{1}H-NMR, 3565C
Hairy rods, 3025P
Hamiltonian walk, 419P
Hammett-Taft equation, 3319C
Hard elastic polypropylene, 1953P
Havriliak-Negami model, 341P
H-bonding, 2351P
HDPE, 2317P
Healing, 691P
Heat capacity, 2941P
Heat capacity spectroscopy, 2881P
Heat flow calorimeter, 2941P
Heat of mixing, 2641P
Heat on mixing, 2599P
Heat-resistant polymers, 3559C
Helical nylons, 1959C
α helix, 1213P
α-helix, 1327P
Heterogeneous catalysis, 73C
Heterogeneous nucleation, 47P
Heterogeneous polymer reaction, 2517C
Hexafluoroisopropylidene, 1663C
Hexafluoropropylene, 517P
High glass transition temperature, 125C
High pressure, 1229P, 2607P
High pressure mercury lamp, 669C
High resolution electron microscopy, 103P
High solubility toward organic solvent, 561C
High T_g, 1897C
High-modulus, 1269P
High-temperature infrared spectroscopy, 2675P
High-temperature polymers, 125C
Hoffman-Weeks plot, 211P
Hole transport, 317P
Homobifunctional membrane, 141C
Host–guest system, 57C
Hot-melt polycondensation, 869C
HPSEC, 2319C
HRTEM, 103P
Hybrid fluorinated silicones, 3077C
Hybrid homopolymers, 3077C
Hybrid inorganic/organic IPN, 1823C
Hybrid materials, 3289C
Hybrid monomer, 217C
Hybrid oligomer, 217C
Hybrid UV photoinitiator, 2809C
Hydrocarbons, 1925P, 2613P
Hydrodynamic size, 1529C
Hydrogel, 199C, 45C, 2019C
Hydrogels, 1447C, 1753C
Hydrogen, 2613P
Hydrogen atom ejection, 901P
Hydrogen bond, 503C, 2507C
Hydrogen bonding, 57C, 2689C, 3163C, 3407C
Hydrogenation of hexene, 1889C
Hydrogen-bonding complex, 3071C
Hydrolysis, 439C, 1039C
Hydrophilicity, 755C
Hydrophobicity, 755C
Hydrosilylation, 3141C, 3155C, 3625C
Hydrostatic pressure, 425P
Hydroxide inner salt, 801C
Hydroxy carbamates, 621C
ω-hydroxy carboxylic acid, 1819C
Hydroxyl, 2689C, 2711C
Hydroxyl group, 493C
2-hydroxyethyl methacrylate, 175C
Hydroxymethylation, 2543C
Hyperbranched polymer, 1359C
Hyperbranched polyurethanes, 839C
Hypochromic effect, 89C
Hysteresis, 2941P

II–*A* isotherms, 449C
Image analysis, 103P
Image processing, 103P
Imidazole, 2701C
Imidazoles, 261C
Imidization, 861P
Impact improvement, 1907C
Impact strength, 193P
Impedance spectroscopy, 379P, 1277P
Impression test, 2193P
In situ composite, 1769P
in vitro, 1261C
Induced optical activity, 2999C
Induction time, 47P
Infrared dichroic ratio, 2007P
Infrared spectroscopy, 1573C, 781P, 2153P
Inherent viscosity, 885C
Iniferter, 1723C
Initiation, 613C, 1245C
Initiator, 169C, 1945C
Initiator efficiency, 1237C
Injection, 1105P
In-situ composite, 1761P
Interchange process, 335P
Interdiffusion, 2919P
Interface, 1691P
Interface temperature, 471P
Interfacial adhesion, 2169P
Interfacial condensation, 133C
Interfacial polycondensation, 755C
Interfacial shear strength, 1435P
Interfacial tension, 2169P
Interlinking, 2223P
Internal acetylene, 2205C
Interpenetrating polymer network, 883P, 2105P

Interpenetrating polymer networks, 673C, 2349C, 2371C
Interpenetrating polymer networks (IPNs), 1049C
Interpenetrating polymer networks (semi-), 1839P
Interphase, 3183C, 1569P
Intramolecular charge transfer, 325P
Intrinsic viscosity, 25C
Inverse emulsion polymerization, 695C
Inverse gas chromatography, 121P
Inverse problem, 527P, 1147P
Iodine, 2753C
Iodine doping, 845P
Iodine-doped polystyrene, 586P
Iodonium salt, 2809C
Ion aggregate, 2709P
Ion complexation, 939P
Ion content, 2709P
Ion-exchange, 1605C
Ion-exchange resin, 1637P
Ionic, 2481C
Ionic conductive polymers, 3465C
Ionic conductivity, 1331C, 3465C, 1427P, 2127P, 2709P
Ionic diols, 1713C
Ionomer, 2621C, 2709P
Ionomers, 1095C, 3399C, 151P, 1795P
IPN, 781C, 2105P
IPP, 3055P
IR and ESR spectroscopy, 2163C
IR spectroscopy, 651C
IR/analysis, 3407C
Iridium catalyst, 2377C
Irradiation, 669C, 2743C
Irreversible thermodynamics, 683P, 2941P
Isobutene, 367C, 2499C
1-(isobutoxy) ethyl acetate, 1993C
Isobutyl vinyl ether, 1529C
Isobutylene polymerization, 1675C
Isocyanate, 429C
Isodecyl acrylate, 729C
Isomerization, 3091C
Isomerization of hexene, 1889C
Isomerization polymerization, 1853C
Isopropenyl carbamate, 1969C
Isopropylidene, 1663C
Isotactic, 2007P
Isotactic polypropylene, 657P
Isothermal crystallization, 211P, 2317P
Isotropic/nematic transition, 1347P
Itaconic acid monomethyl ester, 1951C

J-integral, η-factor calibration, 1869P

Kaolin, 1761P
Kaolin, 1769P
Kauzmann temperature, 341P
Ketalization, 3319C
Ketene acetals, 3091C, 3103C
Ketomalonate, 3607C
Kinetic, 403C
Kinetic equation, 1175P
Kinetic parameter, 3319C
Kinetics, 237C, 461C, 575C, 1165C, 1675C, 1807C, 2955C, 3379C, 3427C, 2393P
Kinetics of anionic polymerization, 2319C
Kinetics of thermal imidization, 651C
Kojic acid, 271C
Kraton™ rubber, 2675P

Lactide, 2737C
Lamellar structure, 3095P
Laser, 2607P
Laser light scattering, 221P, 1597P
Latent catalysts, 475C
Latex, 3061C, 3173C, 691P
Layered silicate, 1443P
LB films, 449C
LC behavior, 1733C
LC side-group block copolymer, 1733C
Left-handed, 1213P
$LiClO_4$, 1331C
Liesegang rings, 1623C
Light depolarizing microscopy, 2783P
Light scattering, 583P, 181P, 1197P, 1467P, 2747P
Linear copolymer, 1629P
Linear relationship, 997C
Liquid crystal, 57C
Liquid crystal polymer, 503C, 2067P
Liquid crystal polymers, 2603C
Liquid crystal side-chain polymers, 421C
Liquid crystalline, 449C, 771C, 3203C, 3407C, 2375P
Liquid crystalline behavior, 1155C
Liquid crystalline copolyesters, 2019P
Liquid crystalline epoxides, 1291C
Liquid crystalline polymer, 649P, 1347P, 1741P, 2049P
Liquid crystalline polymers, 2433P
Liquid crystallinity, 1105C
Liquid crystals, 925P, 1085P, 2077P
Liquid-crystalline polymer, 1659P
Liquid-liquid demixing, 241P
Liquid/solid biphase polycondensation, 2517C
Liquid–crystalline polymer, 57C
Liquid–liquid demixing, 2569P
Lithiation, 2421C
Living carbocationic, 1675C
Living carbocationic polymerization, 2003C
Living cationic polymerization, 1529C
Living dispersion polymerization, 3277C
Living polymerization, 3585C
"Living" radical polymerization, 1723C
Living radical polymerization, 2937C
L-leucine methyl ester, 1969C
L-lysine, 2173C
L-lysinol, 2173C
$Ln(OCOCCl_3)_3$, 3431C
Load separation analysis, 1869P
Local configurational mechanisms, 2563C
Local motion of molecule, 2145P
Local order, 3055P
Lognormal distribution, 1257P
Long chain alkyl groups, 1155C
Long-chain branching, 671P, 2317P
Longitudinal accoustic mode, 37P
Longitudinal density fluctuations, 2291P
Loss tangent, 731P
Low temperature curing, 651C
Lower critical solution temperature, 1961P, 1977P
L-phenylalanine, 1819C
Lyotropic liquid crystalline behavior, 587C

Macro- and microphase separation of graft copolymers, 1289P
Macrocyclic oligomers, 375C, 2135C
Macroiniferter, 1723C
Macroinitiator, 2737C
Macroinitiators, 3471C
Macromonomer, 2213C, 3183C
Macromonomer and epoxy, 1543C
Macromonomers, 497C
Macroporous polymer beads, 2767C
Macroradical decay reactions, 1741C
Magnetic field, 567C
Magneto/kinetic effects, 567C
Main chain scission, 789C
Main-chain liquid crystal polymers, 33C
Main-chain scission, 2181C
MALDI-TOF, 439C
MALDI-TOF-MS, 2135C
Maleated polyethylene, 2045C
Maleic acid copolymers, 2415C

Maleimide, 2189C
Malonyl, 1327P
Mass spectrometry, 439C
Mass spectroscopy, 113P
Master curves, 261P
Masterbatch, 1769P
Maxwell model, 2209P
Mean-field binary interaction model, 2641P
Mechanical properties, 459P, 963P, 1055P, 1317P, 2675P, 3009P
Mechanical property, 3407C
Mechanical relaxation, 261P
Mechanism, 1165C, 1675C
Mechanism of formation, 1553C
Melamine, 2543C
Melt intercalation, 1443P
Melt mixing, 1283C
Melt polycondensation, 1783C
Melt polymerization, 375C
Melt processing conditions, 3035P
Melt viscosity, 277P
Melting, 657P, 737P, 1181P, 1751P, 2085P
Melting behavior, 211P
Melting point, 1613P, 2139P
Melting temperature, 1105C
Membrane, 1203C, 2153P
Membrane formation, 2569P
Membranes, 2553P
Mercaptoacetic acid, 2719C
Mesogenic unit, 771C
Mesophase, 2465C, 2857C
Mesoporous hexagonal silica, 1823C
Meta- and para-diethyl-*p,p*-oxydiphenylene pyromellitamide, 435P
Metal cation extraction properties, 687C
Metal ions, 721C
Meta-linkage bending unit, 3155C
Metallocene, 2945C
Metastable phase diagrams, 883P
Metathesis, 1353C, 3131C, 3225C
Metathesis polymerization, 2229C, 2925C, 2931C
Methacrylates, 3191C, 3355C
Methacrylic acid, 991C
Methine carbon, 2581C
Method of moments, 505P
Methoxyphenyl, 2719C
Methyl acrylate, 1407C, 1763C
Methyl methacrylate, 811C, 1343C, 1407C, 3313C, 3427C, 3585C, 883P
Methyl methacrylate copolymer, 789C
Methyl methacrylate copolymers, 3369C
Methyl pendant PBZT, 1881P
Methyl tri(ethylene glycol) vinyl ether, 1529C
Methylaluminoxane, 3427C
Methylation analysis, 2975C
2-methyl-1-butene, 2513C
2-methyl-2-butene, 2513C
Methylcyclohexane, 751P
Methylene blue, 2915C
Methylene spacers, 1713C
2-methylene-1,3-dioxolanes, 81C
2-methylene-1,3-oxazolidines, 81C
2-methylene-3-dioxane, 2195C
2-methylene-3-dioxolane, 2195C
2-methylene-5,5-dimethyl-3-dioxane, 2195C
1-methyl-2-fluoropyridinium salt, 1819C
Methylolation, 2543C
Micelles, 575C, 1529C, 2915C, 1197P
Michael addition, 1493C
Micro-Brownian motion, 2145P
Microdestruction, 2743C
Microemulsion copolymerization, 575C
Microemulsion polymerization, 1657C
Microgel, 2729C
Microgels, 1403P, 1415P
Micromechanical transition, 1569P
Micron-size monodisperse polymer particles, 1977C
Micron-size particles, 2651C
Microorganism, 1347C
Microspheres, 1857C
Microspheres-surface properties, 1857C
Microstructural sensitivity, 2387C
Microstructure, 333C, 903C, 3527C, 1953P
Microviscosity, 325P
Microwave, 2087C
Microwave dielectrometry, 2731P
Microwave oven, 701C
Microwave-assisted polycondensation, 701C
Miniemulsion, 1073C
Miscibility, 2841C, 211P, 789P, 1055P, 1079P, 1665P
Miscible blend, 2419P
Miscilibilty window, 3163C
Mixed gas transport, 2613P
Mixtures, 2161P
Model compound of polyamic ethyl ester, 435P
Model discrimination, 2665C
Modeling, 505, 761P, 2409P
Modification, 925C, 1685C, 1703C
Modified polyester, 1455C
Modulated differential scanning calorimetry, 2953P
Moduli, 1647P
Modulus enhancement, 909P
Molecular and macromolecular dynamics, 2533P
Molecular cooperativity, 2881P
Molecular dynamics, 1133P
Molecular mechanics force field, 37P
Molecular mechanism of plastic deformation, 459P
Molecular models, 1547P
Molecular orbital, 449P
Molecular orbital method, 1407C
Molecular orientation behavior, 459P
Molecular recognition, 3071C
Molecular relaxation, 555, 2019P
Molecular structure, 2169P, 2317P
Molecular weight, 2117C, 3631C
Molecular weight control, 1347C
Molecular weight dependence, 751P
Molecular weight distribution, 1165C, 671P, 725P, 1403P, 1415P, 2099P
Molecular weight distributions, 991C
Molecularly doped polymers, 575P
Molybdenum catalyst, 2931C
Monitoring, 403C
Monodisperse polymer particles, 175C
Monodispersed microspheres, 1857C
Monomer addition profile, 949C
Monomer dipole moment, 679C
Monomer multi-addition, 2651C
Monomeric friction, 2899P
Monomeric friction coefficient (ξ), 2007P
Monomer-isomerization, 2513C
Monoradical assumption, 505P
Monotropic, 2077P
Monovinylacetylene, 985C
Monte Carlo, 1127P
Monte Carlo method, 671P, 1403P, 1415P
Monte Carlo simulation, 725P
MOPAC, 1407C
Morphology, 1733C, 2349C, 2371C, 2743C, 3147C, 47P, 707P, 837P, 1621P, 1691P, 1715P, 2169P, 2335P, 2569P, 2843P
MTEMPO, 2937C, 3631C
Multiblock, 737P
Multiblock copolymer, 3625C
Multicomponent polymers, 2481C
Multifunctional polymer, 2407C
Mutual diffusion, 121P
Mutual-diffusion, 2759P

N-acetylated β-chitin, 2367P

NaCl solutions, 1197P
N-acryloyl-N′-phenylpiperazines, 1881C
Nafion®, 1917P, 2383P
N-(alkyl-substituted phenyl)maleimide, 2499C
N-allyl-*N*-phenylacrylamide, 3121C
N-allyl-*N*-phenylmethacrylamide, 3121C
Nanocomposite, 873P, 1917P
Nanofoam, 2867C
Nanostructure, 103P, 2893P
Nano-structured foams, 3063P
Naphthalene, 1493C, 2857C, 2623P
Naphthalene poly(ether sulfone)amides, 1305C
Natural rubber, 1997P
Near infrared, 151P
Near-IR, 2575C
Near-ir spectra, 1669C
Near-zero shrinkage, 1019P
Needlelike crystals, 739C
Negative thermal expansion, 975P
Nematic, 2603C, 1347P, 1659P
Nematic-smectic biphase, 2077P
Neopentyl glycol, 1059C
Network, 2991C, 2409P
Networks, 3399C
Neutron reflection, 2919P
Neutron scattering, 2161P
n-Hydrocarbons and high density polyethylene (HDPE), 901P
N-isopropylacrylamide, 1447C
Nitrile rubber, 2439C
Nitro displacement reaction, 3559C
Nitrogen trifluoride, 193C
NLO, 2189C
N-(methanesulfonyloxy)maleimide, 183C
N-methyl itaconimide, 1407C
NMR, 659C, 971C, 2439C, 3263C, 2209P, 2533P, 2759P
NMR and FTIR methods, 435P
NMR relaxation studies, 3183C
NMR spectra, 1477P
NMR spectroscopy, 131P
N,N-dialkylacrylamide, 2407C
N,N-dimethylacrylamide, 883P
N,N′-bis(glycidylester)pyromellitimide, 1337C
Non-Fickian diffusion, 981P
Non-Gaussian effects, 1647P
Nonisothermal studies, 2783P
Nonlinear optical (NLO) properties, 1049C
Nonlinear optical properties, 643C
Nonlinear optics, 1359C, 2289C, 925P
Nonlinear polymerization, 2099P
Nonmesogenic units, 421C
Norbornadiene, 2311C
N-phenyl phthalazinium triflate, 2621C
N-substituted maleimide, 367C, 2499C
N-(tosyloxy)maleimide, 183C
N-(trifluoromethanesulfonyloxy)maleimide, 183C
n-Type polymer, 997C
Nucleation, 267P
Nucleation, 657P
Nucleation mechanisms, 1657C
Nucleophilic initiator, 375C
Nucleophilic substitution, 109C, 2325C, 2387C
Nucleophilic substitution polycondensation, 561C
Nylon, 781P
Nylon 11 films, 3035P
Nylon 6, 439C, 1283C
Nylon blends, 1769P
Nylon-3, 1959C
Nylon-6, 1761P, 1853P
Nylon-6,6, 2363C
Nylons, 821P
Nystatin, 1229C
N-(4-*N′,N′*-dimethylaminophenyl)maleimide,1245C

O^3P, 2299C
1-octene, 3329C
Olefin, 2679C, 2689C, 2701C
Oligomer, 3263C
Oligomethylene, 2139P
One-step polyimide synthesis, 587C
One-step process, 2889C
o-Phthalic anhydride, 1059C
Optical, 151P
Optical microscopy, 1281P, 3095P
Optical storage, 1461P
Optical textures, 2077P
Optical-limiting property, 2607P
Optically active polyamides, 1959C
Optically active polyurethane, 2173C
Optically active poly(γ-ketosulfide)s, 2999C
Ordered network, 1291C
Order–disorder transition, 163P
Organic-inorganic, 2737C
Organic-inorganic nanocomposites, 2533P
Organics, 1907P
Organophosphorous polymers, 621C
Orientation, 2007P, 2019P, 2035P, 2393P, 2701P
Oriented noncrystalline phase, 2035P
Oriented polymers, 2979P
ORMOSIL, 1917P
Orthopedic prosthetics, 1063P
Oscillatory shear, 2317P
Outside heavy atom effect, 1583P
Overtones, 1669C
Oxazolines, 2679C, 2689C, 2701C, 2711C, 2719C
Oxepan-2,7-dione, 1395C
Oxidation, 3607, 507C, 3263C, 3595C, 611P
Oxidation catalysts, 305C
Oxidized dextran, 1229C
Ozonolysin, 3591C
Ozonolysis, 3573C

PA11, 2351P
PA-FTIR, 1243P
PAL spectroscopy, 357P
Palladium chloride, 2675P
Palladium-catalyzed polycondensation, 1621C
PAmXD,6, 1039C
Para, 2205C
Para-carborane, 2521C
χ parameter, 2599P
Parameter estimation, 2473C
Partial hydrogenation, 1483C
Particle formation, 2651C
Particle nucleation, 1747C
Particles, 3061C
Partition coefficient, 2105P
Passivation, 2127P
Patterns of reactivity schemes, 3495C
p-bromostyrene, 2937C
PBT, 2953P
PBZT, 1881P
PC, 789P, 2953P
PCL, 1095C
PDMS, 869C, 1907C
PE, 3055P
PEEK, 699P, 707P, 717P, 1795P
PEG, 163C
PEK, 699P
Pendant, 2679C, 2689C, 2701C, 2711C, 2719C
Pendant chlorohydrin moiety, 755C
Pendant drop method, 2169P
Pendant mesogens, 839C
Penetrant-induced isothermal glass transition, 2027P
1,3-pentadiene, 1815C
1-pentene, 903C
PEO, 2715P
PEP, 3055P
Percolation, 2409P
Perfluorosulfonate ionomer, 873P
Permanganic etching, 837P
Permeability, 769P, 1741P, 2805P
Permeation, 2153P, 2689P
Permittivity, 731P
Peroxide crosslinking, 1063P

Peroxide cure, 1997P
Peroxide group, 1589C
Peroxide monomer, 2507C
Peroxysilane, 893C
Persistence length, 565P
PET fibers, 1243P
Phase distribution of compatibilizers, 1289P
Phase equilibria, 751P, 1961P, 1977P
Phase interaction, 193P
Phase inversion, 2591P
Phase separated morphology, 2867C
Phase separation, 1733C, 2095C, 349P, 1197P
Phase separation morphology, 3017P
Phase Transition, 1127P
Phase transition, 1489P, 1597P, 2067P
PHB, 2543P
Phenol-formaldehyde polymers, 397C
Phenolic, 1019P
Phenolic oligomer, 687C
Phenothiazine, 3015C
Phenoxo-anion, 1317C
Phenoxy, 1055P
Phenoxy radical, 507C
Phenyl isopropenyl ketone copolymer, 789C
Phenylacetylene, 2607P
Phenylacetylene derivative, 2229C
1-phenylethyl ester, 63C
1-phenylethyl ether, 63C
1-phenyl-2,6-naphthalenedicarboxylic acid, 1105C
Phosphatidylcholine analogues, 449C, 1155C
Phosphine oxide, 1561C
Phospholipid analogous acrylamide monomers, 1155C
Phospholipid polymer, 199C
Phosphonic acid diesters, 621C
Phosphoranimines, 277C
Phosphorescence quenching, 2999P
Phosphorus pentasulfide, 1553C
Phosphorylation reaction, 1219C
Photoacid generating polymer, 183C
Photoacoustic, 861P
Photochemistry, 3141C
Photoconductivity, 1359C
Photocurable resin, 325P
Photodifferential scanning calorimeter, 3191C
Photoinduced birefringence, 1461P
Photoinduced cationic polymerization, 2809C
Photoinduced radical polymerization, 2809C
Photoinitiated cationic polymerization, 217C, 2051C
Photoinitiated radical polymerization, 217C
Photoinitiation, 1941C, 3015C, 3289C
Photoinitiator, 3313C
Photoinitiators, 633C, 3361C
Photon correlation spectroscopy, 2291P, 2759P
Photopolyaddition, 669C
Photopolymer plates, 633C
Photopolymerization, 403C, 633C, 1015C, 1753C, 1771C, 1881C, 1941C, 3103C, 3191C, 3289C, 3355C, 3427C
Photoreactive polymer, 109C
Photorefraction, 1359C
Photoresist, 2181C
Photosensitivity, 109C
Photothermal, 861P
Photovoltage, 2123C
Phthalazines, 1923C
Phthalazinone, 2135C
Phthalic anhydride, 1553C
Phthalide, 1553C
Physical aging, 229P, 1423P, 2701P
Physical gel, 2739P
PIB, 3055P
Piezoelectricity, 2967P
Pigment dispersion, 1733P
Pilot plant experiments, 811C
pK_a values, 2415C
Plasma, 1385C
Plasma, 2299C
Plasma desorption mass spectra, 2791C
Plasma polymerization, 193C, 207C, 1203C
Plasma polymers, 1843C
Plasma-induced graft polymerization, 141C
Plastic deformation, 2193P
Plastic instability, 1113P
Plastic zone, 2193P
Plasticization, 1181P, 1529P, 2351P, 2635P, 2723P
Plasticization of polymers, 1903P
Plasticizer, 2105P, 2967P
Plasticizers, 535P
Platelet model, 3063P
Platinum, 3607C
Platinum catalysts, 1889C
Platinum complexes, 3141C
PMAA, 163C, 2253C
PMMA, 567C, 781C, 2087C, 789P, 2591P
PMMA macromonomers, 3173C
PMPS, 869C, 1907C
PMVL, 1095C
Poisson's ratio, 1591P
Polarity alteration, 2181C
Poly aryl ether ether ketone (PEEK), 717P
Poly(1,3-phenyl ocatnoate), 2851C
Poly(1,6-heptadiyne)s, 2333C
Poly(2,6-dimethylphenylene oxide), 3213C
Polyacene-based structure, 3225C
Polyacetals, 81C
Polyacetylenes, 3399C
Polyacrylamide, 2259C, 1175P
Polyacrylamides, 449C
Polyacrylic acid, 141C
Polyacrylonitrile, 863C, 1181P
Polyaddition, 429C, 1597C, 2173C
Polyamic acid, 651C, 861P
Polyamide, 117C, 1209C, 1501C, 1561C, 3407C
Polyamide-4.6, 335P
Poly(amide-ester), 2857C
Poly(amide-imide)s, 747C
Polyamides, 341C, 1421C, 1685C, 1703C, 2363C, 3539C, 1795P
Poly(amide–imide) "one-pot" synthesis, 1219C
Poly(amide–imide) structural regularity, 1219C
Polyampholytes, 2747P
Polyanhydride, 1395C
Poly(anhydride-imides), 1261C
Polyanhydrides, 1261C
Polyanion, 3485C
Poly(aryl ether ether ketone), 75P
Poly(aryl ether ketone), 375C
Poly(aryl ether ketone)s, 1897C
Poly(aryl ether ketones), 3095P
Poly(aryl ether phthalazine)s, 1897C
Poly(aryl ether phthalazinium), 2621C
Poly(aryl ether)s, 1923C
Poly(aryl prehnitimide)s, 731P
Poly(aryl pyromellitic imide-ether)s, 3559C
Poly(arylene sulfide)s, 2117C
Polyazomethines, 2603C
Poly(benzobisthiazoles), 481C
Polybenzoxazine, 1019P
Polybiscitraconimide, 25C
Polybiuret, 429C
Polybutadiene, 1183C, 1669C
1,2-polybutadiene, 909P
Polybutadiene/polytetrahydrofuran, 297P
Polybutadienyllithium thermolysis, 13C
Polybutenes, 1651C
Poly(butylene terephthalate), 1189C, 211P
Poly(butylene terephthalate) (PBT), 1337C
Polycarbonate, 1283C, 2103C, 3303C, 173P, 211P, 2419P, 2863P, 2979P

Polycarbonate (PC), 781C
Polycarbosilane, 3155C
Polycarboxylic acids, 1573C
Polycation complexes, 3485C
Polychelates, 3551C
Polycomplex (PMAA.Pyr—PEG), 2253C
Polycondensation, 1561C, 1819C, 2037C
Poly(diarylsilmethylene)s, 1317P
Poly(dimethyldiallylammonium chloride), 497P
Polydimethylsiloxane, 2613C, 3313C, 3625C
Poly(dimethylsiloxane), 1647P, 1679P
Poly(dimethylsiloxane-*co*-diphenylsiloxane), 1679P
Poly(diphenylacetylene), 2925C
Polyelectrolyte, 349C, 597C, 2415C, 1467P
Polyelectrolyte complex, 1251C
CPolyelectrolyte gel, 2893P
Polyelectrolyte gels, 1127P
Polyelectrolytes, 481C, 2747P
Polyester, 885C, 1543C, 1461P, 2419P, 2623P
Polyesterazomethines, 3565C
Polyesters, 603C, 1059C, 2603C, 277P, 1733P, 2077P
Poly(ester-urethane), 1819C
Polyether, 3607C
Poly(ether ether ketone), 109C
Polyether polyurethane, 2371C
Poly(ether sulfone)amides, 1305C
Poly(ether-ester), 737P
Polyetherimide-modified epoxies, 349P
Polyetherketone, 2521C
Polyethers, 2603C
Poly(ethersulfone), 2421C
Poly(ethyl acrylate), 2657P
Polyethylacrylate, 673C
Polyethylene, 449P, 517P, 1203C, 2743C, 37P, 641P, 1113P, 1301P, 1809P, 1893P, 2139P, 2145P, 2231P
Poly(ethylene 2,6-naphthalate), 2841C
Polyethylene glycol, 3465C
Poly(ethylene naphthalate), 761P, 769P
Poly(ethylene oxide), 425P, 583P
Polyethylene oxide, 1933C
Poly(ethylene oxide), 309P
Poly(ethylene oxide-dimethyl siloxane) copolymers, 3465C
Poly(ethylene terephthalate), 1189C, 1511C, 2841C, 725P, 761P, 769P, 963P, 2035P, 2307P, 2941P
Poly(ethylene terephthalate) (PET), 1337C
Poly(ethylene-*co*-vinyl acetate), 1665P
Poly(ethyleneoxide), 2533P
Polyethylenes, 1229P
Poly(gamma-glutamic acid), 2019C
Polyglycine, 1327P
Poly(hexamethylene terephthalate), 83P
Poly(hydroxy ether sulfonamides), 2967C
Poly(hydroxyalkanoate)s, 1777P
Polyimide, 565P, 117C, 587C, 2205C, 2867C, 861P, 1579P, 2239P
Poly(imide-amide)s, 133C
Poly(imide-ester), 2455C, 2465C
Polyimides, 125C, 357C, 413C
Polyisobutylene, 971C
Polyisobutylene titanium tetrachloride, 2003C
Polyisoprene, 2675P
3,4-polyisoprene, 909P
Polyisoprenyllithium thermolysis, 13C
Poly(isothianaphthene), 1553C
Polyketomalonate, 3607
Poly(lactic acid), 2701P
Polylactide, 2569P
Polylactides, 497C, 2553P
Poly(maleic anhydride), 1195C
Polymer, 349C, 2575C, 3061C
Polymer anchored catalysts, 1889C
Polymer blend, 503C, 1605P, 2105P, 2127P
Polymer blends, 2841C, 3163C, 893P, 1715P, 2433P, 2641P
Polymer characterization, 2311C
Polymer conjugates, 1229C
Polymer crystallinity, 2521C
Polymer degradation, 1311C, 2259C
Polymer diluents, 535P
Polymer dynamics, 2291P
Polymer electrolyte, 3465C, 1427P, 2709P
Polymer electrolytes, 2127P
Polymer films, 113P
Polymer foams, 1623C
Polymer fractionation, 2909C
Polymer free volume, 357P
Polymer interface, 2169P
Polymer interfaces, 2919P
Polymer latex, 2775P
Polymer liquid crystals, 1325C
Polymer matrix, 2729C
Polymer melts, 1893P, 3055P
Polymer modification, 505P, 2099P
Polymer modification reaction, 301C
Polymer molecular weight, 947P
Polymer monolayers, 3025P
Polymer multilayered films, 3009P
Polymer networks, 1025C
Polymer particles, 575C
Polymer solution, 1961P, 2999P
Polymer solutions, 925P
Polymer structure, 1165C
Polymer support, 2237C
Polymer supported catalyst, 1693C
Polymer synthesis, 2595C
Polymer whisker, 739C
Polymer yield, 1951C
Polymeric fibers, 1159P
Polymeric foams, 1155P
Polymeric materials/hybrids, 3073P
Polymeric metalloporphyrins, 305C
Polymeric peroxide, 1589C
Polymeric phase transfer catalyst, 2407C
Polymeric photoinitiator, 679C
Polymeric systems, 93P
Polymeric thin film, 1591P
Polymerizability, 963C
Polymerizable sensitizers, 1881C
Polymerization, 3607C, 567C, 695C, 801C, 1073C, 1245C, 1353C, 1447C, 2311C, 2767C
Polymerization kinetic, 729C
Polymerization kinetics, 1657C, 2473C, 3519C
Polymerization mechanism, 2149C, 2311C
1,2-polymerization of cyclic ketene acetals, 73C, 169C
Polymerization of styrene, 3519C
Polymer-penetrant systems, 981P
Polymer-polymer reactions, 2999P
Polymer–chelate, 1003C
Polymethacrylate, 2349C, 1839P
Polymethacrylate derivatives, 421C
Poly(methacrylic acid), 3531C
Poly(methyl methacrylate), 2613C, 2635P
Poly(methyl methacrylate)-*g*-poly(ethylene glycol) (PMMA-*g*-PEG), 1427P
Poly(methylacrylate), 1203C
Poly(methylene sulfide), 1083C
Polymethylmethacrylate, 3221C
Polymethylmethacrylate (PMMA), 2007P
Polymethylphenylsilane, 679C
Poly(methylphenyl)silane, 763C, 3047C
Poly(monoitaconates), 261P
Polymorphism, 83P
Poly(*N*-acylethylenimines), 2679C, 2689C, 2701C, 2711C, 2719C
Poly(*N*-acyliminoethylene), 3071C

Poly(*n*-alkyl methacrylates), 2881P
Poly(*N*-aroylethylenimines), 2711C, 2719C
Poly(*n*-hexyl methacrylate), 2291P
Poly(*n*-hexylmethacrylate), 1391P
Poly(*N*-isopropylacrylamide), 2213C, 2259C, 1597P
Poly(*N,N*-dicarboxymethyl)allylamine, 1003C
Poly(*N,N*-diethylacrylamide-co-glycol methacrylate), 2595C
Poly(*N*-vinylcarbazole), 631P, 845P
Poly-*N*-vinylimidazole, 611P
Poly(*N*-1-adamantylmaleimide), 3345C
Poly(*N*-1-diamantaylmaleimide), 3345C
Poly(octadecyl acrylate), 1665P
Polyol, 3263C
Polyolefin and blend, 1543C
Poly(oxy-1,4-benzenediylcarbonyl), 739C
Polyoxymethylene, 1055P
Poly(*p*-bromostyrene), 3297C
Polyphenyl ester thin-film-composite membranes, 2201P
Polyphenylacetylene, 2377C
Poly(phenylene sulfide)s, 2117C
Polyphenylsilsesquioxane, 1079P
Polyphosphazenes, 277C
Poly(p-phenylene benzobis thiazole), 1881P
Poly(*p*-phenylene sulfide), 623P
Poly(p-phenylene vinylene), 1133P
Poly(*p*-phenylenebenzobisthiazole), 3539C
Polypropylene, 1195C, 3625C, 1869P, 2085P, 2193P, 2433P
α-polypropylene, 657P
β-polypropylene, 657P
Poly(pyromellitimide)s, 357C
Polypyrrole, 837P
Polypyrrole film, 1269P, 1747P
Polypyrrolone film, 1567C
Polyradical, 505P, 2099P
Polyretropeptide, 1327P
Polysilane, 1623C, 2753C, 2991C, 1583P
Polysilanes, 2335P
Polysilastyrene, 1623C
Polysiloxane, 2059P
Poly(sodiumphosphate), 1251C
Poly(styrene), 1823C
Polystyrene, 2633C, 3573C, 3631C, 121P, 283P
Poly(styrene), 309P
Polystyrene, 341P, 751P, 1079P, 1155P, 1189P, 1839P, 2145P, 2641P, 2723P, 2759P
Polystyrene microspheres, 1857C, 2213C
Poly(styrene-*b*-ethylene oxide), 309P
Poly(styrene-block-polybutadiene), 2633C
Polystyrene-block-polybutadiene stabilizer, 2651C
Poly(styrene-*co*-butadiene), 3573C
Poly(styrene-co-4-vinylphenylmethylphenylsilanol),3163C
Polystyrene/polyamide-6 blends compatibilized by poly(styrene-*graft*-ethylene oxide), 1289P
Poly(styrene)s, 317P
Polystyrene–dioctyl phthalate, 181P
Poly/styryllithium thermolysis, 13C
Polysulfone, 1385C, 2805P, 2853P
Poly(*t*-butylstyrene-*b*-styrene), 3277C
Poly(terephthalic anhydride), 2843P
Poly(tetrafluoroethylene), 517P
Poly(tetramethylene carbonate), 2399C
Poly(tetramethylene isophthalate), 737P
Poly(tribromo styrene), 2775P
Polyurethane, 401P, 643C, 721C, 1723C, 2349C, 883P
Polyurethane acrylate, 401P
Polyurethane acrylates, 2095C, 1031P
Polyurethane anionomers, 1713C
Polyurethane block copolymers, 1529P
Polyurethane coatings, 1455C
Polyurethane elastomers, 771C
Poly(urethane urea), 2157C
Polyurethanes, 621C, 1031P
Poly(vinyl acetal), 1613C
Poly(vinyl acetate), 2581C
Poly(vinyl alcohol), 2581C, 3319C, 3417C, 939P, 1339P
Poly(vinyl alcohol) emulsifier, 849C
Poly(vinyl alcohol), grafting onto, 849C
Poly(vinyl chloride), 2387C, 2563C, 103P
Poly(vinyl ester), 1613C
Poly(vinyl fluoride), 517P
Poly(vinylacetylene), 985C
Poly(vinylamine), 301C
Polyvinylchloride, 1311C
Poly(vinylidene fluoride), 1605P
Poly(vinylidene fluoride-trifluoroethylene), 1605P
Poly(vinylmethylether), 2723P
Poly(vinylphenol), 503C
Polyvinylpyrrolidone, 1181P
Poly(1-phenyl-1-propyne), 1925P, 2209P, 2613P
Poly(1-trimethylsilyl-1-propyne), 1925P, 2209P, 2613P
Poly(2-hydroxy-4-methacryloyloxybenzaldehyde), 3551C
Poly(4-chlorostyrene), 1789P
Poly(4-methyl-1-pentene), 1861P
Poly-4-oxybenzoate, 1935P
Poly(4-vinylpyridine), 2341C
Poly(4-vinylpyridiniumchloride, 1251C
Poly(α-isobutyl-β-L-aspartate), 1959C
Poly(β-amide)s, 1959C
Poly(β-aspartate)s, 1959C
Poly(β-benzyl-L-aspartate), 1213P
Poly(γ-benzyl-L-glutamate), 57P, 649P
Poly(γ-glutamic acid), 1347C
Poly[(*p*-xylylene carbonate)-co-(*p*-xylylene oxide)], 1609C
Poly[1-(trimethyl-silyl)propine] (PTMSP), 357P
Poly[2-(4-vinylphenoxy)-2,4,4,6,6-penta(methoxyethoxyethoxy-ethoxy)cyclotriphosphazene], 1331C
Ponceau 4R, 3485C
Poole–Frenkel effect, 623P
Porous materials, 1823C
Positron annihilation, 1189P, 1659P, 1903P, 2145P, 2767P, 2979P
Positron annihilation spectroscopy, 1423P
Positron lifetime, 2767P
Positronium lifetime distribution, 193P
Potassium carbonate, 1609C
Potassium persulfate, 1271C
Potentiometric titration, 2415C
Potentiometry, 597C
Power cable, 1621P
PP/EPDM blend, 193P
PP-g-MA, 1195C
PPO, 2715P
Precursor, 1003C
Pre-irradiation grafting, 1873C
Pressure, 545P
Pressure dependence, 751P
Pressure-controlled scanning calorimetry, 1229P
Pressure-sensitive adhesive, 545P
Primary radical termination, 1945C
PRISM, 3055P
Probe flexibility effects, 2987P
Probe shape effects, 2987P
Processable polyimides, 357C

Propagating polymerization fronts, 991C
Propagation rate constant, 291C, 95C, 2319C, 2473C
Propargyl derivatives, 1853C
1-propenyl ether monomers, 2051C
1-propenyl ethers, 1015C
Properties, 1501C, 2285C
Propylene, 193C
Protein adsorption, 199C
Proteinoid, 2915C
Proton NMR, 1893P
Proton trap, 1675C
PS, 2087C, 1443P, 3055P
Pseudo IPN, 673C
PSLG, 3025P
PTAd, 1095C
(*p-tert*-butyl-*o,o*-dimethylphenyl)acetylene, 2229C
PTFE, 517P, 2767P
PTFE fiber/PP composites, 47P, 1435P
PTMSP aging, 357P
PUA, 2889C
Pulsed-laser polymerization, 2473C
PVA, 925C
PVC, 241P, 1257P
PVC/poly(MMA-co-DVB) system, 2285C
PVF, 517P
PVF_2, 2967P
p-vinylbenzyl glycidyl ether, 1951C
P-xylylene dibromide, 1609C
Pyrene excimer formation, 1723P
Pyridine, 885C
Pyridines, 261C
Pyroelectricity, 2967P
Pyrolysis, 1567C, 2045C, 3131C, 1317P

Q-e, 3495C
Quadratic electrostriction, 683P
Quantum chemistry, 2139P
Quantum yield, 789C
Quasielastic neutron scattering, 649P
Quaternary ammonium group, 2517C
Quaternization, 2621C
Quiescent, 2317P
Quiescent melt, 657P
Quinazolines, 1923C

Radiation, 971C
Radiation, 2087C, 2439C
Radiation polymerization, 1087C
Radical, 2481C
Radical carbon-oxygen-coupled polymerization, 507C
Radical copolymerization, 367C, 449C
Radical cyclopolymerization, 3121C
Radical desorption, 309C, 1747C
Radical polymerization, 227C, 271C, 95C, 613C, 893C, 1853C, 1945C, 1951C, 1969C, 2499C, 3345C, 3585C
Radical ring-opening polymerization, 2029C
Radical trapping, 1589C
Radical-pair formation, 901P
Radicals, 2439C
Radiochemical grafting, 1793C
Radiodegradation, 3221C
Radius of gyration, 583P, 671P
Raman spectroscopy, 403C
Random copolymer, 2599P
Random copolymerization, 1799C
Random phase approximation, 1489P
Rapid polyimide synthesis, 701C
Rare earth, 151P
Rare earth coordination catalyst, 1799C, 3519C
Rare earth metal catalyst, 3431C
Rate constants, 679C, 3313C
Rayleigh-Brillouin spectroscopy, 1391P
Reaction kinetics, 2999P
Reaction mechanisms and kinetics, 261C
Reaction time, 2543C
Reactions, 781C
Reactive oligomers, 587C
Reactive polyester, 755C
Reactive polymer, 2173C, 3369C
Reactive polymers, 379P
Reactive processing, 505P, 1189C
Reactive systems, 1277P
Reactivity, 2507C
Reactivity ratio, 2195C
Reactivity ratios, 237C, 333C, 421C, 833C, 1343C
Rearrangement, 3527C
Recrystallization in LPE, 485P
Recycling, 2409P
Reduction potential, 997C
Regular arrangement, 2729C
Reinforcement, 1647P
Rejuvenation, 3221C
Relative transport number between two anions, 1475C
Relaxation, 517P, 341P, 2007P, 2145P
Relaxation activation energy, 555P
Relaxation behavior, 2367P
Relaxation intensity, 555P
Relaxation processes, 93P
Relaxation time, 3355C
Relaxations, 2351P
Renormalization group, 419P
Repeat unit, 2247P
Reptation, 947P, 2161P, 2919P
Repulsion, 1213P
Residual monomer, 2105P
Reverse osmosis (RO) characteristics, 2201P
Reverse saturable absorption, 2607P
Reversible chain transfer, 1183C
Reversible crosslinking polymer disassembly, 249C
Reversible gelation, 57P
Rheological properties, 379P
Rheology, 2135C, 2375P, 2433P
Rheo-optical FTIR spectroscopy, 459P
Rhodium catalyst, 2377C
Rhodium catalysts, 1443C
Rigid amorphous phase, 2863P
Rigid polymer, 57P
Rigid polymers, 1581C
Rigid probes, 2853P
Rigid rod polymers, 481C
Rigid-rod molecular composites, 3539C
Rigid-rod polyimides, 357C
Ring-opening polymerization, 497C, 1395C, 2135C, 2399C
Rodlike, 925P
Rotation, 2853P
Rotational degrees of freedom, 2247P
Rotational dynamics, 649P
Rotational isomeric state (RIS) theory, 1647P
Rouse diffusion, 163P
Rouse modes, 2161P
RPA, 1629P, 2161P
Rubber, 1771C, 2409P
Rubber elasticity theory, 1031P
Rubber-modified polymers, 1869P
Rubbery polymer, 2987P
Rubbery polymers, 947P
Ruthenium, 1443C
Ruthenium complex, 3585C

Sacrificed solvent, 3591C
Sacrificial, 3573C
SALS, 3095P
Salt-free solutions, 497P
SANS, 335P, 2739P
SAXS, 1917P, 3095P
SAXS and SALS, 1489P
SBS, 1483C
Scaling, 1127P, 1715P
Scanning electron microscopy, 2349C
Scanning electron microscopy (SEM), 1049C
SCB analysis, 527P
Second harmonic generation (SHG), 1049C
Seeded polymerization, 2729C, 1415P

Segmental diffusion, 2999P
Segmental dynamics, 1741C
Segmental motion, 121P
Segmented liquid crystal polymers, 33C
Selectivity, 687C
Self-assembly, 57C, 2893P
Self-avoiding random walk, 419P
Self-consistent harmonic approximation, 975P
Self-diffusion, 121P, 2759P
Semicrystalline, 517P, 1339P
Semicrystalline polymer, 1861P
Semicrystalline polymers, 471P, 1777P, 2863P, 3063P
Semiempirical, 449P
Sequence distribution, 2157C, 1723P
Sequence-ordered methacrylic acid copolymers, 2341C
Shear deformation zone, 1141P
Shear friction, 1579P
Sheared melt, 657P
Short range structure, 3055P
Shrinkage, 1243P
Si-C ceramics, 1317P
^{29}Si-NMR, 763C, 3047C
Side chains, 449C
Side group liquid crystalline polymer, 1093P
Side-chain crystallinity, 1613P
Side-chain crystallization, 2447P
Side-chain liquid crystalline polymer, 2059P
Side-chain liquid crystalline polymers, 1465C
Side-chain polyacrylate, 1085P
Sierpinski gasket, 419P
Silica, 2163C, 2767P, 3073P
Silica gel nanotubes, 1823C
Silica/titania core-shell, 873P
Silicon atom, 3077C
Silicon oxide, 2383P
Silicon-containing polymers, 3369C
Silicone rubber membrane, 141C
Siloxane-DGEBA, 1907C
Siloxane-modified sulfone-containing epoxy resin, 869C
Siloxanes, 3073P
Silyl enol ether, 3369C
Silylated monomers, 603C
Silylated monomers aromatic polyethers, 2037C
SIN, 2105P
Single crystals, 2843P
Single-component resist, 183P
Single-fiber pull-out test, 1435P
Sintering, 691P
Site-site interactions, 2325C
Size distribution, 2775C, 3061C
Size exclusion chromatography, 1195C
Slow crack growth, 1809P
Small angle x-ray scattering investigations, 2657P
Small molecule diffusion, 2987P
Small-angle neutron scattering, 57P, 1637P, 2307P
Small-angle scattering, 3063P
Small-angle x-ray scattering, 821P, 2775P
Small-angle X-ray scattering, 2953P
Smectic, 1659P
Smectic mesophase, 2455C
Soap-emulsified systems, 1271C
Sodium acrylate, 695C
Sodium bentonite, 1443P
Sodium di-2-ethylhexyl phosphate, 729C
Sodium ethoxide, 2991C
Sodium iodide, 3213C
Solent polarity, 325P
Sol-gel, 2533P, 3073P
Sol-gel processing, 131P
Sol-gel reaction, 873P
Sol-gel transition, 939P
Solid state, 1281P
Solid state NMR, 1777P, 2447P
Solid surface spacing, 93P
Solidification, 471P
Solubility, 429C, 1703C, 3155C, 3389C, 3565C, 769P, 1907P, 2805P
Soluble aromatic polyesters, 1581C
Soluble polyamides, 1663C
Soluble polymers, 3389C
Solution and interfacial polycondensation, 659C
Solution polycondensation, 885C
Solution polymerization, 3191C
Solution thermodynamics, 2759P
Solution-gel, 2579P
Solvent, 173P, 2105P
Solvent effect, 789C, 1807C
Solvent exchange reaction, 131P
Solvent influence, 2387C
Solvent quality, 181P
Sol–gel matrices, 3289C
Sol–gel reaction, 1917P, 2383P
Sorption, 1925P, 2027P, 2723P
Sorption isotherm, 1853P
Sorption models, 1925P
Spatially heterogenous dynamics, 2853P
Specific viscosity, 3485C
Spectral studies, 3551C, 3559C
Spectroscopies, 2955C
Spectroscopy, 2335P
Spherulite, 3095P
Spherulite growth rates, 2783P
Spherulites, 471P, 267P
Spin label, 1093P
Spin probe, 1093P
Spin relaxation, 1093P
Spinodal decomposition, 1715P
Spin-spin relaxation, 1777P
$\alpha\beta$ splitting, 2881P
Splitting between α- and β-relaxation, 1391P
SPP, 3055P
Spunbonded fabrics, 2085P
Stability, 853P
Stabilizer, 175C
Stabilizing moiety, 3277C
Stacked bilayer structure, 1155C
Star polymer, 1183C
Star-branched polymers, 2003C
Starch, 2579P
States of water, 1873C
Static gradient NMR, 121P
Static scattering, 1629P
Stationary-state hypothesis, 505P
Step-polymerization, 1165C
Stereolithography, 3355C
Stereoregularity, 3625C
Stereoselective polymerization, 1959C
Stereoselective substitution, 2563C
Stereospecific mechanisms, 2387C
Steric effect, 291C
Steric hindrance, 89C
Steric stabilizer, 2633C, 3277C
Strain hardening, 1113P, 1141P, 2193P
Strain hardening exponent, 2193P
Strain localization, 1141P
Strain measurement, 683P
Strain rate, 699P, 2193P
Strain rate sensitivity, 1113P
Strength, 2193P, 2223P, 2231P
Stress, 2393P
Stress relaxation, 1257P, 2307P
Stress-enhanced effects, 75P
Structural analysis, 1059C
Structure, 853P, 2201P, 2247P
Structure-morphology-performance relationships, 2201P
Styrene, 237C, 461C, 1483C, 1873C, 1977C, 2189C, 2473C
Styrene copolymer, 789C, 3369C
Styrene derivatives, 271C
Styrene plasma, 113P
Styrene polymerization, 1415C, 2237C
Styrene-maleic anhydride copolymer, 1605C
Styrene-1-butene block copolymer, 2909C
Styrenic monomers, 1517C
Substituted acetylene, 2931C
α-substituted acrylic ester, 95C
2-substituted A-methylene-1,3-dioxolane, 2149C
β-substituted bispropiolates, 1597C
Substituted hydrazines, 2325C

Substituted polyacetylene, 2229C, 2925C, 2931C
Substituted quinone methide, 963C
Substituted styrenes, 1343C
Sulfadiazine, 1933C
Sulfamino acid moiety, 493C
Sulfination, 2421C
Sulfonated poly(benzobisthiazoles), 481C
Sulfonation, 1795P
Sulfonic acid, 2421C
Sulfonyl chlorides, 3585C
Sulfonyl dibenzoyl chloride, 885C
Sulfozwitterion end groups, 249P
Sulfur cure, 1997P
Superacid, 2521C
Supermolecular structure, 657P
Supported reagent, 3573C
Support-reagent telechelic oligomer, 3591C
Supramolecule, 57C
Surface crystallinity, 2775C
Surface dynamics, 1843C
Surface modification, 199C, 141C, 1589C
Surface morphology, 1953P
Surface properties, 2689C, 2701C, 2711C, 2719C
Surface tension, 207C
Surface topology, 2239P
Surface treatment, 1511C
Surfactant, 2893P
Surfactant effects, 1597P
Suspension polymerization, 45C, 1605C
Swelling, 1251C, 755C, 2019C, 3147C
Swelling kinetics, 1637P
Swollen supported films, 1555P
Syndioselective polymerization, 2945C
Syndiotactic, 2007P
Syndiotactic polymerization, 2237C
Synthesis, 33C, 721C, 1283C, 1501C, 1685C, 1703C, 1793C, 2019C, 2799C, 2851C, 249P, 631P

T_g, 1031P
T_2 relaxation, 1893P
Tack, 545P
Tacticity, 291C
Tantalum catalyst, 2925C
Tapping mode AFM, 173P
Tear strength, 2231P
Telechelic networks, 277P
Telechelic oligomer, 3573C
Telechelic prepolymers, 2791C
Telechelic PVA, 3417C
Telechelics, 3625C
Temperature dependence, 425P, 1547P
Temperature-modulated calorimetry (TMC), 2941P
Temperature-modulated differential scanning calorimetry (TMDSC), 2941P
Temperature-sensitive, 3147C
Template polymerization, 3071C
Tensile necking, 1113P
Tensile properties, 1025C, 1663C
Tension test, 2193P
Termination rate constant, 291C, 95C
Ternary and quaternary models, 1715P
Ternary phase diagrams, 2553P
Ternary polymer blends, 781C
Ternary solutions, 181P
Terpolymerization, 935C
Terpolymerization kinetics, 811C
Terpolymers, 2481C
Terraces, 3081P
2-(*tert*-butyldimethylsiloxy)butadiene, 3369C
Tertiary amine group, 2517C
Tertiary butyllithium, 985C
Tetrafluoroethylene-perfluoroalkylvinylether copolymers, 1751P
Tetrahydrofuran, 2633C
1,2,3,4-tetramethyl-1,2,3,4-tetraphenylcyclotetrasilane, 2243C
Tetraol, 3263C
Tetraorganylborates, 2817C
2,5,9,11-tetraoxo-3,6,8,12-tetrazatridecane, 1327P
1,1,2,2-tetraphenylethane-1,2-diol, 1723C
Tetrapolymers, 2481C
Tetrazole, 597C
TGA, 1713C
TGA/FTIR, 2259C
TG-DTA, 1317P
Theory, 545P
Thermal analysis, 1613P
Thermal behavior, 125C, 1305C
Thermal decomposition, 1415C, 2851C
Thermal diffusion, 283P, 297P
Thermal expansion, 1229P
Thermal field-flow fractionation, 283P, 297P
Thermal induced phase separation, 1623C
Thermal latency, 475C
Thermal latent catalyst, 3621C
Thermal properties, 117C, 133C, 1325C, 1561C, 2117C
Thermal sampling, 1853P
Thermal stability, 367C, 387C, 1663C, 1703C, 1907C, 2189C, 2229C, 2499C, 2799C, 2857C, 2925C, 2931C, 3155C, 3337C, 3389C, 3551C, 3559C
Thermally curable, 2205C
Thermally stable polymers, 481C
Thermally stimulated currents, 2067P
Thermally stimulated depolarization currents, 1853P
Thermalstability, 3565C
Thermochemistry, 1923C
Thermogravimetric analyses, 2399C
Thermo-optical study, 657P
Thermoplastic blend, 2419P
Thermoplastic elastomers, 2221C
Thermoplastic-modified epoxies, 349P
Thermoplastics, 2967C
Thermoreverible gelation, 241P
Thermoreversible gelation, 1605P
Thermosensitive polymer, 301C
Thermosensitivity, 2213C
Thermoset, 1019P
Thermosets, 1291C
Thermosetting cyanate networks, 2879C
Thermostability, 1317P
Thermotropic, 3407C
Thermotropic liquid crystalline, 2455C, 2465C
Thermotropic polyester, 503C
Theta point, 1789P
Theta temperature, 1961P, 1977P
Thin film, 2335P
Thin films, 207C, 173P, 981P, 3017P, 3081P
Thiophene, 2981C
Thioxanthene derived dye, 633C
Third-order nonlinearity, 2333C
Thixotropy, 277P
Through-plane direction, 1591P
Time-resolved fluorescence, 1723P
TiO_2 semiconductor particles, 1311C
TIPS, 1623C
Titanium, 2163C
Titanium catalysts, 2237C
Titration, 985C
Toluene, 75P, 2759P
Tolyl substituents, 1317P
Topology, 2247P
Topotactic polymerization, 1087C
Total internal reflectance fluorescence, 1555P
Toughness, 1501C
Tracer diffusion, 1555P
Transamidation, 335P
Transcrystallinity, 47P, 1435P
Transcrystallization, 657P
Transesterification, 621C, 2103C, 2595C, 2841C, 3303C, 211P
Transetherification, 375C
Transfer agents, 3471C
β transition, 641P
γ transition, 641P

Transition metal catalysts, 2243C
Transition metals, 2311C
Transition state, 1407C
Transition-metal catalyst, 2229C
Transition-metal compatibilization, 909P
Transitions, 1055P
Translational diffusion, 2853P
Transparency, 707P
Transport number, 2127P
Traveling waves, 991C, 141P
TREF analysis, 527P
TREF systems, 1147P
Triallylstannyllithium, 1183C
Triblock copolymer, 2161P, 2177P, 2739P
Trichosanthin, 221P
Trifluoroacetic acid, 1651C
Trifunctional epoxy resin, 379P
1,3,5-triisopropylbenzene, 121P
Trimers, 853P
Trimethylolpropane diallyl ether, 2051C
2-(trimethylsiloxy)butadiene, 3369C
Tri-*n*-butylphosphine-catalyst, 1597C
Triphenyl phosphite, 747C, 1189C, 1209C, 1421C
Triphenylamines, 317P
Tris(triphenylphosphine)ruthenium (II) dichloride, 3091C
Trypsin, 1819C
TSC, 517P, 2067P
TSDC, 641P, 2067P, 2863P
TTT Inifers, 3471C
Two long alkyl chains, 449C
Two-component, 1455C
Two-stage Knoevenagel polycondensation, 2289C
Two-step process, 2889C
Two-step swelling, 2767C

Udel®, 2421C
Ultrahigh molecular weight polyethylene, 1063P
Ultrasonic measurement, 341P
Ultrasound, 2409P
Unfreezable water, 2579P
Unit cell dimensions of polyethylene crystals, 975P
Unsaturated polyamides and polyesters, 2799C
Unzipping of alkoxy radicals, 3361C
UV spectra of polycomplexes (PMAA.PEG*), 2253C
UV spectroscopy, 163C

Vapor deposition polymerization, 2239P
Various alkyl halides, 3531C
Vesicles, 729C
VFTH-equation, 1741C
Vibrational overtone, 2575C
Vinyl acetate, 811C, 2581C
Vinyl acetate, emulsion polymerization of, 849C
(Vinyl acetate)/(glycidyl methacrylate) copolymers, 333C
Vinyl carbamate, 1969C
Vinyl end-blocked polycarbosilane, 3155C
Vinyl ester, 1763C
Vinyl ether, 1771C
Vinyl ether moiety, 217C
Vinyl ethers, 1015C
Vinyl polymer, 1589C
Vinyl polyperoxides, 3361C
Vinylcyclopropane, 2029C
2-vinyloxy ethyl phthalimide, 1993C
Viologen, 2123C
Viscoelastic dielectric, 683P
Viscoelastic properties, 1423P
Viscoelasticity, 141P
Viscometry, 1281P, 2747P
Viscosity, 1789P
Viscosity reduction, 2433P
Visible absorption, 2753C
Visible light photopolymerization, 2817C
Vision protection, 643C
Viskosimetry, 597C
VUV photochemistry, 1511C

Water, 1181P
Water, 2805P
Water and aqueous solution, 3531C
Water barrier, 1843C
Water dispersibility, 2213C
Water solubility, 1763C
Water soluble polymer, 301C
Water sorption, 1529P, 1853P, 2579P
Water tolerance, 2543C
Waterborne polyurethanes, 1095C
Water-soluble nonionic initiator, 1237C
Water-soluble polymers, 1529C
Water-soluble PVA/water-insoluble PVA, 849C
WAXD, 2679C, 2689C, 2701C, 2711C, 2719C
Wear behavior, 1063P
Wide angle x-ray diffraction, 1451P

XLPE, 1621P
XPS, 586, 1385C
X-ray, 2521C
X-ray diffraction, 83P, 2447P, 2771P, 3055P
X-ray line profile analysis, 485P
X-ray photoelectron spectroscopy surface modification, 2299C
X-ray scattering, 1325C, 2893P

YBC superconductors, 1003C
Yields, 3379C

Zeolite 13X, 673C
Zeolite-penetrated poly(ethyl acrylate) composites, 2657P
Zeolites, 2657P
Ziegler type catalyst, 3431C
Ziegler-Natta catalysis, 2945C
Ziegler-Natta catalyst, 2163C
Ziegler–Natta catalyst, 2909C
Ziegler–Natta polymerization, 1693C
Zone-drawing, 1269P
Zwitterion, 801C